



US Department
of Transportation
Federal Aviation
Administration

MAJOR REPAIR AND ALTERATION
(Airframe, Powerplant, Propeller, or Appliance)

OMB No. 2120-0020
Exp: 5/31/2018

Electronic Tracking Number

For FAA Use Only

INSTRUCTIONS: Print or type all entries. See Title 14 CFR §43.9, Part 43 Appendix B, and AC 43.9-1 (or subsequent revision thereof) for instructions and disposition of this form. This report is required by law (49 U.S.C. §44701). Failure to report can result in a civil penalty for each such violation. (49 U.S.C. §46301(a))

1. Aircraft	NATIONALITY AND REGISTRATION MARK: USA N4472K	SERIAL NO: NAV-4-1472
	MAKE: RYAN	MODEL: NAVION SERIES:
2. Owner	Name (As shown on registration certificate) BOREL ALAIN F	Address (As shown on registration certificate) Address 692 OLD WINCHESTER RD
		City BOYCE State VIRGINIA
		Zip 22620-1902 Country USA


3. For FAA Use Only

4. Type		5. Unit Identification			
Repair	Alteration	Unit	Make	Model	Serial No.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	AIRFRAME	RYAN	(As described in Item 1 above)	NAV-4-1472
<input type="checkbox"/>	<input type="checkbox"/>	POWERPLANT			
<input type="checkbox"/>	<input type="checkbox"/>	PROPELLER			
<input type="checkbox"/>	<input type="checkbox"/>	APPLIANCE	Type		
			Manufacturer		

6. Conformity Statement

A. Agency's Name and Address		B. Kind of Agency		C. Certificate No. 20WR084C
NAME: OnWing LLC		<input type="checkbox"/> U. S. Certificated Mechanic	<input type="checkbox"/> Manufacturer	
ADDRESS: 511 Airport Rd		<input type="checkbox"/> Foreign Certificated Mechanic		
CITY: Winchester	STATE VIRGINIA	<input checked="" type="checkbox"/> Certificated Repair Station		
ZIP: 22602	COUNTRY	<input type="checkbox"/> Certificated Maintenance Organization		

D. I certify that the repair and/or alteration made to the unit(s) identified in item 5 above and described on the reverse or attachments hereto have been made in accordance with the requirements of Part 43 of the U.S. Federal Aviation Regulations and that the information furnished herein is true and correct to the best of my knowledge.

Extended range fuel per 14 CFR Part 43 App. B <input type="checkbox"/>	Signature/Date of Authorized Individual  5/29/2024
--	---

7. Approval for Return to Service

Pursuant to the authority given persons specified below, the unit identified in item 5 was inspected in the manner prescribed by the Administrator of the Federal Aviation Administration and is: Approved Rejected

BY	FAA Fit. Standards Inspector	Manufacturer	Maintenance Organization	Persons Approved by Canadian Department of Transport
	FAA Designee <input checked="" type="checkbox"/>	Repair Station	Inspection Authorization	Other (Specify)

CERTIFICATE OR DESIGNATION NO: 20WR084C	Signature/Date of Authorized Individual  5/29/2024
---	---

NOTICE

Weight and balance or operating limitation changes shall be entered in the appropriate aircraft record. An alteration must be compatible with all previous alterations to assure continued conformity with the applicable airworthiness requirements.

8. Description of Work Accomplished

(If more space is required, attach additional sheets. Identify with aircraft nationality and registration mark and date work completed.)

USA N4472K

5/29/2024

Nationality and Registration Mark

Date:

- 1) Introduction: Installation of the Garmin GTN650Xi GPS/NAV/COMM
- 2) Description: Installed Garmin GTN650Xi PN: 010-01999-01 SN: 5FP000602.
- 3) Control Information: Reference Section 3 of the Garmin GTN650 STC Instructions For Continued Airworthiness PN: 190-01007-A1 Rev 12, for information on how to operate and control the functions of the Garmin GTN650 Display.
- 4) Servicing Information: The Garmin GTN650 does not require servicing. In the event of a system failure, reference section 5 of the Garmin GTN650Xi STC Instructions For Continued Airworthiness PN: 190-01007-C1 Rev 5, for troubleshooting information.
- 5) Maintenance Information: Reference section 4.3 of the Garmin GTN650 STC Maintenance Manual PN: 190-01007-C1 Rev 5, for maintenance instructions and time intervals required by the manufacture.
- 6) Troubleshooting Information: Reference Section 5 of the Garmin GTN650 STC Maintenance Manual PN: 190-01007-C1 Rev 5, for information on troubleshooting faults with the Garmin GTN650.
- 7) Removal/Replacement Information: Reference 6 of the Garmin GTN650 STC Maintenance Manual PN: 190-01007-C1 Rev 5, for information on removing and or replacing various components of the Garmin GTN650 System.
- 8) Diagrams: Reference Appendix A of the Garmin GTN650 STC Installation Manual PN: 190-01007-A3 Rev 16 for various wiring diagrams and system interconnect configurations.
- 9) Special Inspection Requirements: None.
- 10) Application of Special Treatments: None.
- 11) Data: Garmin GTN650Xi STC# SA02019SE-D, Garmin GTN650Xi STC Installation Manual PN: 190-01007-C0 Rev 11, Garmin GTN650Xi STC Maintenance Manual PN: 190-01007-C1 Rev 5, Garmin GTN650Xi STC Instructions For Continued Airworthiness PN: 190-01007-C1 Rev 5, & Garmin GTN650Xi STC Airplane Flight Manual Supplement PN: 190-01007-C2 Rev 8.
- 12) List of Special Tools: Reference section 4.2.2. of the Garmin GTN650Xi STC Maintenance Manual PN: 190-01007-C1 Rev 5, for information and specifications on special tools required for performing maintenance on the Garmin GTN650 System.
- 13) Commuter Aircraft?: Not Applicable.
- 14) Recommended Overhaul Periods: None.
- 15) Approved Airworthiness Limitations: There are no new or additional airworthiness limitations as defined in 14 CFR § 23, Appendix G. G23.4 that result from this modification. The Airworthiness Limitations section is FAA approved and specifies maintenance required under §43.16 & §91.403 of Title 14 of the Code of Federal Regulations unless an alternative program has been FFA Approved
- 16) Maintenance Information ICAs. Revision Instructions: Revisions to this installation shall submit a revised FAA Form 337 to the local FSDO.

Additional Sheets Are Attached



US Department
of Transportation
Federal Aviation
Administration

MAJOR REPAIR AND ALTERATION
(Airframe, Powerplant, Propeller, or Appliance)

OMB No. 2120-0020
Exp: 5/31/2018

Electronic Tracking Number

For FAA Use Only

INSTRUCTIONS: Print or type all entries. See Title 14 CFR §43.9, Part 43 Appendix B, and AC 43.9-1 (or subsequent revision thereof) for instructions and disposition of this form. This report is required by law (49 U.S.C. §44701). Failure to report can result in a civil penalty for each such violation. (49 U.S.C. §46301(a))

1. Aircraft	NATIONALITY AND REGISTRATION MARK: USA N4472K	SERIAL NO: NAV-4-1472	
	MAKE: RYAN	MODEL: NAVION	SERIES:
2. Owner	Name (As shown on registration certificate) BOREL ALAIN F	Address (As shown on registration certificate) Address 692 OLD WINCHESTER RD	
		City BOYCE	State VIRGINIA
		Zip 22620-1902	Country USA


3. For FAA Use Only

4. Type		5. Unit Identification			
Repair	Alteration	Unit	Make	Model	Serial No.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	AIRFRAME	RYAN	(As described in Item 1 above)	NAV-4-1472
<input type="checkbox"/>	<input type="checkbox"/>	POWERPLANT			
<input type="checkbox"/>	<input type="checkbox"/>	PROPELLER			
<input type="checkbox"/>	<input type="checkbox"/>	APPLIANCE	Type		
			Manufacturer		

6. Conformity Statement

A. Agency's Name and Address		B. Kind of Agency		C. Certificate No. 20WR084C
NAME: OnWing LLC		<input type="checkbox"/> U. S. Certificated Mechanic	<input type="checkbox"/> Manufacturer	
ADDRESS: 511 Airport Rd		<input type="checkbox"/> Foreign Certificated Mechanic		
CITY: Winchester	STATE VIRGINIA	<input checked="" type="checkbox"/> Certificated Repair Station		
ZIP: 22602	COUNTRY	<input type="checkbox"/> Certificated Maintenance Organization		

D. I certify that the repair and/or alteration made to the unit(s) identified in item 5 above and described on the reverse or attachments hereto have been made in accordance with the requirements of Part 43 of the U.S. Federal Aviation Regulations and that the information furnished herein is true and correct to the best of my knowledge.

Extended range fuel per 14 CFR Part 43 App. B <input type="checkbox"/>	Signature/Date of Authorized Individual  5/29/2024
--	--

7. Approval for Return to Service

Pursuant to the authority given persons specified below, the unit identified in item 5 was inspected in the manner prescribed by the Administrator of the Federal Aviation Administration and is: Approved Rejected

BY	FAA Fit. Standards Inspector	Manufacturer	Maintenance Organization	Persons Approved by Canadian Department of Transport
	FAA Designee <input checked="" type="checkbox"/>	Repair Station	Inspection Authorization	Other (Specify)

CERTIFICATE OR DESIGNATION NO: 20WR084C	Signature/Date of Authorized Individual  5/29/2024
---	--

NOTICE

Weight and balance or operating limitation changes shall be entered in the appropriate aircraft record. An alteration must be compatible with all previous alterations to assure continued conformity with the applicable airworthiness requirements.

8. Description of Work Accomplished

(If more space is required, attach additional sheets. Identify with aircraft nationality and registration mark and date work completed.)

USA N4472K

5/29/2024

Nationality and Registration Mark

Date:

- 1) Installation of the Garmin G3X Electronic Flight Display (PFD) for Certificated Aircraft Series
- 2) Description: Removed KI-209 VOR/LOC Converter and Glide scope IND PN: 066-3056-01 SN: 13424, Instrument Air IND PN: 115-384018-1 SN: N/A, Vertical Speed IND PN: 7000 SN: J7173, Altimeter PN: 10172C-01562 SN: W9609G.
- 2) Description: Installed Garmin G3X GDU460 PN: 011-02920-05 SN: 350006763, Garmin GAD27 PN: 011-03876-01 SN: 4A8001360, Garmin GEA24 PN: 011-02848-01 SN: 2J2005166, Garmin GSU25D PN: 011-02929-51 SN: 5Q3001280, Garmin GTP59 PN: 011-00978-00 SN: 47949519,
- 3) Control Information: For Control & Operational information for the Garmin G3X reference Section 3 of the Garmin G3X STC Instructions For Continued Airworthiness PN: 190-02472-02 Rev 9.
- 4) Servicing Information: Reference section 4.2 of the Garmin G3X STC Instructions For Continued Airworthiness PN: 190-02472-02 Rev 9 for information on servicing the Garmin G3X and its various components.
- 5) Maintenance Instructions: Reference Section 4.3 of the Garmin G3X STC Instructions For Continued Airworthiness PN: 190-02472-02 Rev 9 for information on maintenance procedures and time intervals required by the manufacture.
- 6) Troubleshooting Information: Reference Section 5 of the Garmin G3X STC Instructions For Continued Airworthiness PN: 190-02472-02 Rev 9, for Troubleshooting information and instructions.
- 7) Removal/Replacement Information: Reference section 6 of the Garmin G3X STC Instructions For Continued Airworthiness PN: 190-02472-02 Rev 9, for information & instructions on removing and replacing the Garmin G3X and its components.
- 8) Diagrams: Reference Appendix B of the Garmin G3X STC Installation Manual PN: 190-02472-01 Rev 15, for various wiring diagrams and system interconnect configurations.
- 9) Special Inspection Requirements: After a suspected lightning strike reference section 4.7 of the Garmin G3X STC Maintenance Manual PN: 190-02472-02 Rev 9.
- 10) Application of Special Treatments: None.
- 11) Data: Garmin G3X STC# SA01899WI, Garmin G3X STC Master Drawing List PN: 005-01320-00 Rev 17, Garmin G3X STC Installation Manual PN: 190-02472-01 Rev 15, Garmin G3X STC Maintenance Manual PN: 190-02472-02 Rev 9, Garmin G3X STC Instructions For Continued Airworthiness PN: 190-02472-02 Rev 9, & Garmin G3X STC Airplane Flight Manual Supplement PN: 190-01754-01 Rev 6.
- 12) List of Special Tools: No special tools are required to perform maintenance on the Garmin G3X and its system components.
- 13) Commuter Aircraft?: Not Applicable
- 14) Recommended overhaul Periods: None.
- 15) Approved Airworthiness Limitations: There are no new or additional airworthiness limitations associated with this equipment and/or installation. The Airworthiness Limitations section is FAA-Approved and specifies maintenance required under §§ 43.16 and 91.403 of Title 14 of the Code of Federal Regulations unless an alternative program has been FAA-Approved.
- 16) Maintenance Information ICAs. Revision Instructions: Revisions to this installation shall submit a revised FAA Form 337 to the local FSDO.

Additional Sheets Are Attached



US Department
of Transportation
Federal Aviation
Administration

MAJOR REPAIR AND ALTERATION
(Airframe, Powerplant, Propeller, or Appliance)

OMB No. 2120-0020
Exp: 5/31/2018

Electronic Tracking Number

For FAA Use Only

INSTRUCTIONS: Print or type all entries. See Title 14 CFR §43.9, Part 43 Appendix B, and AC 43.9-1 (or subsequent revision thereof) for instructions and disposition of this form. This report is required by law (49 U.S.C. §44701). Failure to report can result in a civil penalty for each such violation. (49 U.S.C. §46301(a))

1. Aircraft	NATIONALITY AND REGISTRATION MARK: USA N4472K	SERIAL NO: NAV-4-1472
	MAKE: RYAN	MODEL: NAVION
2. Owner	Name (As shown on registration certificate) BOREL ALAIN F	Address (As shown on registration certificate) Address 692 OLD WINCHESTER RD
		City BOYCE State VIRGINIA Zip 22620-1902 Country USA


3. For FAA Use Only

4. Type		5. Unit Identification			
Repair	Alteration	Unit	Make	Model	Serial No.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	AIRFRAME	RYAN	(As described in Item 1 above)	NAV-4-1472
<input type="checkbox"/>	<input type="checkbox"/>	POWERPLANT			
<input type="checkbox"/>	<input type="checkbox"/>	PROPELLER			
<input type="checkbox"/>	<input type="checkbox"/>	APPLIANCE	Type		
			Manufacturer		

6. Conformity Statement

A. Agency's Name and Address		B. Kind of Agency		C. Certificate No.	
NAME: OnWingLLC		U. S. Certificated Mechanic		Manufacturer	
ADDRESS: 511 Airport Rd		Foreign Certificated Mechanic		20WR084C	
CITY: Winchester	STATE VIRGINIA	<input checked="" type="checkbox"/>	Certificated Repair Station		
ZIP: 22602	COUNTRY	Certificated Maintenance Organization			


D. I certify that the repair and/or alteration made to the unit(s) identified in item 5 above and described on the reverse or attachments hereto have been made in accordance with the requirements of Part 43 of the U.S. Federal Aviation Regulations and that the information furnished herein is true and correct to the best of my knowledge.

Extended range fuel per 14 CFR Part 43 App. B <input type="checkbox"/>	Signature/Date of Authorized Individual  5/29/2024
--	--

7. Approval for Return to Service

Pursuant to the authority given persons specified below, the unit identified in item 5 was inspected in the manner prescribed by the Administrator of the Federal Aviation Administration and is: Approved Rejected

BY	FAA Flt. Standards Inspector	Manufacturer	Maintenance Organization	Persons Approved by Canadian Department of Transport
	FAA Designee <input checked="" type="checkbox"/>	Repair Station	Inspection Authorization	Other (Specify)

CERTIFICATE OR DESIGNATION NO: 20WR084C	Signature/Date of Authorized Individual  5/29/2024
--	--

NOTICE

Weight and balance or operating limitation changes shall be entered in the appropriate aircraft record. An alteration must be compatible with all previous alterations to assure continued conformity with the applicable airworthiness requirements.

8. Description of Work Accomplished

(If more space is required, attach additional sheets. Identify with aircraft nationality and registration mark and date work completed.)

USA N4472K

5/29/2024

Nationality and Registration Mark

Date:

- 1) Introduction: Installation of a Garmin GA-35 GPS WAAS Antenna
- 2) Description: Installed Garmin GA-35 GPS Antenna PN: 00013-00235-00 SN: 184543.
- 3) Control Information: There are no Pilot Controls or Operating Information. All Pilot controls and operating information is through the interfaced GPS/WAAS receiver unit.
- 4) Servicing Information: This GPS Antenna is non-repairable. The antenna must be replaced in the event of failure.
- 5) Maintenance Information: This STC is for physical installation and mounting of the antenna and does not include functional operation. When the GA-35 antenna is interfaced to other receiving equipment, it is functionally tested by the interfaced GPS/WAAS Receiver.
- 6) Troubleshooting Information: Troubleshooting information is performed with the interfaced GPS/WAAS receiver unit.
- 7) Removal/Replacement Information: If the antenna is removed and or replaced, verify proper operation by the successful completion of the self test or checkout procedures by the interfaced GPS/WAAS receiver unit. Reference section 2.7 of the Garmin GA-35 STC Instructions for Continued Airworthiness for information on removing and or replacing the antenna.
- 8) Diagrams: Reference the Garmin GA-35 Antenna STC Installation Manual PN: 190-01284-00 Rev D, for applicable drawing installation.
- 9) Special Inspection Requirements: Reference section 2.9 of the Garmin GA-35 Antenna STC Instructions For Continued Airworthiness PN: 005-00638-09 Rev 3 for Special Inspection Procedures.
- 10) Application of Special Treatments: None.
- 11) Data: Garmin GA-35 GPS Antenna STC# SA02018SE-D, Garmin GA-35 GPS Antenna STC Installation Manual PN: 190-01284-00 Rev D, & Garmin GA-35 GPS Antenna STC Instructions For Continued Airworthiness PN: 005-00638-09 Rev 3
- 12) List of Special Tools: None.
- 13) Commuter Aircraft?: Not Applicable.
- 14) Recommended Overhaul Periods: None.
- 15) Approved Airworthiness Limitations: There are no new or additional airworthiness limitations as defined in 14 CFR § 23, Appendix G. G23.4 that result from this modification. The Airworthiness Limitations section is FAA approved and specifies maintenance required under §43.16 & §91.403 of Title 14 of the Code of Federal Regulations unless an alternative program has been FFA Approved
- 16) Maintenance Information ICAs. Revision Instructions: Revisions to this installation shall submit a revised FAA Form 337 to the local FSDO.

Additional Sheets Are Attached



US Department of Transportation
Federal Aviation Administration

MAJOR REPAIR AND ALTERATION
(Airframe, Powerplant, Propeller, or Appliance)

OMB No. 2120-0020
Exp: 5/31/2018

Electronic Tracking Number

For FAA Use Only

INSTRUCTIONS: Print or type all entries. See Title 14 CFR §43.9, Part 43 Appendix B, and AC 43.9-1 (or subsequent revision thereof) for instructions and disposition of this form. This report is required by law (49 U.S.C. §44701). Failure to report can result in a civil penalty for each such violation. (49 U.S.C. §46301(a))

1. Aircraft	NATIONALITY AND REGISTRATION MARK: USA N4472K	SERIAL NO: NAV-4-1472
	MAKE: RYAN	MODEL: NAVION

2. Owner	Name (As shown on registration certificate) BOREL ALAIN F	Address (As shown on registration certificate) Address 692 OLD WINCHESTER RD
		City BOYCE State VIRGINIA
		Zip 22620-1902 Country USA


3. For FAA Use Only

4. Type		5. Unit Identification			
Repair	Alteration	Unit	Make	Model	Serial No.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	AIRFRAME	RYAN	(As described in Item 1 above)	NAV-4-1472
<input type="checkbox"/>	<input type="checkbox"/>	POWERPLANT			
<input type="checkbox"/>	<input type="checkbox"/>	PROPELLER			
<input type="checkbox"/>	<input type="checkbox"/>	APPLIANCE	Type		
			Manufacturer		

6. Conformity Statement

A. Agency's Name and Address		B. Kind of Agency		C. Certificate No. 20WR084C
NAME: OnWing LLC		U. S. Certificated Mechanic		
ADDRESS: 511 Airport Rd		Foreign Certificated Mechanic		
CITY: Winchester	STATE VIRGINIA	<input checked="" type="checkbox"/> Certificated Repair Station		
ZIP: 22602	COUNTRY	Certificated Maintenance Organization		

D. I certify that the repair and/or alteration made to the unit(s) identified in item 5 above and described on the reverse or attachments hereto have been made in accordance with the requirements of Part 43 of the U.S. Federal Aviation Regulations and that the information furnished herein is true and correct to the best of my knowledge.

Extended range fuel per 14 CFR Part 43 App. B <input type="checkbox"/>	Signature/Date of Authorized Individual  5/29/2024
--	--

7. Approval for Return to Service

Pursuant to the authority given persons specified below, the unit identified in item 5 was inspected in the manner prescribed by the Administrator of the Federal Aviation Administration and is: Approved, Rejected

BY	FAA Fit. Standards Inspector	Manufacturer	Maintenance Organization	Persons Approved by Canadian Department of Transport
	FAA Designee <input checked="" type="checkbox"/>	Repair Station	Inspection Authorization	

CERTIFICATE OR DESIGNATION NO: 20WR084C	Signature/Date of Authorized Individual 
---	--

NOTICE

Weight and balance or operating limitation changes shall be entered in the appropriate aircraft record. An alteration must be compatible with all previous alterations to assure continued conformity with the applicable airworthiness requirements.

8. Description of Work Accomplished

(If more space is required, attach additional sheets. Identify with aircraft nationality and registration mark and date work completed.)

USA N4472K

5/29/2024

Nationality and Registration Mark

Date:

- 1) Installation of the Garmin G5 Electronic Flight Instrument for Certificated Aircraft Series
- 2) Description: Removed Directional Gyro PN: 1U262-001-10 SN: 246170.
- 2) Description: Installed Garmin G5 PN: 011-03809-00 SN: 4JQ038882, Garmin GMU 11 PN: 011-04349-01 SN: 56J018302, & Garmin GAD29B PN: 011-03236-11 SN: 5DL009100.
- 3) Control Information: For Control & Operational information for the Garmin G5 STC Instructions For Continued Airworthiness PN: 190-01112-11 Rev 10.
- 4) Servicing Information: Reference section 4.2 for information on servicing the Garmin G5 and its various components.
- 5) Maintenance Instructions: Reference Section 4.2.7 of the Garmin G5 STC Maintenance Manual PN: 190-01112-11 Rev 10 for information on maintenance procedures and time intervals required by the manufacture.
- 6) Troubleshooting Information: Reference Section 5 of the Garmin G5 STC Instructions for Continued Airworthiness PN: 190-0112-11 Rev 10 for Troubleshooting information and instructions.
- 7) Removal/Replacement Information: Reference section 6 of the Garmin G5 STC Instructions For Continued Airworthiness PN: 190-0112-11 Rev 10, for information & instructions on removing and replacing the Garmin GNS500W and its components.
- 8) Diagrams: Reference Section 5 of the Garmin G5 STC Installation Manual PN: 190-01112-10 Rev 31 for various wiring diagrams and system interconnect configurations.
- 9) Special Inspection Requirements: After a suspected lightning strike reference section 4.4 of the Garmin G5 STC Instructions For Continued Airworthiness PN: 190-0112-11 Rev 10.
- 10) Application of Special Treatments: None.
- 11) Data: Garmin G5 STC# SA01818WI, Garmin G5 STC Master Drawing List PN: 005-01112-01 Rev 33, Garmin G5 STC Installation Manual PN: 190-01112-10 Rev 31, Garmin G5 STC Maintenance Manual PN: 190-01112-11 Rev 10, Garmin G5 Airplane Flight Manual Supplement PN: 190-01112-13 Rev 9, & Garmin G5 STC Instructions For Continued Airworthiness PN: 190-0112-11 Rev 10.
- 12) List of Special Tools: No special tools are required to perform maintenance on the Garmin G5.
- 13) Commuter Aircraft?: Not Applicable
- 14) Recommended overhaul Periods: None.
- 15) Approved Airworthiness Limitations: There are no new or additional airworthiness limitations associated with this equipment and/or installation. The Airworthiness Limitations section is FAA-Approved and specifies maintenance required under §§ 43.16 and 91.403 of Title 14 of the Code of Federal Regulations unless an alternative program has been FAA-Approved.
- 16) Maintenance Information ICAs. Revision Instructions: Revisions to this installation shall submit a revised FAA Form 337 to the local FSDO.

Additional Sheets Are Attached

EQUIPMENT LIST UPDATE: 05/27/2020

Aircraft Specifics:	Make / Model RYAN NAVION	Registration N4472K	Serial No. NAV-4-1472
EQUIPMENT REMOVED	PART NUMBER/MODEL NUMBER	SERIAL NUMBER	ARM
Directional Gyro	1U262-001-10	246170	
KI-209 VOR/LOC Converter and Glidescope IND	066-3056-01	13424	
Instrument Air IND	115-384018-1	N/A	
JPI EDM 700	EGT-701	30763	
Vertical Speed IND	7000	J7173	
Altimeter	10172C-01562	W9609G	
MX170-B	N/A	1554	
PMA6000	PMA6000M	W06923-N05068	
GNC300XL	011-00433-00	95104473	
Stratus ESG	153510-000017	073303	
Airspeed IND	AW-2 3/4 -16-BD	410	
Horizon Gyro	99002-8	30125	
MAN/FUEL Pressure IND	6331	177614	
Turn Cordinator	507-0020-903	M255	
RPM IND	551-TA	113	
Clock	N/A	2643051	
Gangine Gage	CM2920-L1	G90	
Dry Air Pump	RA216CW	1318244	
KN 75 Glidescope	066-1063-00	P1432	
Main Fuel Gauge	D1-211-5074	N/A	
Fuel Gauge Right Tank	D1-211-5074	N/A	
Fuel Gauge Left Tank	D1-211-5074	N/A	

EQUIPMENT INSTALLED	PART NUMBER/MODEL NUMBER	SERIAL NUMBER	ARM
GDU 460	011-02920-05	350006763	
GTN 650Xi	010-01999-01	5FP000602	
GMA 345	010-01319-01	3Z0008540	
GNC255A	010-01025-50	2A8003806	
G5	011-03809-00	4JQ038882	
GMU 11	011-04349-01	56J018302	
GAD27	011-03876-01	4A8001360	
GAD 29B	011-03236-11	5DL009100	
GDL50R	011-03910-15	4RF100610	
GEA24	011-02848-01	2J2005166	
GSU 25D	011-02929-51	5Q3001280	
GTP 59	011-00978-00	47949519	
75 PSIG Pressure Sensor	011-04202-20	4TJ001267	
150 PSIG Pressure Sensor	011-04202-30	4TK004800	
30 PSIA Pressure Sensor	011-04202-00	4TG001710	
30 PSIA Pressure Sensor	011-04202-00	4TG001713	
GA 35	013-00235-00	184543	
ST-580 Computer	01192-0-0T	01192-1041-14813	
Roll Servo	0105R1	00105-2008-00001CEFGJ	
Pitch Servo	0107-P4	00107-2008-00001CDEFGJK	
Pressure Transducer	111	00111-1938-00024AA	
Cable Assembly	39123-29	Cable-2007-13882	
Cable Assembly	39123-29	25765-45	

