

Cox Airparts, LLC.
3707 W 30th Street South
Wichita, Ks 67217

FAA Cert. No. 7CXR376B

Date: 04/07/2023

Part # 31800-2 Description POWER PACK

Serial Number 404


Received From: PEGASUS AVIATION SERVICE, LLC.

PO

Ship to:

Ship Via


City, State, & Zip



Warranty



Repair



Overhaul



Inspect &
Test

Customer Purchase Order Instructions / Comments

Work Performed

DISASSEMBLED, CLEANED AND INSPECTED. LAPPED AND POLISHED ALL REQUIRED SURFACES. REPLACED ALL WORN OR DAMAGED PARTS. INSTALLED NEW SEAL KIT. REASSEMBLED AND TESTED IAW PIPER PA-23 PARTS MANUAL 753-522 AND PIPER PA-23 SERVICE MANUAL 753-564. NO DEFECTS NOTED.

Parts Replaced

Qty.	P/N & Description	Qty	P/N & Description
1	31800-2 SEAL KIT		

Repairman's Signature

Preliminary Inspection Performed

Check for Hidden Damage

In Process Inspection

Functional Test Performed

Final Inspection Performed

FAA Form 8130 Issued:

Inspector

RC 4/7
RC 4/7
RC 4/7
RC 5/15
RC 5/15
RC 5/15

R. Allen

Work Order

Number 23-0411

Date

MAY 15 2023

Work Order Form

Form Number

QAF001

Revision Number: Initial Release

Revision Date: 07/27/2009

1. Approving Civil Aviation
Authority/Country
FAA/United States

2.

AUTHORIZED RELEASE CERTIFICATE

FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG

3. Form Tracking Number
FAA23-0411.1

4. Organization Name and Address:



COX AIRPARTS, LLC
3707 W 30th STREET SOUTH
WICHITA, KANSAS 67217

5. Work Order/Contract/Invoice

CRS# 7CXR376B

411

6. Item: 7. Description

8. Part Number

9. Quantity:

10. Serial Number:

11. Status Work:

1 POWER PACK

31800-2

1

404

Overhauled

12. Remarks:

UNIT WAS OVERHAULED AND FUNCTIONAL TESTED IAW PIPER PA-23 PARTS MANUAL 753-522 (6/10/2012) AND PIPER PA-23 SERVICE MANUAL 753-564 (5/11/2022). NO DEFECTS WERE NOTED. -----

CERTIFIES THAT THE WORK SPECIFIED IN BLOCK 11/12 WAS CARRIED OUT IN ACCORDANCE WITH EASA PART 145 AND IN RESPECT TO THAT WORK THE COMPONENT IS CONSIDERED READY FOR RELEASE TO SERVICE UNDER EASA PART-145 CERTIFICATE NO. EASA.145.6964

13a. Certifies the items identified above were manufactured in conformity to:

- ☐ Approved design data and are in a condition for safe operation.
☐ Non-approved design data specified in Block 12.

14a.

☒ 14 CFR 43.9 Return to Service

☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:

13c. Approval/Authorization No:

14b. Authorized Signature:

14. Approval/Certificate No:

13d. Name (Typed or Printed)

13e. Date (dd/mm/yyyy)

14d. Name (Typed or Printed)

14e. Date (dd/mm/yyyy)

BRYAN ARTHUR COX

15/May/2023

7CXR376B

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

Cox Airparts, LLC.
3707 W 30th Street South
Wichita, Ks 67217

FAA Cert. No. 7CXR376B

Date: 03/27/2023

Part # 849-1/455-935 Description ACTUATOR

Serial Number 5586

Received From: PEGASUS AVIATION SERVICE, LLC.

PO
Ship Via


Ship to:
City, State, & Zip



Warranty



Repair



Overhaul



Inspect &
Test

Customer Purchase Order Instructions / Comments

Work Performed

DISASSEMBLED, CLEANED AND INSPECTED. POLISHED PISTON. REPLACED ALL WORN OR DAMAGED PARTS.
INSTALLED NEW SEAL KIT. REASSEMBLED AND TESTED IAW PIPER PA-23 PARTS MANUAL 753-522 AND PIPER PA-23 SERVICE MANUAL 753-564. NO DEFECTS NOTED.

Parts Replaced

Qty.	P/N & Description	Qty	P/N & Description
1	849-1 SEAL KIT		

Repairman's Signature

[Signature]

Preliminary Inspection Performed	BC	3/22
Check for Hidden Damage	BC	3/22
In Process Inspection	BC	3/22
Functional Test Performed	BC	4/26
Final Inspection Performed	BC	4/26
FAA Form 8130 Issued:	BC	4/26

Work Order Number 23-0354

Date APR 26 2023

Inspector

[Signature]

Work Order Form

Form Number QAF001
Revision Number: Initial Release
Revision Date: 07/27/2009

1. Approving Civil Aviation
Authority/Country
FAA/United States

AUTHORIZED RELEASE CERTIFICATE

FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG

3. Form Tracking Number
FAA23-0354.1

4. Organization Name and Address:



COX AIRPARTS, LLC
3707 W 30th STREET SOUTH
WICHITA, KANSAS 67217

5. Work Order/Contract/Invoice

354

6. Item: 7. Description

8. Part Number

9. Quantity:

10. Serial Number:

11. Status Work:

1 ACTUATOR

455-935

1

5586

Overhauled

12. Remarks:

UNIT WAS OVERHAULED AND FUNCTIONAL TESTED IAW PIPER PA-23 PARTS MANUAL 753-522 AND PIPER PA-23 SERVICE MANUAL 753-564. NO DEFECTS WERE NOTED. -----

13a. Certifies the items identified above were manufactured in conformity to:

- ☐ Approved design data and are in a condition for safe operation.
☐ Non-approved design data specified in Block 12.

14a.

☒ 14 CFR 43.9 Return to Service

☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:

13c. Approval/Authorization No:

14b. Authorized Signature:

14. Approval/Certificate No:

13d. Name (Typed or Printed)

13e. Date (dd/mm/yyyy)

14d. Name (Typed or Printed)

14e. Date (dd/mm/yyyy)

BRYAN ARTHUR COX

26/Apr/2023

7CXRX376B

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

Cox Airparts, LLC.
3707 W 30th Street South
Wichita, Ks 67217

FAA Cert. No. 7CXR376B

Date: 03/27/2023

Part # 849-1/455-935

Description ACTUATOR

Serial
Number 0355

Received
From: PEGASUS AVIATION SERVICE, LLC.

PO
Ship Via


Ship to:
City, State, & Zip




Warranty



Repair



Overhaul



Inspect &
Test

Customer Purchase Order Instructions / Comments

Work Performed

DISASSEMBLED, CLEANED AND INSPECTED. POLISHED PISTON. REPLACED ALL WORN OR DAMAGED PARTS.
INSTALLED NEW SEAL KIT. REASSEMBLED AND TESTED IAW PIPER PA-23 PARTS MANUAL 753-522 AND PIPER PA-
23 SERVICE MANUAL 753-564. NO DEFECTS NOTED.

Parts Replaced

Qty.	P/N & Description	Qty	P/N & Description
1	849-1 SEAL KIT		

Preliminary Inspection Performed

BC 3/27

Check for Hidden Damage

BC 3/27

In Process Inspection

BC 3/27

Functional Test Performed

BC 4/16

Final Inspection Performed

BC 4/16

FAA Form 8130 Issued:

BC 4/26

Repairman's Signature

[Signature]

Work Order

Number 23-0355

Date

APR 26 2023

Inspector

[Signature]

Work Order Form

Form Number

QAF001

Revision Number: Initial Release

Revision Date: 07/27/2009

1. Approving Civil Aviation
Authority/Country
FAA/United States

AUTHORIZED RELEASE CERTIFICATE
FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG

3. Form Tracking Number
FAA23-0355.1

4. Organization Name and Address:



COX AIRPARTS, LLC
3707 W 30th STREET SOUTH
WICHITA, KANSAS 67217

5. Work Order/Contract/Invoice

CRS# 7CXR376B

355

6. Item:	7. Description	8. Part Number	9. Quantity:	10. Serial Number:	11. Status Work:
1	ACTUATOR	455-935	1	0355	Overhauled

12. Remarks:

UNIT WAS OVERHAULED AND FUNCTIONAL TESTED IAW PIPER PA-23 PARTS MANUAL 753-522 AND PIPER PA-23 SERVICE MANUAL 753-564. NO DEFECTS WERE NOTED. -----

13a. Certifies the items identified above were manufactured in conformity to:

- ☐ Approved design data and are in a condition for safe operation.
☐ Non-approved design data specified in Block 12.

14a. ☒ 14 CFR 43.9 Return to Service

☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13 b. Authorized Signature:

13c. Approval/Authorization No:

14b. Authorized Signature:

14. Approval/Certificate No:

13d. Name (Typed or Printed)

13e. Date (dd/mm/yyyy)

14d. Name (Typed or Printed)

14e. Date (dd/mm/yyyy)

BRYAN ARTHUR COX

7CXR376B

26/Apr/2023

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

Work Order Form

Form Number QAF001
Revision Number: Initial Release
Revision Date: 07/27/2009

Cox Airparts, LLC. 3707 W 30th Street South Wichita, KS 67217 FAA Cert. No. 7CXR376B		Part # 31901-00/455-933	Description ACTUATOR	Serial Number 1783	Ship Via PO	Date: 03/27/2023	Received From: PEGASUS AVIATION SERVICE, LLC.	City, State, & Zip
Customer Purchase Order Instructions / Comments								
<div>Warranty <input type="checkbox"/></div> <div>Repair <input type="checkbox"/></div> <div>Overhaul <input checked="" type="checkbox"/></div> <div>Inspect & Test <input type="checkbox"/></div>								
Work Performed								
DISASSEMBLED, CLEANED AND INSPECTED. POLISHED PISTON. REPLACED ALL WORN OR DAMAGED PARTS. INSTALLED NEW SEAL KIT. REASSEMBLED AND TESTED IAW PIPER PA-23 PARTS MANUAL 753-522 AND PIPER PA-23 SERVICE MANUAL 753-564. NO DEFECTS NOTED.								
Parts Replaced								
Qty.	P/N & Description	Qty	P/N & Description					
1	31901-00 SEAL KIT							
				Repalman's Signature				
				Work Order Number 23-0353				
				Date APR 19 2023				
				Inspector				
				Preliminary Inspection Performed				
				Check for Hidden Damage				
				In Process Inspection				
				Functional Test Performed				
				Final Inspection Performed				
				FAA Form 8130 Issued:				

1. Approving Civil Aviation
Authority/Country
FAA/United States

2.

AUTHORIZED RELEASE CERTIFICATE

FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG

3. Form Tracking Number
FAA23-0353.1

4. Organization Name and Address:



COX AIRPARTS, LLC
3707 W 30th STREET SOUTH
WICHITA, KANSAS 67217

5. Work Order/Contract/Invoice

CRS# 7CXRX376B

353

6. Item: 7. Description

8. Part Number

9. Quantity:

10 Serial Number:

11. Status Work:

1

ACTUATOR

455-933

1

1783

Overhauled

12. Remarks:

UNIT WAS OVERHAULED AND FUNCTIONAL TESTED IAW PIPER PA-23 PARTS MANUAL 753-522 (6/10/2012) AND PIPER PA-23 SERVICE MANUAL 753-564 (1/1/2009) NO DEFECTS WERE NOTED. -----

13a. Certifies the items identified above were manufactured in conformity to:

- ☐ Approved design data and are in a condition for safe operation.
☐ Non-approved design data specified in Block 12.

14a.

☒ 14 CFR 43.9 Return to Service

☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13 b. Authorized Signature:

13c. Approval/Authorization No:

14b. Authorized Signature:

14. Approval/Certificate No:

13d. Name (Typed or Printed)

13e. Date (dd/mm/yyyy)

14d. Name (Typed or Printed)

14e Date (dd/mm/yyyy)

BRYAN ARTHUR COX

19/Apr/2023

7CXRX376B

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1. Approving Civil Aviation
Authority/Country:
FAA/United States

2.

AUTHORIZED RELEASE CERTIFICATE

FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG

3. Form Tracking Number:

QAA# A104615

4. Organization Name and Address:
Quality Aircraft Accessories Inc. (QYIR334Y)
5746 East Apache
Tulsa, OK 74115

Phone: 1-877-833-6948
918-835-6948
Fax: 918-835-2804

5. Work Order/Contract/Invoice
Number:

W/O: M665720

6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:
1	MAGNETO	10-163050-9	1	A104615	OVERHAULED

12. Remarks:

The work described in block 11 and subsequent inspections to the article(s) defined in blocks 7 through 10 were performed in accordance with current regulations of The Federal Aviation Administration and the article is approved for return to service.
RECORDS OF WORK PERFORMED ARE MAINTAINED ON FILE AND WILL BE FURNISHED ON REQUEST.

REPAIR SPECIFICATION: QAA6000 REV. JR DATE: 09/18/2020

Certifies that the work specified in Block 11/12 was carried out in accordance with EASA Part 145 and in respect to that work the article is considered ready for release to service under EASA Part 145 approval no EASA 145.5982

13a. Certifies the items identified above were manufactured in conformity to:

- ☐ Approved design data and are in a condition for safe operation.
☐ Non-approved design data specified in Block 12.

14a. ☒ 14 CFR 43.9 Return to Service

☒ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:

13c. Approval/Authorization No.:

14b. Authorized Signature:

14c. Approval/Certificate No.:
QYIR334Y

13d. Name (Typed or Printed):

13e. Date (dd/mm/yyyy):

14d. Name (Typed or Printed):
Dustin Caudle

14e. Date (dd/mm/yyyy):
08/JUN/2023

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article

where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1. Approving Civil Aviation Authority/Country: FAA/UNITED STATES	2.	3. Form Tracking Number: A103189
---	----	-------------------------------------

4. Organization Name and Address: QUALITY AIRCRAFT ACCESSORIES, 5746 E Apache St, Tulsa, OK 74115 (QYIR334Y)		5. Work Order/Contract/Invoice Number: W/O: M665690
--	--	--

6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:
1	MAGNETO	10-163010-10	1	A103189	OVERHAUL

12. Remarks: COPY OF WORK ORDER AVAILABLE ON REQUEST FROM QUALITY AIRCRAFT ACCESSORIES INC. CERTIFIES THAT THE WORK SPECIFIED IN BLOCK 11/12 WAS CARRIED OUT IN ACCORDANCE WITH EASA PART 145 AND WITH RESPECT TO THAT WORK THE AIRCRAFT COMPONENT IS CONSIDERED READY FOR RELEASE TO SERVICE UNDER EASA APPROVAL CERTIFICATE NUMBER EASA.145.5982 AND BY THE FAA AIR AGENCY CERTIFICATE NUMBER QYIR334Y. APPROVED FOR EXPORT THE ORIG. EQUIP. MFG. DATA APPEARS ON THE DATA PLATE IN THE LINES IDENTIFIED AS MOD/NO & ORIG. MFG.

N 6644Y
 Installed - 12 JAN 23
 ENCL left side
 right

13a. Certifies the items identified above were manufactured in conformity to:	14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input checked="" type="checkbox"/> Other regulation specified in Block 12
<input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12.	Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:	13c. Approval/Authorization No.:	14b. Authorized Signature:	14c. Approval/Certificate No.:
		<i>[Signature]</i>	QYIR334Y
13d. Name (Typed or Printed):	13e. Date (dd/mm/yyyy):	14d. Name (Typed or Printed):	14e. Date (dd/mm/yyyy):
		Dustin Caudle	17 APR 2023

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Block 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1. Approving Civil Aviation Authority/Country: FAA/UNITED STATES		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG		3. Form Tracking Number: A275363	
4. Organization Name and Address: QUALITY AIRCRAFT ACCESSORIES, 5746 E Apache St, Tulsa, OK 74115 (QYIR334Y)					
5. Work Order/Contract/Invoice Number: W/O: M665710					
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:
1	MAGNETO	10-163050-9	1	A275363	OVERHAUL
12. Remarks: COPY OF WORK ORDER AVAILABLE ON REQUEST FROM QUALITY AIRCRAFT ACCESSORIES INC. CERTIFIES THAT THE WORK SPECIFIED IN BLOCK 11/12 WAS CARRIED OUT IN ACCORDANCE WITH EASA PART 145 AND WITH RESPECT TO THAT WORK THE AIRCRAFT COMPONENT IS CONSIDERED READY FOR RELEASE TO SERVICE UNDER EASA APPROVAL CERTIFICATE NUMBER EASA.145.5982 AND BY THE FAA AIR AGENCY CERTIFICATE NUMBER QYIR334Y APPROVED FOR EXPORT THE ORIG. EQUIP. MFG. DATA APPEARS ON THE DATA PLATE IN THE LINES IDENTIFIED AS MOD/NO & ORIG. MFG.					
<p style="text-align: center;"> <i>NG 644Y</i> <i>12 JUN 23</i> <i>Installed on left ENG-</i> <i>Right side, Tach Sense</i> </p>					
13a. Certifies the items identified above were manufactured in conformity to:			14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input checked="" type="checkbox"/> Other regulation specified in Block 12		
<input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12.			Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.		
13b. Authorized Signature:		13c. Approval/Authorization No.:		14b. Authorized Signature:	
				<i>Justin Claude</i>	
13d. Name (Typed or Printed):		13e. Date (dd/mm/yyyy):		14d. Name (Typed or Printed):	
				<i>Justin Claude</i>	
				14c. Approval/Certificate No: QYIR334Y	
				14e. Date (dd/mm/yyyy): 17 MAY 2023	
User/Installer Responsibilities					
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.					
Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.					
Statements in Block 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.					


1. Approving Civil Aviation Authority/Country: FAA/UNITED STATES		2.		3. Form Tracking Number: 87043	
4. Organization Name and Address: QUALITY AIRCRAFT ACCESSORIES, 5746 E Apache St, Tulsa, OK 74115 (QYIR334Y)				5. Work Order/Contract/Invoice Number: W/O: M665700	
AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG					
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:
1	MAGNETO	10-163010-10	1	87043	OVERHAUL
12. Remarks: COPY OF WORK ORDER AVAILABLE ON REQUEST FROM QUALITY AIRCRAFT ACCESSORIES INC. CERTIFIES THAT THE WORK SPECIFIED IN BLOCK 11/12 WAS CARRIED OUT IN ACCORDANCE WITH EASA PART 145 AND WITH RESPECT TO THAT WORK THE AIRCRAFT COMPONENT IS CONSIDERED READY FOR RELEASE TO SERVICE UNDER EASA APPROVAL CERTIFICATE NUMBER EASA.145.5982 AND BY THE FAA AIR AGENCY CERTIFICATE NUMBER QYIR334Y. APPROVED FOR EXPORT THE ORIG. EQUIP. MFG. DATA APPEARS ON THE DATA PLATE IN THE LINES IDENTIFIED AS MODNO & ORIG. MFG.					
13a. Certifies the items identified above were manufactured in conformity to:			14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12		
<input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12.			Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.		
13b. Authorized Signature:	13c. Approval/Authorization No.:		14b. Authorized Signature:	14c. Approval/Certificate No.:	
			<i>Dustin C. Gault</i>	QYIR334Y	
13d. Name (Typed or Printed):	13e. Date (dd/mm/yyyy):	14d. Name (Typed or Printed):	14e. Date (dd/mm/yyyy):		
		<i>Dustin Gault</i>	17 APR 2023		
User/Installer Responsibilities					
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.					
Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.					
Statements in Block 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.					

FAA Form 8130-3 (02-14)

NSN: 0052-00-012-9005

QAACODE: 10-163010-10CO

installed
left eng
left side
6644Y
12 JUN 23

1. Approving Civil Aviation Authority/Country: FAA/UNITED STATES		2.		3. Form Tracking Number: 3816-T	
4. Organization Name and Address: QUALITY AIRCRAFT ACCESSORIES, 5746 E Apache St, Tulsa, OK 74115 (QYIR334Y)			5. Work Order/Contract/Invoice Number: W/O: M665670		
AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG					
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:
1	GOVERNOR	F-6-5A	1	3816-T	OVERHAUL
12. Remarks: COPY OF WORK ORDER AVAILABLE ON REQUEST FROM QUALITY AIRCRAFT ACCESSORIES INC. CERTIFIES THAT THE WORK SPECIFIED IN BLOCK 11/12 WAS CARRIED OUT IN ACCORDANCE WITH EASA PART 145 AND WITH RESPECT TO THAT WORK THE AIRCRAFT COMPONENT IS CONSIDERED READY FOR RELEASE TO SERVICE UNDER EASA APPROVAL CERTIFICATE NUMBER EASA.145.5982 AND BY THE FAA AIR AGENCY CERTIFICATE NUMBER QYIR334Y. APPROVED FOR EXPORT THE ORIG. EQUIP. MFG. DATA APPEARS ON THE DATA PLATE IN THE LINES IDENTIFIED AS MOD/NO & ORIG. MFG.					
13a. Certifies the items identified above were manufactured in conformity to:			14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input checked="" type="checkbox"/> Other regulation specified in Block 12		
<input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12.			Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.		
13b. Authorized Signature:		13c. Approval/Authorization No.:		14b. Authorized Signature:	
					
13d. Name (Typed or Printed):		13e. Date (dd/mm/yyyy):		14d. Name (Typed or Printed):	
				Justin Caudle	
				14e. Date (dd/mm/yyyy):	
				03 MAY 2023	
User/Installer Responsibilities					
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.					
Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.					
Statements in Block 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.					

1. Approving Civil Aviation
Authority/Country:
FAA/United States

2.

AUTHORIZED RELEASE CERTIFICATE

FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG

3. Form Tracking Number:

973

4. Organization Name and Address: AERO-Classics Heat Transfer Products Inc. - PAH Approval #PQ2543NM

1677 Curtiss Ct.
La Verne, CA 91750

5. Work Order/Contract/Invoice
Number: 973

6. Item:

7. Description:

1

Engine Oil Cooler

8. Part Number:

8000343

9. Quantity:

1

10. Serial Number:

973

11. Status/Work:

NEW

12. Remarks: REVISION E

AIRWORTHINESS APPROVAL

13a. Certifies the items identified above were manufactured in conformity to:

- ☒ Approved design data and are in a condition for safe operation.
☐ Non-approved design data specified in Block 12.

14a. ☐ 14 CFR 43.5 Return to Service

☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:



13c. Approval/Authorization No.:

734736156

14b. Authorized Signature:

14d. Name (Typed or Printed):

Michelle Mayhew

14e. Date (dd/mm/yyyy):

21/JUN/2022

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1. Approving Civil Aviation
Authority/Country:
FAA/United States

2.

AUTHORIZED RELEASE CERTIFICATE

FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG

3. Form Tracking Number:

972

4. Organization Name and Address: AERO-Classics Heat Transfer Products Inc. - PAH Approval #PQ2543NM
1677 Curtiss Ct.
La Verne, CA 91750

5. Work Order/Contract/Invoice
Number: 972

6. Item:

7. Description:

8. Part Number:

9. Quantity:

10. Serial Number:

11. Status/Work:

1

Engine Oil Cooler

8000343

1

972

NEW

12. Remarks: REVISION E

AIRWORTHINESS APPROVAL

13a. Certifies the items identified above were manufactured in conformity to:

- ☒ Approved design data and are in a condition for safe operation.
☐ Non-approved design data specified in Block 12.

14a. ☐ 14 CFR 43.9 Return to Service

☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:

13c. Approval/Authorization No.:
734736156

14b. Authorized Signature:

14c. Approval/Certificate No.:

13d. Name (Typed or Printed):

Michelle Mayhew

13e. Date (dd/mm/yyyy):
21/JUN/2022

14d. Name (Typed or Printed):

14e. Date (dd/mm/yyyy):

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

LEFT FOLLOW

1. Approving Civil Aviation Authority/Country: FAA/UNITED STATES		2.		3. Form Tracking Number: A7836T	
4. Organization Name and Address: QUALITY AIRCRAFT ACCESSORIES, 5746 E Apache St, Tulsa, OK 74115 (QYIR334Y)		5. Work Order/Contract/Invoice Number: W/O: M665680		6. Form Tracking Number: A7836T	
<p align="center">AUTHORIZED RELEASE CERTIFICATE</p> <p align="center">FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG</p>					
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:
1	GOVERNOR	F-6-5A	1	A7836T	OVERHAUL
<p>12. Remarks: COPY OF WORK ORDER AVAILABLE ON REQUEST FROM QUALITY AIRCRAFT ACCESSORIES INC. CERTIFIES THAT THE WORK SPECIFIED IN BLOCK 11/12 WAS CARRIED OUT IN ACCORDANCE WITH EASA PART 145 AND WITH RESPECT TO THAT WORK THE AIRCRAFT COMPONENT IS CONSIDERED READY FOR RELEASE TO SERVICE UNDER EASA APPROVAL CERTIFICATE NUMBER EASA.145.5982 AND BY THE FAA AIR AGENCY CERTIFICATE NUMBER QYIR334Y. APPROVED FOR EXPORT THE ORIG. EQUIP. MFG. DATA APPEARS ON THE DATA PLATE IN THE LINES IDENTIFIED AS MOD/NO & ORIG. MFG.</p>					
13a. Certifies the items identified above were manufactured in conformity to:		14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input checked="" type="checkbox"/> Other regulation specified in Block 12			
<input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12.		Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
13b. Authorized Signature:	13c. Approval/Authorization No.:	14b. Authorized Signature:	14c. Approval/Certificate No:		
		<i>Dust Cade</i>	QYIR334Y		
13d. Name (Typed or Printed):	13e. Date (dd/mm/yyyy):	14d. Name (Typed or Printed):	14e. Date (dd/mm/yyyy):		
		<i>Dustin Cade</i>	03 MAY 2023		
<p align="center">User/Installer Responsibilities</p> <p>It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.</p> <p>Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.</p> <p>Statements in Block 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.</p>					

N/A

AD'S N/A

O/H MANUAL#

JM1000

REV. B

3-12-2012



OF OKLAHOMA, INC.

FAA APPROVED REPAIR STATION

CRS# RV3R829L

2740 NORTH SHERIDAN ROAD - TULSA. OK 74115

TOLL FREE 800 255-9924* PHONE 918 835 9924* FAX 918 835 3681

P.O.# N6644Y

SHIP VIA

OVERHAUL

REPAIR

EXCHANGE

SAVE

MAINTENANCE TRAVELER

FUEL BOOST PUMP

CUSTOMER PEGASUS AVIATION SERVICE LLC WORK ORDER # 41979 DATE 3/27/2024

P/N	B8001-G	MFG.	WELDON	S/N	61979
-----	---------	------	--------	-----	-------

Armature RPL Valve Assy. RPL Fuel Seal RPL Impeller - Coupling - Harness RPL Housing OK

Bearing	RPL	Spring	OK	Field	RPL	Brush	RPL	O'Ring	RPL	Rotor	OK	Blade	RPL	Volts	14
---------	-----	--------	----	-------	-----	-------	-----	--------	-----	-------	----	-------	-----	-------	----

Amps 4.5 PPH@ 345 PSI 14 PSI 0 Flow 29 With Fittings 3 Without Fittings X Assemble 3/27/2024 Test 512

PART # & NAME	QTY	COST
---------------	-----	------

PART # & NAME	QTY	COST
---------------	-----	------

NORMAL

OVER & ABOVE

8850-5 MOTOR	1
8501 SEAL	1
8400 BLADE (2)	1 PKG.
8452 BLADE RING	1
8990 O' RING	1
100711-E MTG. SCREW (4)	1 PKG.
8552 PLUNGER, VALVE	1
8650 LOCK NUT	1
8651 LOCK/SEAL NUT	1

PARTS _____

LABOR _____

TOTAL _____

NOTE:

LABOR HOURS

MECHANIC

INSPECTOR

David Dutton

1. Approving Civil Aviation Authority/Country: FAA/United States		2.		3. Form Tracking Number: 032724	
4. Organization Name and Address: AIRCRAFT ACCESSORIES OF OKLAHOMA 2740 North Sheridan Rd Tulsa, OK 74115		5. Work Order/Contract/Invoice Number: WO 61979		6. Item:	
7. Description:		8. Part Number:		9. Quantity:	
1		FUEL BOOST PUMP		1	
10. Serial Number:		11. Status/Work:		OVERHAULED	
61979					

12. Remarks:

THE PART IDENTIFIED ABOVE WAS OVERHAULED IN ACCORDANCE WITH FAA DATA. OVERHAUL MANUAL JM1000 / REV B / 03-12-12
THERE ARE NO APPLICABLE AIRWORTHINESS DIRECTIVES. WORK ORDER 61979 SHOWING THE ACTUAL WORK PERFORMED IS ON FILE AT THIS FACILITY.

13a. Certifies the items identified above were manufactured in conformity to:		14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12	
<input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12.		Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.	
13b. Authorized Signature:	13c. Approval/Authorization No.:	14b. Authorized Signature:	14c. Approval/Certificate No.:
		<i>David Dutton</i>	RV3R829L
13d. Name (Typed or Printed):	13e. Date (dd/mm/yy):	14d. Name (Typed or Printed):	14e. Date (dd/mm/yy):
		David Dutton	27-Mar-2024

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

SERVICE BULLETINS

AD'S
O/H MANUAL#
101 316141
Date 6/12
Rev Ltr J



OF OKLAHOMA, INC.

FAA APPROVED REPAIR STATION

CRS# RV3R829L

2740 NORTH SHERIDAN ROAD - TULSA OK 74115
TOLL FREE 800 255-0914 PHONE 918 535-0914 FAX 918 535-3681

REPAIR

EXCHANGE

MAINTENANCE TRAVELER

HYDRAULIC PUMP

CUSTOMER Pegasus Aviation Service LLC WORK ORDER # 101978 DATE 3/26/04

PN 1233HVG284

MFG. Eastern SN 0A3-0403

Housing OK Drive OK Seals RPL Drive Gear OK Idle Gear OK Assembly OG Test OG

With Settings 3 Without Fittings

PART # & NAME QTY COST

PART # & NAME QTY COST

NORMAL 316491CT seal bit 1

OVER & ABOVE 185505C10-16 screw 4

NOTE:	
LABOR HOURS	
MECHANIC	
INSPECTOR	
PARTS	
LABOR	
TOTAL	

1. Approving Civil Aviation
Authority/Country:

FAA/United States

2.

AUTHORIZED RELEASE CERTIFICATE

3. Form Tracking Number:

032624

4. Organization Name and Address:

FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG
AIRCRAFT ACCESSORIES OF OKLAHOMA
2740 North Sheridan Rd
Tulsa, OK 74115

CRS# RV3R829L

5. Work Order/Contract/Invoice
Number: WO 61978

6. Item:

7. Description:

8. Part Number:

9. Quantity:

10. Serial Number:

11. Status/Work:

1

HYDRAULIC PUMP

1233HNG284

1

0A3-0403

OVERHAULED

12. Remarks:

THE PART IDENTIFIED ABOVE WAS OVERHAULED IN ACCORDANCE WITH FAA DATA. OVERHAUL MANUAL IPL 316141 / REV J / 02-69
THERE ARE NO APPLICABLE AIRWORTHINESS DIRECTIVES. WORK ORDER 61978 SHOWING THE ACTUAL WORK PERFORMED IS ON FILE AT THIS FACILITY.

13a. Certifies the items identified above were manufactured in conformity to:

- ☐ Approved design data and are in a condition for safe operation.
☐ Non-approved design data specified in Block 12.

14a. ☒ 14 CFR 43.9 Return to Service

☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:

13c. Approval/Authorization No.:

14b. Authorized Signature:

14c. Approval/Certificate No.:

13d. Name (Typed or Printed):

13e. Date (dd/mm/yyyy):

14d. Name (Typed or Printed):

14e. Date (dd/mm/yyyy):

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

SERVICE BULLETINS

N/A

AD'S N/A

O/H MANUAL#

JM1000

REV. B

3-12-2012



FAA APPROVED REPAIR STATION
CRS# RV3R829L

2740 NORTH SHERIDAN ROAD - TULSA, OK 74115

TOLL FREE 800 255-9924* PHONE 918 835 9924* FAX 918 835 3681

OVERHAUL

REPAIR

EXCHANGE

MAINTENANCE TRAVELER

FUEL BOOST PUMP

CUSTOMER PEGASUS AVIATION SERVICE LLC

WELDON

MFG.

P/N B8001-G

SN 61980

WORK ORDER # 61980

DATE 3/27/2024

Armature RPL Valve Assy. RPL Fuel Seal RPL Impeller - Coupling - Harness RPL Housing OK
Bearing RPL Spring OK Field RPL Brush RPL O'Ring RPL Rotor OK Blade RPL Vols 14
Amps 4 PPH@ 343 PSI 14 PSI 0 Flow 29 With Fittings 3 Without Fittings X Assembly 3/27/2024 Test 50

PART # & NAME QTY COST

NORMAL

8850-5 MOTOR 1
8501 SEAL 1
8400 BLADE (2) 1 PKG.
8452 BLADE RING 1
8990 O'RING 1
100711-E MTO. SCREW (4) 1 PKG.
8552 PLUNGER VALVE 1
8650 LOCK NUT 1
8651 LOCK/SEAL NUT 1

NOTE:

LABOR HOURS

MECHANIC

Quinn Williams

INSPECTOR

David Dutton

PARTS
LABOR
TOTAL

OVER & ABOVE

PART # & NAME QTY COST

1. Approving Civil Aviation Authority/Country: FAA/United States		2.		3. Form Tracking Number: 032724	
4. Organization Name and Address: FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG AIRCRAFT ACCESSORIES OF OKLAHOMA 2740 North Sheridan Rd Tulsa, OK 74115		5. Work Order/Contract/Invoice Number: WO 61980		6. Item:	
7. Description:		8. Part Number:		9. Quantity:	
1		FUEL BOOST PUMP		1	
10. Serial Number:		11. Status/Work:		OVERHAULED	
61980					

12. Remarks:

THE PART IDENTIFIED ABOVE WAS OVERHAULED IN ACCORDANCE WITH FAA DATA. OVERHAUL MANUAL JM1000 / REV B / 03-12-12
THERE ARE NO APPLICABLE AIRWORTHINESS DIRECTIVES. WORK ORDER 61980 SHOWING THE ACTUAL WORK PERFORMED IS ON FILE AT THIS FACILITY.

13a. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12.		14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.	
13b. Authorized Signature:	13c. Approval/Authorization No.:	14b. Authorized Signature <i>David Dutton</i>	14c. Approval/Certificate No.: RV3R829L
13d. Name (Typed or Printed):	13e. Date (dd/mm/yy):	14d. Name (Typed or Printed): David Dutton	14e. Date (dd/mm/yy): 27-Mar-2024

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.