

AIRCRAFT LOG
AF5-1

#2

AIRCRAFT DESCRIPTION

MANUFACTURER CESSNA MODEL 182 B DATE OF MFG. 1959
SERIAL NUMBER 51837 REGISTRATION NUMBER N2537G

REGISTERED OWNER _____

STREET ADDRESS _____

CITY, STATE, ZIP _____

OPERATOR _____

STREET ADDRESS _____

CITY, STATE, ZIP _____

REGISTERED OWNER _____

STREET ADDRESS _____

CITY, STATE, ZIP _____

OPERATOR _____

STREET ADDRESS _____

CITY, STATE, ZIP _____

Inspection Status

[Check one]

F.A.R. 91.169 ANNUAL/100 HOUR

F.A.R. 91.71 PROGRESSIVE

F.A.R. 91.217 SUBPART D

F.A.R. 135.60 A.T.C.O.

OTHER

DATE ENTERED _____

MAINTENANCE RESPONSIBILITY

MAJOR ALTERATIONS

DATE

DESCRIPTION OF ALTERATION

1-3-1981 Tech 1244

Removed UH+II System installed AT 328C INS 25B
R443B in accordance with AC43.13-2A Paragraph
22, 23, 24 test ok computed weight and
Balance and supplemented Equipment List

Way-Point Avionics INC
CRS D04-14 *Doug Holm*

MAINTENANCE RECORD

F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
9-26-82	TACH 1233.1	100 HR INSPECTION COMPLETED THIS DATE.	
		DISASSEMBLED ALL CABLES, PULLEYS, BRACKETS ETC. SERVICED BATTERY	
		ELECTROLYTE LEVEL. REPLACED ELT BAT. PIN BP-100 (LIFE DATE 7-84) OPERATIONAL	
		OK OK. CLEANED MAIN FUEL SCREEN, INSP. OK. INSTALLED NEW REGULATOR	
		SWAT BATT. PIN 501301-409-2251. REMOVED & TREATED CORROSION IN	
		BATTERY BOX. CLEANED AND REPACKED WHEEL BEARINGS. OILED NOSE GEAR	
		LINKAGE. PIZED TIRES. SERVICED BRAKE MASTER CYL. WITH 5006 MXD. FLUID.	
	61W AD 79-10-14	BY INSTALLING VENTED FUEL TAPS PIN 446-837.	
	61W AD 78-09-07	BY INSTALLING NEW IMPULSE COUPLINGS PIN 10-102077	
		CO AUTH. MOD. GENERAL INSPECTION OF AIRCRAFT SATISFACTORY.	
MODERN AERO		I Certify that this	8-20-82
OF MINNESOTA INC.		<u>AIRCRAFT</u> has been	I CERTIFY THAT THIS A/C HAS
FLYING CLOUD FIELD		inspected in accord-	BEEN INSPECTED IN ACCORDANCE WITH ^{AN}
HOPKINS, MINN. 55343		ance with a <u>100 HR</u>	<u>ANNUAL</u> INSPECTION AND WAS
Tel. 941-2595		inspection & is air worthy	DETERMINED TO BE IN AN AIRWORTHY
		Roman J. Popela	CONDITION.
		APP # 472602114	OSCAR G. MAY A & P 1570071 (IA)
			Oscar G. May

MAINTENANCE RECORD

F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
5-16-86	1223.3	Tach. Replaced A/C Batt. with new Gil G-35, SN G0693692. Serviced batt. and bench charged. Cleaned batt box with baking soda and repainted with Acid Proof Paint. Checks OK and	ELLIOTT FLYING SERVICE, INC. FLYING CLOUD FIELD 13801 PIONEER TRAIL EDEN PRAIRIE, MINN. 55344 CERTIFIED REPAIR STATION C14-G <i>Dore L. Hollenbut</i> Authorized Inspector
9-12-86	Tach 1283.00	Annual insp. comp. this date - checked cables - fittings + pulleys. Cleaned fuel screen - checked tires + brakes - lubed controls - replaced E.L.T. batt + ops checked (due 9-88) Checked fuel tanks per AD 84-10-01 (A)(B)(c) - no placard required - checked AD 83-13-01 insp. & installed placard - checked AD 77-04-05 Carb air inlet - gasket ok. Checked AD 76-07-12 Bench's ign sw - (THIS AD NOT APPLICABLE THIS SW.) General insp. of A/C satisfactory.	I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. OSCAR G. MAY, A & P 137007 (H) <i>Oscar G. May</i>

MODERN AERO
 OF MINNESOTA INC.
 FLYING CLOUD FIELD
 HOPKINS, MINN. 55343

Tel. 91-2595

MAINTENANCE RECORD

F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
6-20-88		Aircraft Modified I.A.U. 5JC. SA517NE incorporating the following,	
		① 182 Tail wheel conversion S.T.C. SA335NW except for tail wheel hardware.	
		② Accessory Kit, Float Plane/Amphibian AK 104/B Rev 6-19-72	
		③ Brace Installation Cessna BW6 0513003 Rev B 1/73	
		④ Cessna Aircraft Co Float Installation EDO Amphibious 074215 Rev "B" 7-20-60	
		⑤ GDO Corp Wiring Diagram Landing gear Amphibious floats # 2503 Rev "B" 7-3-55	
		⑥ EDO Corp installed spreader bars + strut D-Hack fittings Dwb # 16315 Rev "D" 12/58	
		Lubricated A/C oil Rings perleys & bell cranks Zinc Chromate 3 coats on all interior surfaces Covered all control cables with Parapack tape.	

MAINTENANCE RECORD

F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
2-14-89		Replaced E.L.T. Battery. Replaced starter battery. CB 12-11. Removed V.I.T and cleaned static port. Replaced nut & bolt on windshield V brace. repositioned right door handle. Cleaned & repainted propellers. replaced bulb in tail pos.	
		replaced main light bulb in tail pos. replaced one taxi light. Replaced one on both fuel caps and CW AD 84-10-01	
		AD 83-13-01 fuel caps AD 87-20-03 seats & seat track. Removed right main wheel and installed a serviceable wheel. Replaced wheel bearings on right side with chrome plated bearings & races.	
		Cleaned slide tubes on main & bow wheel on both floats and lubricated with 30wt oil as per Cb Service Manual.	
		greased all points in landing gear	

ARTEX AIRCRAFT SUPPLIES, INC.
 24368 S. Skyline Dr. Canby, OR 97013
 (503) 266-3859 800-547-8801

DOG BOOK ENTRY
 BATTERY REPLACEMENT DATE
 2/10/89
 March 89

Doc March 92

