



Status Report

501 - MODEL 501

S/N 501-0643 N504SF

OWNER: JETSONS AVIATION
ADDRESS: 3416 E BRIARCLIFF RD
MOUNTAIN BROOK AL 35223
OFFICE: 205-585-8488
FAX:

OPERATOR: JETSONS AVIATION
ADDRESS: 3416 E BRIARCLIFF RD
MOUNTAIN BROOK AL 35223
OFFICE: 205-585-8488
FAX:

OPERATOR: JERRY CHRISTIAN AIRCRAFT
SALES, INC.
ADDRESS: 2930 WINCHESTER, SUITE 202
MEMPHIS TN 38118
OFFICE:
FAX:

ANALYST: SCOTT WHITE
EMAIL: SWHITE@CAMPSYSTEMS.COM

+1-316-462-2477 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

Table with 4 columns: AIRCRAFT, SERIAL/REGNO: 501-0643/N504SF, MODEL: 501 - MODEL 501, MANUFACTURER: TEXTRON AVIATION INC. Includes certification date and last actuals for A/C HRS, AFL, and ACH.

Table with 4 columns: ENGINE NO. 1, SERIAL/PART: 116047/56000-104, MODEL: FJ44-2A, MANUFACTURER: WILLIAMS INTERNATIONAL. Includes installed on date and last actuals for ENG. HRS and ENC.

Table with 4 columns: ENGINE NO. 2, SERIAL/PART: 116046/56000-104, MODEL: FJ44-2A, MANUFACTURER: WILLIAMS INTERNATIONAL. Includes installed on date and last actuals for ENG. HRS and ENC.



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA									
1 ^U	NO. 1 ENGINE - 15000 HOUR PHASE							SETT	ATA:
	MOS								
	HRS		15000						
	ENC								
1 ^U	NO. 2 ENGINE - 15000 HOUR PHASE							SETT	ATA:
	MOS								
	HRS		15000						
	ENC								
ATA 00 - INFORMATION									
E082-160620	NO. 1 ENGINE - REVIEW FJ44-2A LM REV 39							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E082				
E082-160620	NO. 2 ENGINE - REVIEW FJ44-2A LM REV 39							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E082				
E082-160920	NO. 1 ENGINE - REVIEW FJ44-2A LM REV40							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E082				
E082-160920	NO. 2 ENGINE - REVIEW FJ44-2A LM REV40							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
					PROC. REF: RCF E082				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
051220 ^U	INSPECT RVSM CRITICAL REGION INSPECT							Service	ATA:05
	MOS	01-Mar-24	12		31-Mar-25		256 d		
	HRS	10258.5							
	AFL	7155							
052001	NO. 1 ENGINE - FJ44 CHECK 1							Package	ATA:05
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)		(2647.3) 10558.5	2677.3	241.9 (+30)		
	ENC	1638							
	PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:1
052001	NO. 2 ENGINE - FJ44 CHECK 1							Package	ATA:05
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)		(2647.3) 10558.5	2677.3	241.9 (+30)		
	ENC	1638							
	PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:1
052002	NO. 1 ENGINE - FJ44 CHECK 2							Package	ATA:05
	MOS	21-Dec-19							
	HRS	2087.7	600 (+30)		(2687.7) 10598.9	2717.7	282.3 (+30)		
	ENC	1392							
	PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:2
052002	NO. 2 ENGINE - FJ44 CHECK 2							Package	ATA:05
	MOS	21-Dec-19							
	HRS	2087.7	600 (+30)		(2687.7) 10598.9	2717.7	282.3 (+30)		
	ENC	1392							
	PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:2
052003	NO. 1 ENGINE - FJ44 CHECK 3							Package	ATA:05
	MOS	29-Mar-06							
	HRS	0	15000 (+50)	Adj -12500	(2500) 10411.2	2550	94.6 (+50)		
	ENC	0							
	PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052003	NO. 2 ENGINE - FJ44 CHECK 3							Package ATA:05
	MOS	29-Mar-06						
	HRS	0	15000 (+50)	Adj -12500	(2500) 10411.2	2550	94.6 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:3
052004	NO. 1 ENGINE - FJ44 CHECK 4							Package ATA:05
	MOS	29-Mar-06						
	HRS	0	15000	Adj -10000	(5000) 12911.2		2594.6	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:4
052004	NO. 2 ENGINE - FJ44 CHECK 4							Package ATA:05
	MOS	29-Mar-06						
	HRS	0	15000	Adj -10000	(5000) 12911.2		2594.6	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:4
052005	NO. 1 ENGINE - FJ44 CHECK 5							Package ATA:05
	MOS	29-Mar-06						
	HRS	0	15000 (+50)	Adj -7500	(7500) 15411.2	7550	5094.6 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:5
052005	NO. 2 ENGINE - FJ44 CHECK 5							Package ATA:05
	MOS	29-Mar-06						
	HRS	0	15000 (+50)	Adj -7500	(7500) 15411.2	7550	5094.6 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052006	NO. 1 ENGINE - FJ44 CHECK 6							Package ATA:05
	MOS	29-Mar-06						
	HRS	0	15000 (+50)	Adj -5000	(10000) 17911.2	10050	7594.6 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:6
052006	NO. 2 ENGINE - FJ44 CHECK 6							Package ATA:05
	MOS	29-Mar-06						
	HRS	0	15000 (+50)	Adj -5000	(10000) 17911.2	10050	7594.6 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:6
052007	NO. 1 ENGINE - FJ44 CHECK 7							Package ATA:05
	MOS	29-Mar-06						
	HRS	0	15000 (+50)	Adj -2500	(12500) 20411.2	12550	10094.6 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:7
052007	NO. 2 ENGINE - FJ44 CHECK 7							Package ATA:05
	MOS	29-Mar-06						
	HRS	0	15000 (+50)	Adj -2500	(12500) 20411.2	12550	10094.6 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:7
052008	NO. 1 ENGINE - FJ44 CHECK 8							Package ATA:05
	MOS	29-Mar-06						
	HRS	0	15000 (+50)		(15000) 22911.2	15050	12594.6 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:8

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052008	NO. 2 ENGINE - FJ44 CHECK 8							Package	ATA:05
	MOS	29-Mar-06							
	HRS	0	15000 (+50)		(15000) 22911.2	15050	12594.6 (+50)		
	ENC	0							
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:8	
052009	NO. 1 ENGINE - FJ44 CHECK 9							Package	ATA:05
	MOS	29-Mar-06							
	HRS	0	T:17500 (+50)		(17500) 25411.2 (M)	17550	15094.6 (+50)		
	ENC	0							
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:9	
052009	NO. 2 ENGINE - FJ44 CHECK 9							Package	ATA:05
	MOS	29-Mar-06							
	HRS	0	T:17500 (+50)		(17500) 25411.2 (M)	17550	15094.6 (+50)		
	ENC	0							
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:9	
052010	NO. 1 ENGINE - FJ44 CHECK 10							Package	ATA:05
	MOS/MSC	10-Sep-19	-						
	HRS	2087.7							
	ENC	1392							
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:10	
052010	NO. 2 ENGINE - FJ44 CHECK 10							Package	ATA:05
	MOS/MSC	10-Sep-19	-						
	HRS	2087.7							
	ENC	1392							
					PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A			PKG:10	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052100 ^U	VAPOR CYCLE AIR CONDITIONING INSPECTION IAW KEITH PRODUCTS PR-134 SYSTEM SERVICE MANUAL							Service	ATA:05
	MOS	01-Mar-24	12		31-Mar-25		256 d		
	HRS	10258.5	500		10758.5		441.9		
	AFL	7155							
052809 ^{U S}	100 HOUR FUEL FILTER REPLACEMENT REPLACE FLTR							Component	ATA:05
PN:MS29513-236	MOS	28-Nov-12						COMPLIED WITH	
SN:UNKNOWN	HRS	9524.8	T:100	TSN 0					
	AFL	6481							
053019 ^U	RE-WEIGH AIRCRAFT							Service	ATA:05
	MOS	16-Nov-19	60		30-Nov-24		135 d		
	HRS	10000.6							
	AFL	6917							
053424 ^{U S}	INSPECT NAV DATABASE UPDATE							Service	ATA:05
	DAYS	26-Nov-75	28						
	HRS	0							
	AFL	0							
053501 ^U	OXYGEN MASK FUNCTIONAL CHECK EROS MC10-16-151							Service	ATA:05
	MOS	01-Mar-24	12		31-Mar-25		256 d		
	HRS	10258.5							
	AFL	7155							
055008	ACCOMPLISH INTERIOR CABIN/TAILCONE FLUID SPILL							Service	ATA:05
	MOS/MSC	EFF	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS			TAC 0					
	AFL			TAC 0					
	PROC. REF: TLMC 5-50-00, TLMC 5-50-00, TLMC 5-50-00								
055009	ACCOMPLISH EXPOSURE TO HIGH WINDS WHILE THE AIRCRAFT IS PARKED CHECK							Service	ATA:05
	MOS/MSC	EFF	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS			TAC 0					
	AFL			TAC 0					
	PROC. REF: TLMC 5-50-00, TLMC 5-50-00, TLMC 5-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055310 ^U	FORWARD BULKHEAD INSPECTION STC SA01558CH-D							Service	ATA:05
	MOS	06-Mar-06							
	HRS								
	AFL	5515	4216		9731		2522		
5-12-01	PHASE 1 INSPECTION							Package	ATA:05
	MOS	01-Mar-24	24 (+2m)		31-Mar-26	31-May-26	621 d (+61)		
	HRS	10258.5	300 (+30)		10558.5	10588.5	241.9 (+30)		
	AFL	7155							
	PROC. REF: TLMC 5-12-01								PKG:2
5-12-02	PHASE 2 INSPECTION							Package	ATA:05
	MOS	01-Mar-24	24 (+2m)		31-Mar-26	31-May-26	621 d (+61)		
	HRS	10258.5	300 (+30)		10558.5	10588.5	241.9 (+30)		
	AFL	7155							
	PROC. REF: TLMC 5-12-02								PKG:3
5-12-03	PHASE 3 INSPECTION							Package	ATA:05
	MOS	01-Mar-24	24 (+2m)		31-Mar-26	31-May-26	621 d (+61)		
	HRS	10258.5	300 (+30)		10558.5	10588.5	241.9 (+30)		
	AFL	7155							
	PROC. REF: TLMC 5-12-03								PKG:4
5-12-04	PHASE 4 INSPECTION							Package	ATA:05
	MOS	01-Mar-24	24 (+2m)		31-Mar-26	31-May-26	621 d (+61)		
	HRS	10258.5	300 (+30)		10558.5	10588.5	241.9 (+30)		
	AFL	7155							
	PROC. REF: TLMC 5-12-04								PKG:5
5-12-05	PHASE 5 INSPECTION							Package	ATA:05
	MOS	01-Mar-24	36 (+2m)		31-Mar-27	31-May-27	986 d (+61)		
	HRS	10258.5	1200 (+100)		11458.5	11558.5	1141.9 (+100)		
	AFL	7155							
	PROC. REF: TLMC 5-12-05								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-0B	PHASE B							Package ATA:05
	MOS	01-Mar-24						
	HRS	10258.5	150 (+30)		10408.5	10438.5	91.9 (+30)	
	AFL	7155						
				PROC. REF: TLMC 5-12-0B				PKG:1
5-12-12	PHASE 12 INSPECTION							Package ATA:05
	MOS	10-Sep-19						
	HRS	9998.9	600 (+10)		10598.9	10608.9	282.3 (+10)	
	AFL	6911	600		7511		302	
				PROC. REF: TLMC 5-12-12				PKG:13
5-12-15	PHASE 15 INSPECTION							Package ATA:05
	MOS	15-Oct-14						
	HRS	9533.3	T:5000 (+10)		14533.3	14543.3	4216.7 (+10)	
	AFL	6492						
				PROC. REF: TLMC 5-12-15				PKG:16
5-12-16	PHASE 16 INSPECTION							Package ATA:05
	MOS	15-Oct-14						
	HRS	9533.3	T:5000 (+10)		14533.3	14543.3	4216.7 (+10)	
	AFL	6492						
				PROC. REF: TLMC 5-12-16				PKG:17
5-12-17	PHASE 17 INSPECTION							Package ATA:05
	MOS	15-Oct-14						
	HRS	9533.3	10000 (+10)		19533.3	19543.3	9216.7 (+10)	
	AFL	6492						
				PROC. REF: TLMC 5-12-17				PKG:18
5-12-18	PHASE 18 INSPECTION							Package ATA:05
	MOS	01-Mar-24	12 (+1m)		31-Mar-25	30-Apr-25	256 d (+30)	
	HRS	10258.5						
	AFL	7155						
				PROC. REF: TLMC 5-12-18				PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-20 ^S	PHASE 20 INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	01-Mar-24	24						
	HRS	10258.5							
	AFL	7155							
	PROC. REF: TLMC 5-12-20							PKG:20	
5-12-23 ^S	PHASE 23 INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	26-Nov-75	60						
	HRS	0							
	AFL	0							
	PROC. REF: TLMC 5-12-23							PKG:23	
5-12-24	PHASE 24 INSPECTION							Package	ATA:05
	MOS	15-Oct-14							
	HRS	9533.3	3000 (+10)		12533.3	12543.3	2216.7 (+10)		
	AFL	6492							
	PROC. REF: TLMC 5-12-24							PKG:24	
5-12-37	PHASE 37 INSPECTION							Package	ATA:05
	MOS	15-Oct-14							
	HRS	9533.3	5000 (+10)		14533.3	14543.3	4216.7 (+10)		
	AFL	6492							
	PROC. REF: TLMC 5-12-37							PKG:29	
5-12-40	PHASE 40 INSPECTION (NOT CURRENTLY USED)							Package	ATA:05
	MOS/MSC	26-Nov-75	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: GENERIC NO REF							PKG:31	
5-12-41	PHASE 41 INSPECTION							Package	ATA:05
	MOS	15-Oct-14							
	HRS	9533.3	1200 (+10)		10733.3	10743.3	416.7 (+10)		
	AFL	6492							
	PROC. REF: TLMC 5-12-41							PKG:32	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-48 ^S	PHASE 48 INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	22-Feb-24	72						
	HRS	10258.5							
	AFL	7155							
	PROC. REF: TLMC 5-12-48							PKG:34	
5-12-49	PHASE 49 INSPECTION							Package	ATA:05
PN:-	MOS	17-Mar-23	36 (+2m)		31-Mar-26	31-May-26	621 d (+61)		
SN:-	HRS	10226.7	1200 (+100)		11426.7	11526.7	1110.1 (+100)		
	AFL	7129							
	PROC. REF: TLMC 5-12-49							PKG:35	
5-12-52	PHASE 52 INSPECTION							Package	ATA:05
	MOS	15-Oct-14							
	HRS	9533.3	2000 (+10)		11533.3	11543.3	1216.7 (+10)		
	AFL	6492							
	PROC. REF: TLMC 5-12-52							PKG:38	
5-12-53	PHASE 53 INSPECTION							Package	ATA:05
	MOS	01-Mar-24	12		31-Mar-25		256 d		
	HRS	10258.5							
	AFL	7155							
	PROC. REF: TLMC 5-12-53							PKG:39	
5-12-54 ^S	PHASE 54 INSPECTION							Package	ATA:05
	MOS	01-Mar-24	3						
	HRS	10258.5	200						
	AFL	7155							
	PROC. REF: TLMC 5-12-54							PKG:52	
5-12-56	PHASE 56 INSPECTION							Package	ATA:05
	MOS/MSC	25-Oct-21	N/A					N/A EQUIPMENT NOT INSTALLED	
	HRS	10114.3							
	AFL	7037							
	PROC. REF: TLMC 5-12-56							PKG:501	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-57 ^S	PHASE 57 INSPECTION							Package	ATA:05
	MOS/MSC	11-Aug-17	N/A					N/A PER OPERATOR REQUEST	
	HRS	9674.4							
	AFL	6585							
					PROC. REF: TLMC 5-12-57			PKG:502	
5-12-58	PHASE 58 INSPECTION							Package	ATA:05
	MOS	EFF							
	HRS								
	AFL								
	ACH	EFF	500		500 * (M)		382.6		
					PROC. REF: TLMC 5-12-58			PKG:503	
5-12-59	PHASE 59 INSPECTION							Package	ATA:05
	MOS	27-Feb-17							
	HRS	9621.5	1200 (+10)		10821.5	10831.5	504.9 (+10)		
	AFL	6554							
					PROC. REF: TLMC 5-12-59			PKG:504	
5-12-MA	PHASE MA INSPECTION							Package	ATA:05
	MOS	26-Nov-75							
	HRS	0							
	AFL	0	T:12000		12000		4791		
					PROC. REF: TLMC 5-12-MA			PKG:40	
5-12-MD ^S	PHASE MD INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	21-Jul-95							
	HRS	5726							
	AFL	4468	5000						
					PROC. REF: TLMC 5-12-MD			PKG:42	
5-12-MF	PHASE MF INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS/MSC	26-Nov-75	N/A					N/A EQUIPMENT NOT INSTALLED	
	HRS	0							
	AFL	0							
					PROC. REF: TLMC 5-12-MF			PKG:50	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-MG PHASE MG INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)								
	MOS/MSC	26-Nov-75	N/A					Package ATA:05 N/A EQUIPMENT NOT INSTALLED
	HRS	0						
	AFL	0						
PROC. REF: TLMC 5-12-MG								PKG:51
5-12-MH PHASE MH INSPECTION								
	MOS/MSC	25-Oct-21	N/A					Package ATA:05 NOT APPLICABLE
	HRS	10114.3						
	AFL	7037						
PROC. REF: TLMC 5-12-MH								PKG:54
A256002^S INSPECTION EMERGENCY LOCATER TRANSMITTER : PHASE 53 INSPECTION								
PN:S1840501-01	MOS	01-Mar-24	12					Service ATA:05
SN:2620504-0115	HRS	10258.5						
WC#: 25.040	AFL	7155						
PROC. REF: AMM 34-43-00								PKG:39
B256001^S OPERATIONAL CHECK EMERGENCY LOCATER TRANSMITTER : PHASE 53 INSPECTION								
PN:S1840501-01	MOS	01-Mar-24	12					Service ATA:05
SN:2620504-0115	HRS	10258.5						
WC#: 25.040	AFL	7155						
PROC. REF: AMM 34-43-00								PKG:39
ATA 11 - PLACARDS AND MARKINGS								
A113001^S INSPECT GOVERNMENT REQUIRED INTERIOR AND EXTERIOR PLACARDS AND DECALS: PHASE 5 INSPECTION								
	MOS	01-Mar-24	36 (+2m)					Service ATA:11
	HRS	10258.5	1200 (+100)					
	AFL	7155						
PROC. REF: AMM 11-00-00								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
12-26-00-601	15 DAY HIGH EXPOSURE AREAS - AIRPLANE ZONE 1 WASH							Service ATA:12
	MOS/MSC	EFF	A/R					DISCRETIONARY
	HRS							
	AFL							
					PROC. REF: AMM 12-26-00			
12-26-00-602	45 DAY MEDIUM EXPOSURE AREAS - AIRPLANE ZONE 2 WASH							Service ATA:12
	MOS/MSC	EFF	A/R					DISCRETIONARY
	HRS							
	AFL							
					PROC. REF: AMM 12-26-00			
12-26-00-603	90 DAY LOW EXPOSURE AREAS - AIRPLANE ZONE 3 WASH							Service ATA:12
	MOS/MSC	EFF	A/R					DISCRETIONARY
	HRS							
	AFL							
					PROC. REF: AMM 12-26-00			
ATA 21 - AIR CONDITIONING								
052110 ^U	AIR CONDITIONING UNIT							Component ATA:21
PN:JBS5002-2	MOS/MSC	22-Oct-93	O/C					
SN:255	HRS							
	AFL							
211001	(1.5 IN.) BLEED AIR CHECK VALVE							Component ATA:21
PN:60445-8	MOS/MSC	26-Nov-75	O/C					
SN:1108	HRS	0		TSN 0				
WC#: 21.130	AFL	0		TSN 0				
					PROC. REF: AMM 21-10-00			
211002	EMERGENCY PRESSURIZATION VALVE							Component ATA:21
PN:228455	MOS/MSC	26-May-89	O/C					
SN:744	HRS	4614		TSO 0				
WC#: 21.010	AFL							
					PROC. REF: GENERIC NO REF			
212001	LEFT (4 IN.) BLEED AIR CHECK VALVE							Component ATA:21
PN:60445-3	MOS/MSC	26-Nov-75	O/C					
SN:1116	HRS	0		TSN 0				
WC#: 21.140	AFL	0		TSN 0				
					PROC. REF: AMM 21-10-00			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
212001	RIGHT (4 IN.) BLEED AIR CHECK VALVE							Component	ATA:21
PN:60445-3	MOS/MSC	26-Nov-75	O/C						
SN:1107	HRS	0		TSN 0					
WC#: 21.140	AFL	0		TSN 0					
PROC. REF: AMM 21-10-00									
212002	CABIN AFT OVERHEAD BLOWER							Component	ATA:21
PN:BC61A901-2	MOS	27-Jun-12						REPLACE	
SN:2826A	HRS	9511.6	1000	TSO 0	10711.6 (M)		395		
WC#: 21.210	AFL	6467							
PROC. REF: AMM 21-20-02									
212003	AIR INLET DOOR ACTUATOR							Component	ATA:21
PN:1H56-1	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212004	CABIN OVERHEAD MOTOR							Component	ATA:21
PN:9912323-2	MOS/MSC	21-Dec-07	O/C						
SN:2533A	HRS	8329							
	AFL								
PROC. REF: GENERIC NO REF									
212005	COOLING FAN							Component	ATA:21
PN:5901-9	MOS/MSC	14-Apr-94	O/C						
SN:0591	HRS	5468		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF									
212006	CABIN UNDERFLOOR BLOWER							Component	ATA:21
PN:5705-1	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.210	AFL	0		TSN 0					
PROC. REF: AMM 21-20-02									
212010	DOOR ACTUATOR MOTOR ASSEMBLY							Component	ATA:21
PN:9910059-3	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213001 CABIN PRESSURE INDICATOR Component ATA:21								
PN:C668511-0102	MOS/MSC	12-Sep-03	O/C					
SN:17639	HRS			TSN 0				
WC#: 21.180	AFL							
PROC. REF: AMM 21-31-03								
213002 PRESSURIZATION CONTROLLER Component ATA:21								
PN:130356-5	MOS/MSC	10-Dec-82	O/C					
SN:18492	HRS	3639		TSO 0				
	AFL							
PROC. REF: AMM 21-30-03								
213003 CABIN RATE OF CLIMB INDICATOR Component ATA:21								
PN:C668513-0101EX	MOS/MSC	16-Mar-17	O/C	TSO 0				
SN:21436	HRS	9621.5		TSO 0				
WC#: 21.180	AFL	6554		TSO 0				
PROC. REF: GENERIC NO REF								
213005 LEFT CABIN ALTITUDE LIMIT VALVE Component ATA:21								
PN:102466-1	MOS/MSC	26-Nov-75	O/C					
SN:141499	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				
PROC. REF: AMM 21-30-02								
213005 RIGHT CABIN ALTITUDE LIMIT VALVE Component ATA:21								
PN:102466-1	MOS/MSC	26-Nov-75	O/C					
SN:441389	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				
PROC. REF: AMM 21-30-02								
213006 SAFETY OUTFLOW VALVE Component ATA:21								
PN:103576-13	MOS/MSC	26-Sep-19	O/C					
SN:110-773	HRS	10000						
WC#: 21.060	AFL	6914						
PROC. REF: AMM 21-30-01								
213007 NORMAL OUTFLOW VALVE Component ATA:21								
PN:103576-12	MOS/MSC	07-Jan-81	O/C					
SN:60-783	HRS	3056		TSO 0				
WC#: 21.050	AFL							
PROC. REF: AMM 21-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
213008		MANUAL DUMP VALVE							Component ATA:21
PN:2101701-1	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.190	AFL	0		TSN 0					
PROC. REF: AMM 21-31-03									
213009		LEFT BLEED AIR FLOW CONTROL VALVE							Component ATA:21
PN:5063-00-1	MOS/MSC	20-Jun-19	O/C		TSO 0				
SN:0127-A	HRS	9890.2		TSO 0					
WC#: 21.040	AFL	6781							
PROC. REF: AMM 21-10-00									
213009		RIGHT BLEED AIR FLOW CONTROL VALVE							Component ATA:21
PN:5063-00-1	MOS/MSC	25-Jul-19	O/C		TSO 0				
SN:0209A	HRS	9938.9		TSO 0					
WC#: 21.040	AFL	6842							
PROC. REF: AMM 21-10-00									
213013		PNEUMATIC RELAY							Component ATA:21
PN:130358-1	MOS/MSC	26-Nov-75	O/C						
SN:15-208	HRS	0		TSN 0					
WC#: 21.030	AFL	0		TSN 0					
PROC. REF: AMM 21-31-02									
213014		AUX VOLUME CHAMBER							Component ATA:21
PN:131358-4	MOS/MSC	26-Nov-75	O/C						
SN:114205	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-02									
215001		REFRIGERATION UNIT							Component ATA:21
PN:738443-13	MOS/MSC	26-Nov-75	O/C						
SN:46323	HRS	0		TSN 0					
WC#: 21.310	AFL	0		TSN 0					
PROC. REF: AMM 21-50-00									
215002		ASPIRATOR AND FAN HOUSING							Component ATA:21
PN:740730-2	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.200	AFL	0		TSN 0					
PROC. REF: AMM 21-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215003	HEAT EXCHANGER							Component	ATA:21
PN:744205-1	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.200	AFL	0		TSN 0					
PROC. REF: AMM 21-50-00									
215004	AIR CYCLE MACHINE							Component	ATA:21
PN:738384-8	MOS	03-Sep-10						OVERHAUL	
SN:32608	HRS	9061	5000	TSN 0	14061		3744.4		
WC#: 21.070	AFL	6180							
PROC. REF: AMM 21-50-00									
215005	BYPASS VALVE							Component	ATA:21
PN:754751-2	MOS/MSC	15-Oct-99	O/C						
SN:HC71102	HRS	6976		TSO 2089					
WC#: 21.320	AFL								
PROC. REF: AMM 21-50-00									
215006	OVERHEAT SWITCH							Component	ATA:21
PN:746833-1	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.080	AFL	0		TSN 0					
PROC. REF: AMM 21-60-00									
215007	GROUND OPERATION VALVE							Component	ATA:21
PN:225655	MOS/MSC	26-Nov-75	O/C						
SN:334	HRS	0		TSN 0					
WC#: 21.320	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
215015	MOTOR FAN COMPRESSOR							Component	ATA:21
PN:1250150	MOS/MSC	22-Oct-93	O/C						
SN:UNKNOWN	HRS	5331		TSN 0					
	AFL								
PROC. REF: AMM 21-50-00									
215016	COMPRESSOR							Component	ATA:21
PN:1250162	MOS/MSC	22-Oct-93	O/C						
SN:UNKNOWN	HRS	5331		TSN 0					
	AFL								
PROC. REF: AMM 21-50-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215017	CONDENSOR							Component	ATA:21
PN:1250180-7	MOS/MSC	22-Oct-93	O/C						
SN:UNKNOWN	HRS	5331		TSN 0					
	AFL								
				PROC. REF: AMM 21-50-01					
215022	RIGHT AFT EVAPORATOR ASSEMBLY							Component	ATA:21
PN:1250240-3	MOS/MSC	22-Oct-93	O/C						
SN:UNKNOWN	HRS	5331		TSN 0					
	AFL								
				PROC. REF: AMM 21-50-01					
215023	FORWARD EVAPORATOR ASSEMBLY							Component	ATA:21
PN:1250240-1	MOS/MSC	22-Oct-93	O/C						
SN:UNKNOWN	HRS	5331		TSN 0					
	AFL								
				PROC. REF: AMM 21-50-01					
216001	CABIN TEMPERATURE SELECTOR							Component	ATA:21
PN:5518118-3	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.090	AFL	0		TSN 0					
				PROC. REF: AMM 21-60-00					
216002	TEMPERATURE CONTROL UNIT							Component	ATA:21
PN:754661-5	MOS/MSC	13-Sep-06	O/C						
SN:DE1568	HRS	7926							
WC#: 21.330	AFL								
				PROC. REF: AMM 21-60-00					
216003	DUCT TEMPERATURE SENSOR							Component	ATA:21
PN:754691-1	MOS/MSC	16-Nov-90	O/C						
SN:310588	HRS	5002		TSN 0					
WC#: 21.110	AFL								
				PROC. REF: AMM 21-60-00					
216004	CABIN TEMPERATURE SENSOR							Component	ATA:21
PN:754681-1	MOS/MSC	20-Jan-96	O/C						
SN:88104274	HRS	5859		TSN 0					
WC#: 21.100	AFL								
				PROC. REF: AMM 21-60-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
216005	CENTRIFUGAL BLOWER							Component	ATA:21
PN:19A2338	MOS/MSC	29-Jan-20	O/C						
SN:221	HRS	10056							
WC#: 21.160	AFL	6980							
PROC. REF: AMM 21-23-00									
217001	WATER SEPARATOR							Component	ATA:21
PN:738386-3	MOS/MSC	26-Nov-75	O/C						
SN:140673	HRS	0		TSN 0					
WC#: 21.120	AFL	0		TSN 0					
PROC. REF: AMM 21-70-00									
A215001 ^S	CHECK AIR CYCLE MACHINE OIL LEVEL: PHASE 1 INSPECTION							Service	ATA:21
	MOS	01-Mar-24							
	HRS	10258.5	150 (+10)						
WC#: 21.335	AFL	7155							
PROC. REF: AMM 21-50-00									
PKG:1,2,4									
A216003 ^S	CHECK VAPOR CYCLE COOLING SYSTEM HOUR METER (COMPRESSOR MOTORS 113404-1, -5 OR FWA1134104- 1, -5): PHASE MH INSPECTION							Service	ATA:21
	MOS/MSC	25-Oct-21	N/A					NOT APPLICABLE	
	HRS	10114.3							
	AFL	7037							
PROC. REF: AMM 21-51-01									
PKG:54									
A216004 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM HOUR METER CHECK (EXCEPT COMPRESSOR MOTORS 113404-1, -5 OR FWA1134104-1, -5): PHASE 56 INSPECTION							Service	ATA:21
	MOS/MSC	25-Oct-21	N/A					N/A EQUIPMENT NOT INSTALLED	
	HRS	10114.3							
	AFL	7037							
PROC. REF: AMM 21-51-01									
PKG:501									
A216005 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM 12 MONTH MAINTENANCE: PHASE 18 INSPECTION							Service	ATA:21
	MOS	01-Mar-24	12 (+1m)						
	HRS	10258.5							
	AFL	7155							
PROC. REF: AMM 21-51-01									
PKG:19									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
A216006 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM 500 COMPRESSOR HOUR MAINTENANCE: PHASE 58 INSPECTION							Service	ATA:21
	MOS	26-Nov-75		TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	ACH		500						
				PROC. REF: AMM 21-51-01				PKG:503	
B210000 ^S	OPERATIONAL CHECK ENVIRONMENTAL SYSTEM: PHASE 5 INSPECTION							Service	ATA:21
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 21-00-00				PKG:6	
B211001 ^S	OPERATIONAL TEST EMERGENCY PRESSURIZATION VALVE: PHASE 4 INSPECTION							Service	ATA:21
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 21-10-00				PKG:5	
B211002 ^S	OPERATIONAL CHECK FLOW CONTROL SHUTOFF AND CHECK VALVES: PHASE 5 INSPECTION							Service	ATA:21
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 21-10-00				PKG:6	
B211003 ^S	OPERATIONAL TEST FLOW CONTROL SHUTOFF AND CHECK VALVES: PHASE 2 INSPECTION							Service	ATA:21
	MOS	01-Mar-24							
	HRS	10258.5	150 (+30)						
	AFL	7155							
				PROC. REF: AMM 21-10-00				PKG:1,3,5	
B212001 ^S	LEAK CHECK TAILCONE BLEED AIR LINES: PHASE 5 INSPECTION							Service	ATA:21
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 21-10-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
B212002 ^S	OPERATIONAL CHECK INSTRUMENT PANEL COOLING FAN: PHASE 5 INSPECTION							Service	ATA:21
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 21-22-00				PKG:6	
B212003 ^S	OPERATIONAL CHECK AVIONICS BAY COOLING FANS: PHASE 5 INSPECTION							Service	ATA:21
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 21-23-00				PKG:6	
B213000 ^S	OPERATIONAL CHECK PRESSURIZATION: PHASE 5 INSPECTION							Service	ATA:21
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 21-31-00				PKG:6	
B213001 ^S	FUNCTIONAL TEST BAROMETRIC CABIN ALTITUDE PRESSURE SWITCH: PHASE 5 INSPECTION							Service	ATA:21
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 21-31-05				PKG:6	
B213003	OPERATIONAL CHECK PRESSURIZATION (AIRPLANES -0001 THRU -0213 NOT INCORPORATING SB500-21-09): PHASE 5 INSPECTION							Service	ATA:21
	MOS/MSC	26-Nov-75	N/A	TAC 0				N/A BY SERIAL NUMBER	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 21-31-00					
C215001 ^S	CHANGE ACM OIL: PHASE 12 INSPECTION							Service	ATA:21
	MOS	10-Sep-19							
	HRS	9998.9	600 (+10)						
	AFL	6911	600 (+10)						
				PROC. REF: AMM 21-50-00				PKG:13	
D213001 ^S	CLEAN/REPLACE PRESSURIZATION CONTROLLER FILTER: PHASE 5 INSPECTION							Service	ATA:21
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 21-31-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
D213003 ^S	REPLACE PNEUMATIC RELAY CARTRIDGE FILTER: PHASE 5 INSPECTION							Service	ATA:21
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 21-31-00				PKG:6	
D213004 ^S	CLEAN/REPLACE DISABLE SOLENIOD VALVE BREATHER PLUG: PHASE 5 INSPECTION							Service	ATA:21
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 21-31-00				PKG:6	
D217001 ^S	INSPECT HUMIDITY REGULATOR(WATER SEPERATOR): PHASE 3 INSPECTION							Service	ATA:21
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 21-70-00				PKG:4	
ATA 22 - AUTO FLIGHT									
221008	AUTOPILOT COMPUTER							Component	ATA:22
PN:4008519-911	MOS/MSC	07-Mar-13	O/C						
SN:78050832	HRS	9530.5							
WC#: 22.020	AFL	6490							
				PROC. REF: AMM 22-12-02					
221009	AUTOPILOT CONTROLLER							Component	ATA:22
PN:4018639-901	MOS/MSC	17-Dec-19	O/C						
SN:82031844	HRS	10021.9							
WC#: 22.020	AFL	6943							
				PROC. REF: AMM 22-12-03					
221010	AILERON SERVO ACTUATOR							Component	ATA:22
PN:4006719-904	MOS/MSC	26-Nov-75	O/C						
SN:070754	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
				PROC. REF: AMM 22-11-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
221010	ELEVATOR SERVO ACTUATOR							Component	ATA:22
PN:4006719-904	MOS/MSC	26-Nov-75	O/C						
SN:090836	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
PROC. REF: AMM 22-11-01									
221010	RUDDER SERVO ACTUATOR							Component	ATA:22
PN:4006719-906	MOS/MSC	26-Nov-75	O/C						
SN:070755	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
PROC. REF: AMM 22-11-01									
A221001 ^S	INSPECT AILERON SERVO ACTUATOR AND MOUNT: PHASE 5 INSPECTION							Service	ATA:22
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 22-12-01									
A222001 ^S	INSPECT RUDDER SERVO ACTUATOR AND MOUNT: PHASE 5 INSPECTION							Service	ATA:22
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 22-12-01									
A223001 ^S	INSPECT ELEVATOR SERVO ACTUATOR AND MOUNT: PHASE 5 INSPECTION							Service	ATA:22
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 22-12-01									
B221002 ^S	PERFORMANCE TEST SPERRY AUTOPILOT DISENGAGEMENT AND WARNING: PHASE 5 INSPECTION							Service	ATA:22
	MOS	01-Mar-24	36						
	HRS	10258.5	1200						
	AFL	7155							
PROC. REF: AMM 22-11-03									
B221003 ^S	PERFORMANCE TEST BENDIX AUTOPILOT DISENGAGEMENT: PHASE 5 INSPECTION							Service	ATA:22
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 22-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
231001	GARMIN AUDIO PANEL GMA 35							Component	ATA:23
PN:011-02299-00	MOS/MSC	01-Mar-24	O/C						
SN:1T6006663	HRS	10258.5							
	AFL	7155							
	PROC. REF: AMM 23-50-00								
232002	NO. 2 VHF COMMUNICATION ANTENNA							Component	ATA:23
PN:VHF-20A	MOS/MSC	03-Jun-03	O/C						
SN:13937	HRS	7802		TSO 0					
WC#: 23.040	AFL								
	PROC. REF: GENERIC NO REF								
232003	NO. 1 VHF COMMUNICATION ANTENNA							Component	ATA:23
PN:VFS10-90-5	MOS/MSC	21-Jun-24	O/C	TSN 0					
SN:1863	HRS	10316.6		TSN 0					
WC#: 23.040	AFL	7209							
	PROC. REF: GENERIC NO REF								
232004	FLITEFONE TRANSCEIVER							Component	ATA:23
PN:400-0125-100	MOS/MSC	26-Oct-93	O/C						
SN:542	HRS	5331		TSN 0					
WC#: 23.090	AFL								
	PROC. REF: AMM 23-23-01								
232005	CABIN FLITEFONE CONTROL							Component	ATA:23
PN:400-0123-210	MOS/MSC	26-Oct-93	O/C						
SN:8548	HRS	5331		TSN 0					
WC#: 23.090	AFL								
	PROC. REF: AMM 23-23-01								
232010	NO. 1 TOP COMMUNICATION TRANSCEIVER							Component	ATA:23
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
	AFL								
	PROC. REF: GENERIC NO REF								
232010	NO. 2 BOTTOM COMMUNICATION TRANSCEIVER							Component	ATA:23
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
	AFL								
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
232011	COMMUNICATION CONTROL							Component	ATA:23
PN:G4606	MOS/MSC	26-Nov-75	O/C						
SN:35	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
232014	FLITEFONE ANTENNA							Component	ATA:23
PN:121-014378-01	MOS/MSC	26-Oct-93	O/C						
SN:2946	HRS	5331		TSN 0					
WC#: 23.050	AFL								
PROC. REF: AMM 23-23-01									
235001	LEFT AUDIO AMPLIFIER							Component	ATA:23
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 23.100	AFL								
PROC. REF: GENERIC NO REF									
235001	RIGHT AUDIO AMPLIFIER							Component	ATA:23
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 23.100	AFL								
PROC. REF: GENERIC NO REF									
235003	CABIN SPEAKERS							Component	ATA:23
PN:48FU2103	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-50-00									
235003	COCKPIT SPEAKERS							Component	ATA:23
PN:48FU2103	MOS/MSC	05-Feb-00	O/C						
SN:UNKNOWN	HRS	7104		TSN 0					
	AFL								
PROC. REF: AMM 23-50-00									
235005	LEFT MICROPHONE							Component	ATA:23
PN:C596502-0202	MOS/MSC	26-Nov-75	O/C						
SN:22981	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
235005	RIGHT MICROPHONE							Component	ATA:23
PN:C596502-0202	MOS/MSC	26-Nov-75	O/C						
SN:22972	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
235006	LEFT TELEX HEADSET							Component	ATA:23
PN:62629-00	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
235006	RIGHT TELEX HEADSET							Component	ATA:23
PN:62629-00	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
A231001 ^S	INSPECT HIGH FREQUENCY ANTENNA AND TENISION UNIT: PHASE 5 INSPECTION							Service	ATA:23
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 23-00-05									
A236002 ^S	INSPECT CONTROL SURFACE BOND JUMPERS: PHASE 5 INSPECTION							Service	ATA:23
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 27-00-00									
A237001 ^S	INSPECT COCKPIT VOICE RECORDER: PHASE 5 INSPECTION							Service	ATA:23
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 23-70-00									
B236001 ^S	INSPECT STATIC DISCHARGE WICKS: PHASE 5 INSPECTION							Service	ATA:23
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 23-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
B237002 ^S	OPERATIONAL TEST COCKPIT VOICE RECORDER: PHASE 1 INSPECTION							Service	ATA:23
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 23-70-00				PKG:2	
ATA 24 - ELECTRICAL POWER									
242001	NO. 1 AC INVERTER							Component	ATA:24
PN:PC15H	MOS/MSC	16-Aug-79	O/C						
SN:451	HRS	2346		TSO 0					
WC#: 24.010	AFL								
				PROC. REF: GENERIC NO REF					
242001	NO. 2 AC INVERTER							Component	ATA:24
PN:PC15H	MOS/MSC	26-Nov-75	O/C						
SN:144	HRS	0		TSN 0					
WC#: 24.010	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
242002	AC FAIL MONITOR-							Component	ATA:24
PN:1371-1	MOS/MSC	26-Nov-75	O/C						
SN:138	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
243001	NO. 1 ENGINE STARTER/GENERATOR							Component	ATA:24
PN:23076-001-1	MOS	16-Jul-12						OVERHAUL	
SN:777	HRS	9511.6	1000	TSO 0	10511.6		195		
WC#: 24.060	AFL	6467							
				PROC. REF: GENERIC NO REF					
243001	NO. 2 ENGINE STARTER/GENERATOR							Component	ATA:24
PN:23076-001-1	MOS	01-Mar-24						OVERHAUL	
SN:2472	HRS	10258.5	1000	TSO 0	11258.5		941.9		
WC#: 24.060	AFL	7155							
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243003	LEFT GENERATOR CONTROL UNIT							Component	ATA:24
PN:51539-006F	MOS/MSC	15-May-10	O/C						
SN:1755AB	HRS	8911							
WC#: 24.090	AFL								
PROC. REF: AMM 24-30-02									
243003	RIGHT GENERATOR CONTROL UNIT							Component	ATA:24
PN:51509-006BR	MOS/MSC	13-Sep-06	O/C						
SN:5820A	HRS	7926							
WC#: 24.090	AFL								
PROC. REF: AMM 24-30-02									
243004	LEFT AMMETER							Component	ATA:24
PN:C662501-0102	MOS/MSC	16-Nov-76	O/C						
SN:1828	HRS	586		TSN 0					
WC#: 24.080	AFL								
PROC. REF: GENERIC NO REF									
243004	RIGHT AMMETER							Component	ATA:24
PN:C662501-0102	MOS/MSC	26-Nov-75	O/C						
SN:1708	HRS	0		TSN 0					
WC#: 24.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243005	VOLTMETER							Component	ATA:24
PN:C662502-0101	MOS/MSC	26-Nov-75	O/C						
SN:365	HRS	0		TSN 0					
WC#: 24.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243007	BATTERY							Component	ATA:24
PN:RG-380E/44	MOS/MSC	19-Nov-19	O/C	TSN 0					
SN:41040136	HRS	10003.5		TSN 0					
WC#: 24.020	AFL	6921							
PROC. REF: AMM 24-30-03									
243008	BATTERY TEMPERATURE MODULE							Component	ATA:24
PN:1131-1	MOS/MSC	26-Nov-75	O/C						
SN:509	HRS	0		TSN 0					
WC#: 24.050	AFL	0		TSN 0					
PROC. REF: AMM 24-30-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243009	BATTERY TEMPERATURE GAUGE							Component	ATA:24
PN:521299	MOS/MSC	26-Nov-75	O/C						
SN:740083	HRS	0		TSN 0					
WC#: 24.040	AFL	0		TSN 0					
PROC. REF: AMM 24-30-06									
244001	K1 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
244001	K11 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
244001	K12 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
244001	K13 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
244001	K7 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
244001	K8 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
245001	CENTER 5 VOLT LIGHT DIMMER							Component	ATA:24
PN:273-1	MOS/MSC	01-Aug-02	O/C						
SN:0114232	HRS	7682		TSN 0					
	AFL								
				PROC. REF: GENERIC NO REF					
245001	LEFT 5 VOLT LIGHT DIMMER							Component	ATA:24
PN:995-1	MOS/MSC	12-Nov-86	O/C						
SN:160	HRS	4101		TSO 0					
	AFL								
				PROC. REF: GENERIC NO REF					
245001	RIGHT 5 VOLT LIGHT DIMMER							Component	ATA:24
PN:1505-1	MOS/MSC	13-Sep-06	O/C						
SN:754	HRS	7926							
	AFL								
				PROC. REF: GENERIC NO REF					
24FO-01B	BATTERY & MONITOR FOR 20 CELL FACTORY OPTION							Component	ATA:24
PN:12B	MOS/MSC	26-Nov-75	-						
SN:FO	HRS	0							
	AFL	0							
				PROC. REF: GENERIC NO REF					
A242001 ^S	INSPECT NOSE AREA COMPONENTS: PHASE 5 INSPECTION							Service	ATA:24
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 24-00-00				PKG:6	
A245001 ^S	INSPECT CIRCUIT BREAKER PANELS: PHASE 5 INSPECTION							Service	ATA:24
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 24-50-00				PKG:6	
A245002 ^S	INSPECT COCKPIT SIDE CONSOLE: PHASE 5 INSPECTION							Service	ATA:24
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 24-50-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
A245003 ^S	INSPECT AVIONICS RELAY JUNCTION BOX: PHASE 5 INSPECTION							Service	ATA:24
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 34-02-00				PKG:6	
A245004 ^S	INSPECT AFT POWER JUNCTION BOX: PHASE 5 INSPECTION							Service	ATA:24
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 24-50-00				PKG:6	
A245005 ^S	INSPECT LEFT AND RIGHT WING ANTI-ICE JUNCTION BOX: PHASE 5 INSPECTION							Service	ATA:24
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 30-10-01				PKG:6	
B243001 ^S	OPERATIONAL TEST DC GENERATOR SYSTEM: PHASE 4 INSPECTION							Service	ATA:24
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 24-30-00				PKG:5	
B243003	FUNCTIONAL CHECK BATTERY LEAD ACID BATTERY (CAPACITY CHECK): PHASE 54 INSPECTION							Service	ATA:24
PN:RG-380E/44	MOS	01-Mar-24	3		30-Jun-24		OVD		
SN:41040136	HRS	10258.5	200 (+10)		10458.5	10468.5	141.9 (+10)		
	AFL	7155							
				PROC. REF: AMM 24-30-03				PKG:52	
B244001 ^S	FUNCTIONAL TEST OVERVOLTAGE SYSTEM: PHASE 1 INSPECTION							Service	ATA:24
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 24-31-01				PKG:2	
ATA 25 - EQUIPMENT/FURNISHINGS									
251001	LEFT INERTIA REEL							Component	ATA:25
PN:7360191-423	MOS/MSC	04-Nov-88	O/C						
SN:UNKNOWN	HRS	4502		TSO 0					
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
PROC. REF: GENERIC NO REF									
251001	RIGHT INERTIA REEL							Component	ATA:25
PN:501580-417	MOS/MSC	04-Nov-88	O/C						
SN:UNKNOWN	HRS	4502		TSO 0					
	AFL								
PROC. REF: GENERIC NO REF									
256007	LEFT EMERGENCY LOCATER TRANSMITTER ANTENNA							Component	ATA:25
PN:177-1	MOS/MSC	09-Dec-05	O/C						
SN:534	HRS	7902							
WC#: 25.030	AFL								
PROC. REF: GENERIC NO REF									
256008	RIGHT EMERGENCY LOCATER TRANSMITTER ANTENNA							Component	ATA:25
PN:177-2	MOS/MSC	09-Dec-05	O/C						
SN:502	HRS	7902							
WC#: 25.030	AFL								
PROC. REF: GENERIC NO REF									
256019	EMERGENCY LOCATER TRANSMITTER							Component	ATA:25
PN:S1840501-01	MOS/MSC	22-Mar-12	O/C	TSN 11					
SN:2620504-0115	HRS	9509.9		TSN 193.5					
WC#: 25.040	AFL								
PROC. REF: GENERIC NO REF									
256025	EMERGENCY LOCATER TRANSMITTER BATTERY							Component	ATA:25
PN:S1840501-01	MOS/MSC	25-Oct-21	DUE	TSN 0	01-Jul-28 (M)		1444 d		
SN:TM0000230509	HRS	10114.3		TSN 0					
WC#: 25.040	AFL	7037							
		Expiry Date: : 01-Jul-28							
PROC. REF: GENERIC NO REF									
25FO-04	MAP CASE FACTORY OPTION							Component	ATA:25
PN:103	MOS/MSC	26-Nov-75	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 25-12-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25FO-14	SEATING OPTION 7 FACTORY OPTION							Component	ATA:25
PN:116	MOS/MSC	26-Nov-75	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
25FO-22A	FLUSH TOILET AFT RELIEF TUBE & BAR FACTORY OPTION							Component	ATA:25
PN:131A	MOS/MSC	26-Nov-75	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 38-33-01									
25FO-38	AFT FOLDING DOOR FACTORY OPTION							Component	ATA:25
PN:184	MOS/MSC	26-Nov-75	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 25-22-07									
A251001 ^S	INSPECT PILOT AND COPILOT CREW SEATS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 25-11-01									
A251002 ^S	INSPECT PILOT AND COPILOT SEAT TRACK STOPS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 25-11-01									
A251004 ^S	INSPECT COCKPIT INSTRUMENT PANELS AND COMPONENTS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 25-10-00									
A252001 ^S	INSPECT PASSENGER SEATS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 25-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
A252002 ^S	INSPECT PASSENGER SEAT TRACK STOPS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 25-20-00				PKG:6	
A256004 ^S	INSPECT OPTIONAL STRECHER: PHASE 1 INSPECTION							Service	ATA:25
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 25-21-09				PKG:2	
A256005 ^S	INSPECTION EMERGENCY LOCATER TRANSMITTER (ARTEX C406-2): PHASE 53 INSPECTION							Service	ATA:25
PN:S1840501-01	MOS	01-Mar-24	12						
SN:2620504-0115	HRS	10258.5							
WC#: 25.040	AFL	7155							
				PROC. REF: AMM 34-43-06				PKG:39	
B256002 ^S	OPERATIONAL CHECK EMERGENCY LOCATER TRANSMITTER (ARTEX C406-2): PHASE 53 INSPECTION							Service	ATA:25
PN:S1840501-01	MOS	01-Mar-24	12						
SN:2620504-0115	HRS	10258.5							
WC#: 25.040	AFL	7155							
				PROC. REF: AMM 34-43-06				PKG:39	
ATA 26 - FIRE PROTECTION									
261001	NO. 1 ENGINE FIRE DETECTION SENSOR							Component	ATA:26
PN:244-18882	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 26.070	AFL	0			TSN 0				
				PROC. REF: AMM 26-10-01					
261001	NO. 2 ENGINE FIRE DETECTION SENSOR							Component	ATA:26
PN:244-18882	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 26.070	AFL	0			TSN 0				
				PROC. REF: AMM 26-10-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
261002	NO. 1 ENGINE FIRE DETECTION CONTROL							Component	ATA:26
PN:377-02808	MOS/MSC	26-Nov-75	O/C						
SN:923505	HRS	0		TSN 0					
WC#: 26.060	AFL	0		TSN 0					
PROC. REF: AMM 26-10-02									
261002	NO. 2 ENGINE FIRE DETECTION CONTROL							Component	ATA:26
PN:377-02808	MOS/MSC	06-Mar-03	O/C						
SN:7737017	HRS	7747		TSO 0					
WC#: 26.060	AFL								
PROC. REF: AMM 26-10-02									
262001	AFT ENGINE FIRE EXTINGUISHER							Component	ATA:26
PN:30401102	MOS/MSC	16-Mar-17	O/C	TSO 0					
SN:B8903	HRS	9621.5		TSO 0					
WC#: 26.010	AFL	6554		TSO 0					
PROC. REF: GENERIC NO REF									
262001	FORWARD ENGINE FIRE EXTINGUISHER							Component	ATA:26
PN:30401102	MOS/MSC	16-Mar-17	O/C	TSO 0					
SN:B10316	HRS	9621.5		TSO 0					
WC#: 26.020	AFL	6554		TSO 0					
PROC. REF: GENERIC NO REF									
262002	CABIN PORTABLE EXTINGUISHER							Component	ATA:26
PN:B385TS	MOS/MSC	01-Mar-24	O/C						
SN:TBD	HRS	10258.5							
WC#: 26.030	AFL	7155							
PROC. REF: GENERIC NO REF									
262002	COCKPIT PORTABLE EXTINGUISHER							Component	ATA:26
PN:B385TS	MOS/MSC	01-Mar-24	O/C						
SN:TBD	HRS	10258.5							
WC#: 26.030	AFL	7155							
PROC. REF: GENERIC NO REF									
262003	AFT LEFT ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:M13083-5	MOS	16-Jan-17	120		30-Jun-26		712 d	MANDATORY	
SN:35718	HRS	9607.3							
WC#: 26.010	AFL	6546							
Manufacture Date:: 30-Jun-16 PROC. REF: AMM 26-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262003	AFT RIGHT ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:M13083-5	MOS	16-Jan-17	120		30-Jun-26		712 d	MANDATORY	
SN:35720	HRS	9607.3							
WC#: 26.010	AFL	6546							
		Manufacture Date:: 30-Jun-16		PROC. REF: AMM 26-20-00					
262003	FORWARD LEFT ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:M13083-5	MOS	16-Jan-17	120		30-Jun-26		712 d	MANDATORY	
SN:35506	HRS	9607.3							
WC#: 26.020	AFL	6546							
		Manufacture Date:: 30-Jun-16		PROC. REF: AMM 26-20-00					
262003	FORWARD RIGHT ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:M13083-5	MOS	16-Jan-17	120		30-Jun-26		712 d	MANDATORY	
SN:35549	HRS	9607.3							
WC#: 26.020	AFL	6546							
		Manufacture Date:: 30-Jun-16		PROC. REF: AMM 26-20-00					
262037	REPLACE AFT LEFT ENGINE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)							Service	ATA:26
PN:M13083-5	MOS	16-Jan-17	120		30-Jun-26 (M)		712 d		
SN:35718	HRS								
WC#: 26.010	AFL								
				PROC. REF: GENERIC NO REF					
262038	REPLACE AFT RIGHT ENGINE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)							Service	ATA:26
PN:M13083-5	MOS	16-Jan-17	120		30-Jun-26 (M)		712 d		
SN:35720	HRS								
WC#: 26.010	AFL								
				PROC. REF: GENERIC NO REF					
262039	REPLACE FORWARD LEFT ENGINE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)							Service	ATA:26
PN:M13083-5	MOS	16-Jan-17	120		30-Jun-26 (M)		712 d		
SN:35506	HRS								
WC#: 26.020	AFL								
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262040	REPLACE FORWARD RIGHT ENGINE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)							Service	ATA:26
PN:M13083-5	MOS	16-Jan-17	120		30-Jun-26 (M)		712 d		
SN:35549	HRS								
WC#: 26.020	AFL								
PROC. REF: GENERIC NO REF									
A262003 ^S	WEIGHT CHECK CABIN PORTABLE EXTINGUISHER : PHASE 34 INSPECTION							Service	ATA:26
PN:B385TS	MOS	01-Jan-24	12 (+1m)						
SN:TBD	HRS								
WC#: 26.030	AFL								
PROC. REF: AMM 26-20-01									
A262003 ^S	WEIGHT CHECK COCKPIT PORTABLE EXTINGUISHER : PHASE 34 INSPECTION							Service	ATA:26
PN:B385TS	MOS	01-Mar-24	12 (+1m)						
SN:TBD	HRS								
WC#: 26.030	AFL								
PROC. REF: AMM 26-20-01									
B262002	HYDROSTATIC TEST AFT ENGINE FIRE EXTINGUISHER							Service	ATA:26
PN:30401102	MOS	24-Aug-22	60		31-Aug-27		1139 d	MANDATORY	
SN:B8903	HRS								
WC#: 26.010	AFL								
PROC. REF: AMM 26-20-00									
B262002	HYDROSTATIC TEST FORWARD ENGINE FIRE EXTINGUISHER							Service	ATA:26
PN:30401102	MOS	24-Aug-22	60		31-Aug-27		1139 d	MANDATORY	
SN:B10316	HRS								
WC#: 26.020	AFL								
PROC. REF: AMM 26-20-00									
B262003	HYDROSTATIC TEST CABIN PORTABLE EXTINGUISHER							Service	ATA:26
PN:B385TS	MOS	01-Jan-24	144		31-Jan-36		4214 d		
SN:TBD	HRS								
WC#: 26.030	AFL								
PROC. REF: AMM 26-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
B262003 HYDROSTATIC TEST COCKPIT PORTABLE EXTINGUISHER Service ATA:26								
PN:B385TS	MOS	01-Jan-24	144		31-Jan-36		4214 d	
SN:TBD	HRS							
WC#: 26.030	AFL							
PROC. REF: AMM 26-20-01								
B262004 EMPTY/INSPECT/RECHARGE CABIN PORTABLE EXTINGUISHER : PHASE 48 INSPECTION Service ATA:26								
PN:B385TS	MOS	01-Mar-24	72	TAC 2	31-Jan-30		2023 d	
SN:TBD	HRS	10258.5						
WC#: 26.030	AFL	7155						
PROC. REF: AMM 26-20-01								
B262004 EMPTY/INSPECT/RECHARGE COCKPIT PORTABLE EXTINGUISHER : PHASE 48 INSPECTION Service ATA:26								
PN:B385TS	MOS	01-Mar-24	72	TAC 2	31-Jan-30		2023 d	
SN:TBD	HRS	10258.5						
WC#: 26.030	AFL	7155						
PROC. REF: AMM 26-20-01								
B262005^S FUNCTIONAL TEST FIRE EXTINGUISHING SYSTEM: PHASE 5 INSPECTION Service ATA:26								
	MOS	01-Mar-24	36 (+2m)					
	HRS	10258.5	1200 (+100)					
	AFL	7155						
PROC. REF: AMM 26-20-00								
ATA 27 - FLIGHT CONTROLS								
271001 AILERON TRIM TAB ACTUATOR Component ATA:27								
PN:5565450-38	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.100	AFL	0		TSN 0				
PROC. REF: AMM 27-10-06								
272001 RUDDER TRIM TAB ACTUATOR Component ATA:27								
PN:5565450-23	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.100	AFL	0		TSN 0				
PROC. REF: AMM 27-20-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
273002	ELEVATOR TRIM ELECTRICAL ACTUATOR							Component	ATA:27
PN:5115231-19	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.110	AFL	0		TSN 0					
PROC. REF: AMM 27-30-06									
273003	ELEVATOR TRIM TAB ACTUATOR							Component	ATA:27
PN:5565450-64	MOS/MSC	09-Aug-85	O/C						
SN:UNKNOWN	HRS	3954		TSN 0					
WC#: 27.110	AFL								
PROC. REF: AMM 27-30-05									
275001	LEFT FLAP MOTOR							Component	ATA:27
PN:23-1	MOS/MSC	26-Nov-75	O/C						
SN:606	HRS	0		TSN 0					
WC#: 27.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
275001	RIGHT FLAP MOTOR							Component	ATA:27
PN:23-1	MOS/MSC	26-Nov-75	O/C						
SN:616	HRS	0		TSN 0					
WC#: 27.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
275002	LEFT FLAP GEARBOX							Component	ATA:27
PN:556175-38	MOS	27-Apr-20						OVERHAUL	
SN:234	HRS	10086.7	3000	TSO 1419	11667.7		1351.1		
WC#: 27.070	AFL	7013							
PROC. REF: GENERIC NO REF									
275002	RIGHT FLAP GEARBOX							Component	ATA:27
PN:556175-38	MOS	27-Apr-20						OVERHAUL	
SN:22	HRS	10086.7	3000	TSO 1419	11667.7		1351.1		
WC#: 27.070	AFL	7013							
PROC. REF: GENERIC NO REF									
276001	LEFT SPEED BRAKE ACTUATOR							Component	ATA:27
PN:2-710002-3	MOS/MSC	12-Sep-12	O/C						
SN:4885	HRS	9511.6							
WC#: 27.080	AFL	6467							
PROC. REF: AMM 27-60-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276001	RIGHT SPEED BRAKE ACTUATOR							Component	ATA:27
PN:9912079-8	MOS/MSC	30-Jun-10	O/C						
SN:DA588	HRS	9007							
WC#: 27.080	AFL								
PROC. REF: AMM 27-60-04									
276002	SPEED BRAKE CONTROL VALVE							Component	ATA:27
PN:2710970	MOS/MSC	26-Nov-75	O/C						
SN:0312	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
276003	SPEED BRAKE SAFETY VALVE							Component	ATA:27
PN:2710972	MOS/MSC	26-Nov-75	O/C						
SN:0316	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
A271003 ^S	INSPECT AILERON AND AILERON TRIM TAB: PHASE 2 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
PROC. REF: AMM 27-10-00									
A271004 ^S	INSPECT CONTROL WHEEL: PHASE 1 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
PROC. REF: AMM 27-10-00									
A271005 ^S	INSPECT AILERON RUDDER AND ELEVATOR TRIM TAB CONTROLS AND INDICATORS: PHASE 1 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
PROC. REF: AMM 27-10-00									
A271006 ^S	INSPECT AILERON CONTROL CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 27-10-00									

PKG:3

PKG:2

PKG:2

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
A271007 ^S	INSPECT AILERON TRIM CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-10-00				PKG:6	
A272002 ^S	INSPECT RUDDER AND RUDDER TRIM TAB: PHASE 2 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 27-20-00				PKG:3	
A272003 ^S	INSPECT RUDDER PEDALS: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-20-00				PKG:6	
A272005 ^S	INSPECT RUDDER CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-20-00				PKG:6	
A272006 ^S	INSPECT RUDDER TRIM CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-20-00				PKG:6	
A273002 ^S	INSPECT ELEVATOR EXTERNALLY: PHASE 2 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	24 (+1m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 27-30-00				PKG:3	
A273005 ^S	INSPECT CONTROL COLUMN: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-30-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
A273006 ^S	INSPECT ELEVATOR LINKAGE: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-30-00				PKG:6	
A273007 ^S	INSPECT ELECTRIC ELEVATOR TRIM ACTUATOR AND SECTOR: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-30-00				PKG:6	
A273008 ^S	INSPECT ELEVATOR CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-30-00				PKG:6	
A273009 ^S	INSPECT ELEVATOR TRIM CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-30-00				PKG:6	
A275001 ^S	INSPECT FLAP DRIVE ASSEMBLY: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-50-00				PKG:6	
A275003 ^S	INSPECT FLAP PRESELECT CABLE: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-50-00				PKG:6	
A275008 ^S	INSPECT FLAP CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-50-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
A276001 ^S	INSPECT SPEED BRAKE SYSTEM: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-60-00				PKG:6	
B271001 ^S	CHECK AILERON TRIM TAB: PHASE 2 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 27-10-00				PKG:3	
B271002 ^S	CHECK AILERON AND AILERON TRIM TAB TRAVEL: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-10-00				PKG:6	
B272001 ^S	CHECK RUDDER TRIM TAB: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-20-00				PKG:6	
B272004 ^S	CHECK RUDDER AND RUDDER TRIM TAB: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-20-00				PKG:6	
B273003 ^S	CHECK ELEVATOR AND ELEVATOR TRIM TAB: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-30-00				PKG:6	
B273004 ^S	CHECK ELEVATOR TRIM TAB: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-30-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
B275001 ^S	OPERATIONAL CHECK FLAP MOTOR: PHASE 1 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 27-50-00				PKG:2	
B275002 ^S	OPERATIONAL CHECK FLAP UP LIMIT SWITCH: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-50-00				PKG:6	
B275004 ^S	OPERATIONAL CHECK FLAP APPROACH WARNING SWITCH: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-50-00				PKG:6	
B275005 ^S	OPERATIONAL TEST FLAP/AUTOPILOT POSITION SWITCH(AIRPLANE-0275 AND ON): PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-50-00				PKG:6	
B275006 ^S	CHECK FLAPS TRAVEL: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-50-00				PKG:6	
B277001 ^S	INSPECT CONTROL LOCK SYSTEM: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 27-70-00				PKG:6	
C271001 ^S	LUBRICATE/CHECK AILERON TRIM TAB ACTUATOR: PHASE 2 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 27-10-00				PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
C272001 ^S	LUBRICATE/CHECK RUDDER TRIM TAB ACTUATOR: PHASE 2 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
					PROC. REF: AMM 27-20-00			PKG:3	
C273001 ^S	LUBRICATE/CHECK ELEVATOR TRIM TAB ACTUATORS: PHASE 2 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
					PROC. REF: AMM 27-30-00			PKG:3	
C275007 ^S	CLEAN/LUBRICATE CENTER FLAP TRACK BEARING AIRPLANES 0001 THRU -0684 EXCEPT INCORPORATING SB500-27-11: PHASE 5 INSPECTION							Service	ATA:27
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
					PROC. REF: AMM 27-50-00			PKG:6	
ATA 28 - FUEL									
28-00-02-220	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES NOT USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS/MSC	EFF	A/R					DISCRETIONARY	
	HRS								
	AFL								
					PROC. REF: AMM 28-00-02				
28-00-02-221	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS/MSC	EFF	A/R					DISCRETIONARY	
	HRS								
	AFL								
					PROC. REF: AMM 28-00-02				
281001	LEFT FUEL VENT VALVE							Component	ATA:28
PN:35C10D	MOS/MSC	20-Sep-12	O/C		TSN 0				
SN:5668	HRS	9516.1			TSN 0				
WC#: 28.010	AFL	6472							
					PROC. REF: AMM 28-10-04				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
281001	RIGHT FUEL VENT VALVE							Component	ATA:28
PN:9912016-2	MOS/MSC	20-Jun-19	O/C	TSN 0					
SN:6761	HRS	9890.2		TSN 0					
WC#: 28.010	AFL	6781							
					PROC. REF: AMM 28-10-04				
281002	LEFT AFT FUEL DRAIN VALVE							Component	ATA:28
PN:6904-079	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.150	AFL	0		TSN 0					
					PROC. REF: AMM 28-10-06				
281002	LEFT FORWARD FUEL DRAIN VALVE							Component	ATA:28
PN:6904-079	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.160	AFL	0		TSN 0					
					PROC. REF: AMM 28-10-06				
281002	LEFT MID FUEL DRAIN VALVE							Component	ATA:28
PN:6904-079	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
					PROC. REF: AMM 28-10-06				
281002	RIGHT AFT FUEL DRAIN VALVE							Component	ATA:28
PN:6904-079	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.160	AFL	0		TSN 0					
					PROC. REF: AMM 28-10-06				
281002	RIGHT FORWARD FUEL DRAIN VALVE							Component	ATA:28
PN:6904-079	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.170	AFL	0		TSN 0					
					PROC. REF: AMM 28-10-06				
281002	RIGHT MID FUEL DRAIN VALVE							Component	ATA:28
PN:6904-079	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.150	AFL	0		TSN 0					
					PROC. REF: AMM 28-10-06				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282001	LEFT FUEL BOOST PUMP							Component	ATA:28
PN:1C7-12	MOS/MSC	12-May-88	O/C						
SN:4AD42	HRS	4392		TSN 0					
WC#: 28.030	AFL								
PROC. REF: AMM 28-20-01									
282001	RIGHT FUEL BOOST PUMP							Component	ATA:28
PN:1C7-12	MOS/MSC	16-Jan-17	O/C		TSO 0				
SN:6AB 61	HRS	9607.3		TSO 0					
WC#: 28.030	AFL	6546							
PROC. REF: AMM 28-20-01									
282002	LEFT MOTIVE FLOW PRESSURE RATIO SWITCH							Component	ATA:28
PN:716-1001-13	MOS/MSC	26-Nov-75	O/C						
SN:7522	HRS	0		TSN 0					
WC#: 28.200	AFL	0		TSN 0					
PROC. REF: AMM 28-20-08									
282002	RIGHT MOTIVE FLOW PRESSURE RATIO SWITCH							Component	ATA:28
PN:716-1001-13	MOS/MSC	26-Nov-75	O/C						
SN:7444	HRS	0		TSN 0					
WC#: 28.200	AFL	0		TSN 0					
PROC. REF: AMM 28-20-08									
282003	LEFT MOTIVE FLOW SHUTOFF VALVE							Component	ATA:28
PN:15495	MOS/MSC	26-Nov-75	O/C						
SN:126	HRS	0		TSN 0					
WC#: 28.090	AFL	0		TSN 0					
PROC. REF: AMM 28-20-09									
282003	RIGHT MOTIVE FLOW SHUTOFF VALVE							Component	ATA:28
PN:15495	MOS/MSC	26-Nov-75	O/C						
SN:G17843	HRS	0		TSN 0					
WC#: 28.090	AFL	0		TSN 0					
PROC. REF: AMM 28-20-09									
282005	LEFT FUEL CROSSFEED VALVE							Component	ATA:28
PN:230125-2	MOS/MSC	26-Nov-75	O/C						
SN:3129	HRS	0		TSN 0					
WC#: 28.050	AFL	0		TSN 0					
PROC. REF: AMM 28-20-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282005	RIGHT FUEL CROSSFEED VALVE							Component	ATA:28
PN:230125-2	MOS/MSC	26-Nov-75	O/C						
SN:3137	HRS	0		TSN 0					
WC#: 28.050	AFL	0		TSN 0					
PROC. REF: AMM 28-20-05									
282006	LEFT DEFUELING VALVE							Component	ATA:28
PN:8151-16AG	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.210	AFL	0		TSN 0					
PROC. REF: AMM 28-20-10									
282006	RIGHT DEFUELING VALVE							Component	ATA:28
PN:8151-16AG	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.210	AFL	0		TSN 0					
PROC. REF: AMM 28-20-10									
282007	LEFT MANUAL SHUTOFF VALVE							Component	ATA:28
PN:8151-16CG	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.220	AFL	0		TSN 0					
PROC. REF: AMM 28-20-04									
282007	RIGHT MANUAL SHUTOFF VALVE							Component	ATA:28
PN:8151-16CG	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.220	AFL	0		TSN 0					
PROC. REF: AMM 28-20-04									
284001	LEFT LOW FUEL LEVEL SWITCH							Component	ATA:28
PN:GIF-5400-19	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284001	RIGHT LOW FUEL LEVEL SWITCH							Component	ATA:28
PN:GIF-5400-21	MOS/MSC	02-Nov-79	O/C						
SN:UNKNOWN	HRS	2458		TSN 0					
WC#: 28.130	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284002	LEFT FUEL QUANTITY COMPENSATOR							Component	ATA:28
PN:300047-13001	MOS/MSC	26-Nov-75	O/C						
SN:10734N	HRS	0		TSN 0					
WC#: 28.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284002	RIGHT FUEL QUANTITY COMPENSATOR							Component	ATA:28
PN:300047-13001	MOS/MSC	26-Nov-75	O/C						
SN:70745N	HRS	0		TSN 0					
WC#: 28.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284003	LEFT WING SECTION (61.00) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-218	MOS/MSC	26-Nov-75	O/C						
SN:1098B	HRS	0		TSN 0					
WC#: 28.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284003	RIGHT WING SECTION (61.00) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-218	MOS/MSC	26-Nov-75	O/C						
SN:934B	HRS	0		TSN 0					
WC#: 28.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284004	LEFT WING SECTION (129.00) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-219	MOS/MSC	26-Nov-75	O/C						
SN:914B	HRS	0		TSN 0					
WC#: 28.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284004	RIGHT WING SECTION (129.00) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-219	MOS/MSC	26-Nov-75	O/C						
SN:898B	HRS	0		TSN 0					
WC#: 28.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284005	LEFT WING SECTION (171.50) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-220	MOS/MSC	26-Nov-75	O/C						
SN:957B	HRS	0		TSN 0					
WC#: 28.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284005	RIGHT WING SECTION (171.50) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-220	MOS/MSC	26-Nov-75	O/C						
SN:962B	HRS	0		TSN 0					
WC#: 28.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284006	LEFT WING SECTION (211.00) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-221	MOS/MSC	26-Nov-75	O/C						
SN:994B	HRS	0		TSN 0					
WC#: 28.270	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284006	RIGHT WING SECTION (211.00) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-221	MOS/MSC	26-Nov-75	O/C						
SN:905B	HRS	0		TSN 0					
WC#: 28.270	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284007	FUEL QUANTITY INDICATOR							Component	ATA:28
PN:393002-007	MOS/MSC	22-Jun-98	O/C						
SN:S364U	HRS	6452		TSO 0					
WC#: 28.120	AFL								
PROC. REF: AMM 28-40-01									
A281001 ^S	INSPECT WING FUEL STORAGE AREA: PHASE 5 INSPECTION							Service	ATA:28
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 28-10-00									
A282002 ^S	INSPECT WING DRY BAY FUEL SYSTEM COMPONENTS: PHASE 5 INSPECTION							Service	ATA:28
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 28-20-00									
B282003 ^S	OPERATIONAL CHECK FUEL SYSTEMS: PHASE 5 INSPECTION							Service	ATA:28
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 28-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
B284001 ^S	OPERATIONAL CHECK LOW FUEL WARNING SYSTEM: PHASE 5 INSPECTION							Service	ATA:28
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 28-41-00				PKG:6	
D282002 ^S	REPLACE FUEL FILTER ELEMENTS: PHASE 5 INSPECTION							Service	ATA:28
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 28-20-00				PKG:6	
ATA 29 - HYDRAULIC POWER									
291001	HYDRAULIC RESERVOIR							Component	ATA:29
PN:2525-2	MOS/MSC	12-Sep-12	O/C						
SN:1876	HRS	9511.6							
WC#: 29.070	AFL	6467							
				PROC. REF: AMM 29-10-01					
291002	NO. 1 ENGINE HYDRAULIC PUMP							Component	ATA:29
PN:S1360-686-1	MOS/MSC	01-Mar-24	O/C		TSO 0				
SN:130	HRS	10258.5			TSO 0				
WC#: 29.060	AFL	7155							
				PROC. REF: AMM 29-10-03					
291002	NO. 2 ENGINE HYDRAULIC PUMP							Component	ATA:29
PN:S1360-686-1	MOS/MSC	01-Mar-24	O/C		TSO 0				
SN:44	HRS	10258.5			TSO 0				
WC#: 29.060	AFL	7155							
				PROC. REF: AMM 29-10-03					
291004	LEFT SUCTION SHUTOFF VALVE							Component	ATA:29
PN:149145	MOS/MSC	26-Nov-75	O/C						
SN:505	HRS	0			TSN 0				
WC#: 29.020	AFL	0			TSN 0				
				PROC. REF: AMM 29-10-02					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291004	RIGHT SUCTION SHUTOFF VALVE							Component	ATA:29
PN:149145	MOS/MSC	26-Nov-75	O/C						
SN:625	HRS	0		TSN 0					
WC#: 29.020	AFL	0		TSN 0					
PROC. REF: AMM 29-10-02									
291005	DUAL CHECK FLOW DETECTOR VALVE							Component	ATA:29
PN:208200-5005	MOS/MSC	26-Nov-75	O/C						
SN:459	HRS	0		TSN 0					
WC#: 29.010	AFL	0		TSN 0					
PROC. REF: AMM 29-10-05									
291006	HYDRAULIC RELIEF VALVE							Component	ATA:29
PN:4614	MOS/MSC	25-Jan-12	O/C						
SN:2581A	HRS	9476.8							
WC#: 29.100	AFL								
PROC. REF: AMM 29-10-06									
291010	HYDRAULIC PRESSURE SWITCH							Component	ATA:29
PN:716-6051-01	MOS/MSC	12-Dec-05	O/C						
SN:UNKNOWN	HRS	7902		TSO 0					
	AFL								
PROC. REF: GENERIC NO REF									
291012	OPEN CENTER BYPASS VALVE							Component	ATA:29
PN:2710971	MOS/MSC	26-Nov-75	O/C						
SN:0248	HRS	0		TSN 0					
WC#: 29.100	AFL	0		TSN 0					
PROC. REF: AMM 29-10-06									
291013	SPEED BRAKE HYDRAULIC CHECK VALVE							Component	ATA:29
PN:1704A25	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291014	HYDRAULIC SAFETY CHECK VALVE							Component	ATA:29
PN:1704A-25	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291015	THERMAL RELIEF VALVE							Component	ATA:29
PN:627S-1-1700	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291016	FORWARD COUPLING HALF							Component	ATA:29
PN:320516-6	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291017	GROUND DISCONNECT MIDDLE COUPLING HALF							Component	ATA:29
PN:340253-10	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291018	AFT COUPLING HALF							Component	ATA:29
PN:340253-8	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291019	LANDING GEAR HYDRAULIC CHECK VALVE							Component	ATA:29
PN:1310A-25	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
A291002 ^S	INSPECT HYDRAULIC SUB PANEL: PHASE 1 INSPECTION							Service	ATA:29
	MOS	01-Mar-24							
	HRS	10258.5	150 (+30)						
WC#: 29.115	AFL	7155							
PROC. REF: AMM 29-10-06									
PKG:1,2,4									
D291001 ^S	INSPECT/REPLACE HYDRAULIC FILTERS AND FILTER ELEMENTS: PHASE 5 INSPECTION							Service	ATA:29
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 29-10-04									
PKG:6									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301001	LEFT WING DE-ICE BOOT							Component	ATA:30
PN:25S-7D5059-07	MOS/MSC	05-Feb-00	O/C						
SN:MC51280	HRS	7104		TSN 0					
WC#: 30.140	AFL								
PROC. REF: AMM 30-11-01									
301002	RIGHT WING DE-ICE BOOT							Component	ATA:30
PN:25S-7D5059-08	MOS/MSC	27-Nov-91	O/C						
SN:380HS	HRS	5185		TSN 0					
WC#: 30.140	AFL								
PROC. REF: AMM 30-11-01									
301003	LEFT HORIZONTAL STABILIZER DE-ICE BOOT							Component	ATA:30
PN:25S-7D5059-03	MOS/MSC	03-Feb-84	O/C						
SN:408CN	HRS	3831		TSN 0					
WC#: 30.130	AFL								
PROC. REF: GENERIC NO REF									
301003	RIGHT HORIZONTAL STABILIZER DE-ICE BOOT							Component	ATA:30
PN:25S-7D5059-03	MOS/MSC	26-May-89	O/C						
SN:106JK	HRS	4614		TSN 0					
WC#: 30.130	AFL								
PROC. REF: GENERIC NO REF									
301004	VERTICAL STABILIZER DE-ICE BOOT							Component	ATA:30
PN:25S-7D5059-05	MOS/MSC	26-May-89	O/C						
SN:371JG	HRS	4614		TSN 0					
WC#: 30.130	AFL								
PROC. REF: GENERIC NO REF									
301005	LEFT ANTI-ICE ELEMENT							Component	ATA:30
PN:2E1469-1	MOS/MSC	26-Nov-75	O/C						
SN:562	HRS	0		TSN 0					
WC#: 30.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
301006	RIGHT ANTI-ICE ELEMENT							Component	ATA:30
PN:2E1469-8	MOS/MSC	26-Nov-75	O/C						
SN:542	HRS	0		TSN 0					
WC#: 30.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301007 AFT DE-ICE PRESSURE SWITCH Component ATA:30								
PN:717-6096-02	MOS/MSC	26-Nov-75	O/C					
SN:7503	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: AMM 30-11-05								
301007 FORWARD DE-ICE PRESSURE SWITCH Component ATA:30								
PN:717-6096-02	MOS/MSC	26-Nov-75	O/C					
SN:7520	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: AMM 30-11-05								
301008 LEFT WING DE-ICE VALVE Component ATA:30								
PN:3D2314-62	MOS/MSC	26-Nov-75	O/C					
SN:417	HRS	0		TSN 0				
WC#: 30.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
301008 RIGHT WING DE-ICE VALVE Component ATA:30								
PN:3D2314-62	MOS/MSC	26-Nov-75	O/C					
SN:238	HRS	0		TSN 0				
WC#: 30.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
301008 STABILIZER AND FIN DE-ICE VALVE Component ATA:30								
PN:3D2314-62	MOS/MSC	06-Mar-03	O/C					
SN:BS99064S	HRS	7747		TSO 0				
WC#: 30.190	AFL							
PROC. REF: GENERIC NO REF								
301009 AIRFOIL DE-ICE TIMER Component ATA:30								
PN:XAV100	MOS/MSC	11-Jul-81	O/C					
SN:2505	HRS	3263		TSN 0				
WC#: 30.030	AFL							
PROC. REF: GENERIC NO REF								
301010 LEFT WING ANTI-ICE ASSEMBLY Component ATA:30								
PN:5528007-205	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301010 RIGHT WING ANTI-ICE ASSEMBLY Component ATA:30								
PN:5528007-206	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
302001 ALCOHOL PUMP Component ATA:30								
PN:476411	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: AMM 30-43-00								
302002 BLEED AIR CHECK VALVE Component ATA:30								
PN:85300	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
302003 LEFT ANTI-ICE SOLENOID VALVE Component ATA:30								
PN:226395	MOS/MSC	26-Nov-75	O/C					
SN:603	HRS	0		TSN 0				
WC#: 30.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
302003 RIGHT ANTI-ICE SOLENOID VALVE Component ATA:30								
PN:226395	MOS/MSC	26-Nov-75	O/C					
SN:220	HRS	0		TSN 0				
WC#: 30.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
303001 LEFT PITOT TUBE Component ATA:30								
PN:PH502	MOS/MSC	09-Oct-87	O/C					
SN:UNKNOWN	HRS	4259		TSN 0				
WC#: 34.230	AFL							
PROC. REF: GENERIC NO REF								
303001 RIGHT PITOT TUBE Component ATA:30								
PN:PH502	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
303002 LEFT LOWER PILOT STATIC PORT Component ATA:30								
PN:CM2933-5	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 34.240	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
303002 RIGHT LOWER COPILOT STATIC PORT Component ATA:30								
PN:CM2933-5	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 34.250	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
303003 LEFT UPPER COPILOT STATIC PORT Component ATA:30								
PN:CM2933-5	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 34.250	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
303003 RIGHT UPPER PILOT STATIC PORT Component ATA:30								
PN:CM2933-5	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 34.240	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
303004 LEFT PRESSURIZATION STATIC PORT Component ATA:30								
PN:CM2609-2	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
303004 RIGHT PRESSURIZATION STATIC PORT Component ATA:30								
PN:CM2609-2	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
304001 HOT AIR TEMPERATURE MONITOR- Component ATA:30								
PN:1169-1	MOS/MSC	26-Nov-75	O/C					
SN:462	HRS	0			TSN 0			
WC#: 30.240	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
304005 TEMPERATURE CONTROL VALVE Component ATA:30								
PN:27241287	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 30-42-06								
304006 TEMPERATURE CONTROLLER Component ATA:30								
PN:27231272	MOS/MSC	26-Nov-75	O/C					
SN:050289	HRS	0		TSN 0				
WC#: 30.230	AFL	0		TSN 0				
PROC. REF: AMM 30-42-06								
304007 LEFT TEMPERATURE SENSOR Component ATA:30								
PN:27221274	MOS/MSC	26-Nov-75	O/C					
SN:070642	HRS	0		TSN 0				
WC#: 30.220	AFL	0		TSN 0				
PROC. REF: AMM 30-20-00								
304007 RIGHT TEMPERATURE SENSOR Component ATA:30								
PN:27221274	MOS/MSC	26-Nov-75	O/C					
SN:070699	HRS	0		TSN 0				
WC#: 30.220	AFL	0		TSN 0				
PROC. REF: AMM 30-20-00								
304008 PRESSURE SWITCH Component ATA:30								
PN:717-6097-02	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.250	AFL	0		TSN 0				
PROC. REF: AMM 30-42-07								
30FO-01 DE-ICE SYSTEM WING STABILIZER FIN FACTORY OPTION Component ATA:30								
PN:32	MOS/MSC	26-Nov-75	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
A301002^S INSPECT WING HEATED LEADING EDGE AND WIRING: PHASE 5 INSPECTION Service ATA:30								
	MOS	01-Mar-24	36 (+2m)					
	HRS	10258.5	1200 (+100)					
	AFL	7155						
PROC. REF: AMM 30-10-01								

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
A304001 ^S	INSPECT WINDSHIELD BLEED AIR AUGMENTOR DOOR AND SHROUD: PHASE 5 INSPECTION							Service	ATA:30
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 30-42-00				PKG:6	
A304003 ^S	INSPECT WINDSHIELD BLEED AIR CONTROLS: PHASE 5 INSPECTION							Service	ATA:30
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 30-42-00				PKG:6	
A304004 ^S	INSPECT WINDSHIELD ALCOHOL RESERVOIR VENT LINE: PHASE 5 INSPECTION							Service	ATA:30
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 30-43-00				PKG:6	
B301001 ^S	OPERATIONAL TEST ENGINE AND WING LEADING EDGE ANTI-ICE SYSTEMS: PHASE 5 INSPECTION							Service	ATA:30
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 30-10-01				PKG:6	
B301003 ^S	OPERATIONAL TEST PNEUMATIC DEICE SYSTEM: PHASE 4 INSPECTION							Service	ATA:30
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 30-11-00				PKG:5	
B304001 ^S	OPERATIONAL CHECK WINDSHIELD ANTI-ICE: PHASE 5 INSPECTION							Service	ATA:30
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 30-42-00				PKG:6	
B304004 ^S	OPERATIONAL CHECK WINDSHIELD ALCOHOL PUMP: PHASE 1 INSPECTION							Service	ATA:30
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 30-43-00				PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
D304004 ^S	INSPECT WINDSHIELD ALCOHOL PUMP FILTER: PHASE 5 INSPECTION							Service	ATA:30
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 30-43-00				PKG:6	
ATA 31 - INDICATING/RECORDING SYSTEMS									
312001	CENTER DIGITAL CLOCK							Component	ATA:31
PN:811B	MOS/MSC	09-Aug-85	O/C						
SN:UNKNOWN	HRS	3954		TSN 0					
	AFL								
				PROC. REF: AMM 31-20-04					
312001	CLOCK							Component	ATA:31
PN:C664504-0101	MOS/MSC	26-Nov-75	O/C						
SN:500	HRS	0		TSN 0					
WC#: 31.010	AFL	0		TSN 0					
				PROC. REF: AMM 31-20-04					
313001	FLIGHT HOUR METER							Component	ATA:31
PN:CM2926-1	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.020	AFL	0		TSN 0					
				PROC. REF: AMM 31-30-00					
A313001 ^S	INSPECT FLIGHT DATA RECORDER: PHASE 5 INSPECTION							Service	ATA:31
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 31-31-05				PKG:6	
ATA 32 - LANDING GEAR									
321001	LEFT MAIN LANDING GEAR ASSEMBLY							Component	ATA:32
PN:5541000-11	MOS/MSC	30-Oct-06	O/C						
SN:0289	HRS								
WC#: 32.010	AFL	5524		TSN 4236					
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321002	RIGHT MAIN LANDING GEAR ASSEMBLY							Component	ATA:32
PN:5541000-12	MOS/MSC	30-Oct-06	O/C						
SN:297	HRS								
WC#: 32.011	AFL	5524			TSN 4236				
PROC. REF: GENERIC NO REF									
322001	NOSE GEAR ASSEMBLY							Component	ATA:32
PN:5542000-7	MOS	30-Oct-06						LIFE LIMIT	
SN:0295	HRS								
WC#: 32.030	AFL	5524	41000		TSN 3800	42724	35515		
PROC. REF: GENERIC NO REF									
322002	NOSE LANDING GEAR SHIMMY DAMPER							Component	ATA:32
PN:5543001-8	MOS/MSC	07-May-98	O/C						
SN:929A8	HRS	6426							
WC#: 32.280	AFL	4634			TSO 0				
PROC. REF: AMM 32-20-01									
322004	NOSE LANDING GEAR FORK							Component	ATA:32
PN:5542300-1	MOS/MSC	30-Oct-06	O/C						
SN:UNKNOWN	HRS								
WC#: 32.020	AFL	5524			TSN 2574				
PROC. REF: AMM 32-20-00									
322005	NOSE LANDING GEAR ACTUATOR FITTING							Component	ATA:32
PN:5511169-1	MOS/MSC	30-Oct-06	O/C						
SN:UNKNOWN	HRS								
WC#: 32.270	AFL	5524			TSN 3032				
PROC. REF: AMM 32-30-04									
322006	LEFT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY							Component	ATA:32
PN:5513056-3	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.150	AFL	5524	41000		TSN 3032	43492	36283		
PROC. REF: AMM 32-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322006	RIGHT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY							Component	ATA:32
PN:5513056-4	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.150	AFL	5524	41000	TSN 3032	43492		36283		
PROC. REF: AMM 32-20-00									
322007	NOSE LANDING GEAR TRUNION							Component	ATA:32
PN:5542301-5	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.290	AFL	5524	22500	TSN 5524	22500		15291		
PROC. REF: AMM 32-20-00									
322008	LEFT MAIN GEAR TRUNNION ATTACH PIN							Component	ATA:32
PN:5541205-3	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.410	AFL	5524	41600	TSN 4236	42888		35679		
PROC. REF: AMM 32-10-00									
322008	RIGHT MAIN GEAR TRUNNION ATTACH PIN							Component	ATA:32
PN:5541205-4	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.410	AFL	5524	41600	TSN 4236	42888		35679		
PROC. REF: AMM 32-10-00									
322009	LEFT MAIN GEAR ACTUATOR PIN							Component	ATA:32
PN:5527213-1	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.420	AFL	5524	41600	TSN 4236	42888		35679		
PROC. REF: AMM 32-30-03									
322009	RIGHT MAIN GEAR ACTUATOR PIN							Component	ATA:32
PN:5527213-1	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.420	AFL	5524	41600	TSN 4236	42888		35679		
PROC. REF: AMM 32-30-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322010	LEFT MAIN GEAR ACTUATOR ATTACH STUD							Component	ATA:32
PN:6541204-5	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.430	AFL	5524	41600	TSN 4236	42888		35679		
PROC. REF: AMM 32-30-03									
322010	RIGHT MAIN GEAR ACTUATOR ATTACH STUD							Component	ATA:32
PN:6541204-5	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.430	AFL	5524	41600	TSN 4236	42888		35679		
PROC. REF: AMM 32-30-03									
322011	LEFT MAIN GEAR TRUNNION							Component	ATA:32
PN:5541306-2	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.450	AFL	5524	28600	TSN 4236	29888		22679		
PROC. REF: AMM 32-10-00									
322011	RIGHT MAIN GEAR TRUNNION							Component	ATA:32
PN:5541306-2	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.450	AFL	5524	28600	TSN 4236	29888		22679		
PROC. REF: AMM 32-10-00									
322012	LEFT MAIN GEAR AXLE							Component	ATA:32
PN:6541200-1	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.560	AFL	5524	28600	TSN 4236	29888		22679		
PROC. REF: GENERIC NO REF									
322012	RIGHT MAIN GEAR AXLE							Component	ATA:32
PN:6541200-1	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.560	AFL	5524	28600	TSN 4236	29888		22679		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322013	LEFT MAIN GEAR UPPER PISTON BEARING							Component	ATA:32
PN:5541310-3	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.460	AFL	5524	28600	TSN 4236	29888		22679		
PROC. REF: GENERIC NO REF									
322013	RIGHT MAIN GEAR UPPER PISTON BEARING							Component	ATA:32
PN:5541310-3	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.460	AFL	5524	28600	TSN 4236	29888		22679		
PROC. REF: GENERIC NO REF									
322014	LEFT MAIN GEAR UPPER TORQUE LINK							Component	ATA:32
PN:5541304-9	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.470	AFL	5524	28600	TSN 4236	29888		22679		
PROC. REF: AMM 32-10-00									
322014	RIGHT MAIN GEAR UPPER TORQUE LINK							Component	ATA:32
PN:5541304-6	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.470	AFL	5524	28600	TSN 4236	29888		22679		
PROC. REF: AMM 32-10-00									
322015	LEFT MAIN GEAR LOWER TORQUE LINK							Component	ATA:32
PN:5541304-11	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.480	AFL	5524	28600	TSN 4236	29888		22679		
PROC. REF: AMM 32-10-00									
322015	RIGHT MAIN GEAR LOWER TORQUE LINK							Component	ATA:32
PN:5541304-6	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.480	AFL	5524	41600	TSN 4236	42888		35679		
PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322016	LEFT MAIN GEAR TORQUE LINK SHAFT							Component	ATA:32
PN:5541212-1	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.490	AFL	5524	41600	TSN 4236	42888		35679		
PROC. REF: AMM 32-10-00									
322016	RIGHT MAIN GEAR TORQUE LINK SHAFT							Component	ATA:32
PN:5541212-1	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.490	AFL	5524	41600	TSN 4236	42888		35679		
PROC. REF: AMM 32-10-00									
322017	LEFT MAIN GEAR TORQUE LINK BOLT							Component	ATA:32
PN:5541220-2	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.500	AFL	5524	41600	TSN 4236	42888		35679		
PROC. REF: AMM 32-10-00									
322017	RIGHT MAIN GEAR TORQUE LINK BOLT							Component	ATA:32
PN:5541220-2	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.500	AFL	5524	41600	TSN 4236	42888		35679		
PROC. REF: AMM 32-10-00									
322018	LEFT MAIN GEAR TORQUE LINK NUT							Component	ATA:32
PN:MS17825-8	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.510	AFL	5524	28600	TSN 4236	29888		22679		
PROC. REF: AMM 32-10-00									
322018	RIGHT MAIN GEAR TORQUE LINK NUT							Component	ATA:32
PN:MS17825-8	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.510	AFL	5524	28600	TSN 4236	29888		22679		
PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322019	NOSE GEAR PISTON ASSEMBLY							Component	ATA:32
PN:5542105-1	MOS/MSC	30-Oct-06	O/C						
SN:UNKNOWN	HRS								
WC#: 32.520	AFL	5524		TSN 3032					
PROC. REF: GENERIC NO REF									
322021	NOSE GEAR AXLE SPACER							Component	ATA:32
PN:5542223-1	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.540	AFL	5524	19600	TSN 3800	21324		14115		
PROC. REF: GENERIC NO REF									
322022	NOSE GEAR TORQUE LINK SHAFT							Component	ATA:32
PN:5542208-3	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.550	AFL	5524	22500	TSN 3032	24992		17783		
PROC. REF: AMM 32-20-00									
323001	LEFT MAIN LANDING GEAR ACTUATOR ASSEMBLY							Component	ATA:32
PN:2-690011-9	MOS	30-Oct-06						LIFE LIMIT	
SN:DA696	HRS								
WC#: 32.170	AFL	5524	37500	TSN 3557	39467		32258		
PROC. REF: AMM 32-30-03									
323002	RIGHT MAIN LANDING GEAR ACTUATOR ASSEMBLY							Component	ATA:32
PN:2-960011-10	MOS	26-Jun-09						LIFE LIMIT	
SN:382	HRS								
WC#: 32.170	AFL	5524	37500	TSN 3557	39467		32258		
PROC. REF: AMM 32-30-03									
323003	NOSE LANDING GEAR ACTUATOR ASSEMBLY							Component	ATA:32
PN:2-690012-13	MOS	30-Oct-06						LIFE LIMIT	
SN:DA404	HRS								
WC#: 32.300	AFL	5524	32600	TSN 4021	34103		26894		
PROC. REF: AMM 32-30-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323004	LEFT MAIN LANDING GEAR UPLOCK ACTUATOR							Component	ATA:32
PN:5527504-2	MOS/MSC	21-Jun-24	O/C	TSO 3					
SN:WMP1621	HRS	10316.6							
WC#: 32.160	AFL	7209							
					PROC. REF: AMM 32-30-03				
323004	NOSE LANDING GEAR UPLOCK ACTUATOR							Component	ATA:32
PN:5527504-2	MOS/MSC	26-Nov-75	O/C						
SN:CE813	HRS	0		TSN 0					
WC#: 32.160	AFL	0		TSN 0					
					PROC. REF: AMM 32-30-03				
323004	RIGHT MAIN LANDING GEAR UPLOCK ACTUATOR							Component	ATA:32
PN:5527504-2	MOS/MSC	26-Nov-75	O/C						
SN:CE665	HRS	0		TSN 0					
WC#: 32.160	AFL	0		TSN 0					
					PROC. REF: AMM 32-30-03				
323005	HYDRAULIC DUMP VALVE							Component	ATA:32
PN:AS19400-1	MOS/MSC	26-Nov-75	O/C						
SN:228	HRS	0		TSN 0					
WC#: 32.310	AFL	0		TSN 0					
					PROC. REF: AMM 32-30-08				
323006	EMERGENCY GEAR AIR BOTTLE							Component	ATA:32
PN:23111321	MOS	05-Oct-18	180	TSO 104	28-Feb-25		225 d	LIFE LIMIT	
SN:2106	HRS	9738.5							
WC#: 32.040	AFL	6620							
		Manufacture Date:: 10-Feb-10				PROC. REF: GENERIC NO REF			
323007	LANDING GEAR CONTROL VALVE							Component	ATA:32
PN:2710969	MOS/MSC	26-Nov-75	O/C						
SN:0341	HRS	0		TSN 0					
WC#: 32.060	AFL	0		TSN 0					
					PROC. REF: AMM 32-30-02				
323008	RIGHT MAIN LANDING GEAR CYLINDER ASSEMBLY							Component	ATA:32
PN:5541107-1	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.180	AFL	5524	16100	TSN 4236	17388		10179		
						PROC. REF: GENERIC NO REF			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323014	LEFT MAIN LANDING GEAR CYLINDER ASSEMBLY							Component	ATA:32
PN:5541107-1	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.180	AFL	5524	16100	TSN 4236	17388		10179		
PROC. REF: GENERIC NO REF									
323018	LEFT MAIN LANDING GEAR PISTON BRAZE OR WELD ASSEMBLY							Component	ATA:32
PN:5541108-5	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.190	AFL	5524	15000	TSN 4236	16288		9079		
PROC. REF: GENERIC NO REF									
323018	RIGHT MAIN LANDING GEAR PISTON BRAZE OR WELD ASSEMBLY							Component	ATA:32
PN:5541108-5	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 32.190	AFL	5524	15000	TSN 4236	16288		9079		
PROC. REF: GENERIC NO REF									
323019	EMERGENCY AIR BOTTLE GAGE							Component	ATA:32
PN:2341119	MOS/MSC	13-Aug-87	O/C	TSN 0					
SN:UNKNOWN	HRS	4220							
WC#: 32.040	AFL								
PROC. REF: GENERIC NO REF									
324001	LEFT MAIN LANDING GEAR WHEEL ASSEMBLY							Component	ATA:32
PN:5001477-3	MOS/MSC	13-Feb-23	O/C						
SN:AUG81-561	HRS	10210.7							
WC#: 32.120	AFL	7115							
PROC. REF: AMM 32-40-00									
324001	RIGHT MAIN LANDING GEAR WHEEL ASSEMBLY							Component	ATA:32
PN:5001477-3	MOS/MSC	27-Oct-22	O/C						
SN:APR98-231/S-MAR90-87	HRS	10174.9							
WC#: 32.220	AFL	7079							
PROC. REF: AMM 32-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324002	NOSE LANDING GEAR WHEEL ASSEMBLY							Component	ATA:32
PN:9544207-7	MOS/MSC	15-Dec-11	O/C						
SN:JAN98-8436	HRS	9462.7							
WC#: 32.130	AFL								
PROC. REF: AMM 32-45-00									
324003	LEFT MAIN LANDING GEAR BRAKE ASSEMBLY							Component	ATA:32
PN:5001445-4	MOS/MSC	30-Jul-19	O/C	TSO 0					
SN:MAY74 45	HRS	9938.9		TSO 0					
WC#: 32.090	AFL	6842							
PROC. REF: AMM 32-40-00									
324004	RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY							Component	ATA:32
PN:5001446-4	MOS/MSC	30-Jul-19	O/C	TSO 0					
SN:NOV74-252	HRS	9938.9		TSO 0					
WC#: 32.091	AFL	6842							
PROC. REF: AMM 32-40-00									
324005	LEFT MAIN GEAR TIRE							Component	ATA:32
PN:220K08-3	MOS/MSC	13-Feb-23	O/C	TSN 0					
SN:11230609	HRS	10210.7		TSN 0					
WC#: 32.120	AFL	7115							
PROC. REF: AMM 32-40-00									
324005	RIGHT MAIN GEAR TIRE							Component	ATA:32
PN:220K08-3	MOS/MSC	27-Oct-22	O/C	TSN 0					
SN:11280609	HRS	10174.9		TSN 0					
WC#: 32.220	AFL	7079							
PROC. REF: AMM 32-40-00									
324006	NOSE LANDING GEAR TIRE							Component	ATA:32
PN:184F10-2	MOS/MSC	22-May-19	O/C	TSN 0					
SN:52122627	HRS	9867.9		TSN 0					
WC#: 32.130	AFL	6760							
PROC. REF: AMM 32-45-00									
324011	COPILOT INBOARD BRAKE MASTER CYLINDER							Component	ATA:32
PN:95367-17	MOS/MSC	21-Jun-24	O/C	TSO 4					
SN:1667	HRS	10316.6		TSO 0					
WC#: 32.200	AFL	7209		TSO 0					
PROC. REF: AMM 32-40-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324011	PILOT OUTBOARD BRAKE MASTER CYLINDER							Component	ATA:32
PN:95367-17	MOS/MSC	01-Mar-24	O/C	TSN 0					
SN:1955	HRS	10258.5							
WC#: 32.200	AFL	7155							
PROC. REF: AMM 32-40-04									
324012	COPILOT OUTBOARD BRAKE MASTER CYLINDER							Component	ATA:32
PN:95367-18	MOS/MSC	21-Jun-24	O/C	TSO 4					
SN:1616	HRS	10316.6							
WC#: 32.210	AFL	7209							
PROC. REF: AMM 32-40-04									
324012	PILOT INBOARD BRAKE MASTER CYLINDER							Component	ATA:32
PN:95367-18	MOS/MSC	21-Jun-24	O/C	TSO 4					
SN:1969	HRS	10316.6							
WC#: 32.210	AFL	7209							
PROC. REF: AMM 32-40-04									
324013	PARKING BRAKE VALVE							Component	ATA:32
PN:AS20800-1	MOS/MSC	07-Sep-78	O/C	TSN 23					
SN:243	HRS	1707							
WC#: 32.110	AFL								
PROC. REF: AMM 32-40-01									
324014	EMERGENCY BRAKE VALVE							Component	ATA:32
PN:53640	MOS/MSC	30-Oct-80	O/C						
SN:235A	HRS	2959							
WC#: 32.100	AFL								
PROC. REF: AMM 32-40-03									
326001	GEAR WARNING HORN							Component	ATA:32
PN:A2948	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
WC#: 32.400	AFL	0							
PROC. REF: GENERIC NO REF									
326002	LEFT MAIN GEAR UP AND LOCKED SWITCH							Component	ATA:32
PN:65430087	MOS/MSC	27-Feb-90	O/C						
SN:8917	HRS	4811							
WC#: 32.260	AFL	3739							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A320002 ^S	INSPECT LANDING GEAR GENERAL VISUAL INSPECTION (CORROSIONINSPECTION): PHASE 18 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	12						
	HRS	10258.5							
	AFL	7155							
				PROC. REF: AMM 32-00-00				PKG:19	
A321001 ^S	INSPECT MAIN LANDING GEAR: PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-10-00				PKG:3	
A322001 ^S	INSPECT SHIMMY DAMPER: PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24							
	HRS	10258.5	150 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-20-01				PKG:1,3,5	
A322002 ^S	INSPECT NOSE GEAR ASSEMBLY: PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-20-00				PKG:3	
A323002 ^S	INSPECT NOSE GEAR UNLOCK: PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-30-05				PKG:3	
A323003 ^S	INSPECT EMERGENCY GEAR EXTENSION SYSTEM CABLE: PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-30-05				PKG:6	
A323004 ^S	INSPECT MAIN GEAR UNLOCK: PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-30-05				PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A324001 ^S	INSPECT MAIN WHEEL, TIRE AND BEARINGS: PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-40-00				PKG:3	
A324002 ^S	INSPECT NOSE WHEEL, TIRE AND BEARINGS: PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-45-00				PKG:3	
A324003 ^S	INSPECT NOSE WHEEL, TIRE AND BEARINGS(GRAVEL RUNWAY): PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-45-00				PKG:3	
A324004 ^S	INSPECT BRAKE MASTER CYLINDERS: PHASE 1 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-40-04				PKG:2	
A324005 ^S	INSPECT EMERGENCY BRAKE CONTROL VALVE: PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-40-03				PKG:6	
A324007 ^S	INSPECT MAIN LANDING GEAR BRAKE: PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-40-00				PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A324008	INSPECT LEFT MAIN LANDING GEAR BRAKE ASSEMBLY (BRAKE ASSEMBLY GOODRICH P/N 2-1528-6 OR 2-1530-4 WITH SATOR DISKS PART NUMBER 133-893-2, THAT ARE IMPRESSION STAMPED "-" OR "A") AIRPLANES NOT EQUIPPED WITH THRUST:REVERSERS OR NOT USING THRUST REVERSERS:PHASE MF INSPECTION							Service	ATA:32
PN:5001445-4	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED	
SN:MAY74 45	HRS								
	AFL								
PROC. REF: AMM 32-40-00									
A324008	INSPECT RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY (BRAKE ASSEMBLY GOODRICH P/N 2-1528-6 OR 2-1530-4 WITH SATOR DISKS PART NUMBER 133-893-2, THAT ARE IMPRESSION STAMPED "-" OR "A") AIRPLANES NOT EQUIPPED WITH THRUST REVERSERS OR NOT USING THRUST REVERSERS							Service	ATA:32
PN:5001446-4	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED	
SN:NOV74-252	HRS								
	AFL								
PROC. REF: AMM 32-40-00									
A324009	INSPECT LEFT MAIN LANDING GEAR BRAKE ASSEMBLY (BRAKE ASSEMBLY GOODRICH P/N 2-1528-6 OR 2-1530-4 WITH SATOR DISKS PART NUMBER 133-893-2, THAT ARE IMPRESSION STAMPED "-" OR "A") FOR AIRPLANES WITH AND USING THRUST REVERSERS. PHASE MG INSPECTION							Service	ATA:32
PN:5001445-4	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED	
SN:MAY74 45	HRS								
	AFL								
PROC. REF: AMM 32-40-00									
A324009	INSPECT RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY (BRAKE ASSEMBLY GOODRICH P/N 2-1528-6 OR 2-1530-4 WITH SATOR DISKS PART NUMBER 133-893-2, THAT ARE IMPRESSION STAMPED "-" OR "A") FOR AIRPLANES WITH AND USING THRUST REVERSERS							Service	ATA:32
PN:5001446-4	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED	
SN:NOV74-252	HRS								
	AFL								
PROC. REF: AMM 32-40-00									
A324010 ^S	INSPECT AVIATION BRAKE SYSTEM LIMITED BRAKE RESERIOR AND ANTI-SKID COMPONENTS: PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 32-42-01									

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A324014 ^S	INSPECT BRAKE RESERVIOR AND ANTISKID COMPONENTS(AIRPLANES 0425 AND ON INCORP SB500-32-28): PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-44-00				PKG:6	
A325001 ^S	INSPECT NOSE STEERING ARM SUPPORT BRACKET,BUNGEE AND BELLCRANK: PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-50-00				PKG:6	
A325002 ^S	INSPECT NOSE STEERING SYSTEM CABLES: PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-50-00				PKG:6	
A325003 ^S	INSPECT GRAVEL RUNWAY/NOSE WHEEL SPIN UP: PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	150 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-45-01				PKG:1,3,5	
A325004 ^S	INSPECT NOSE WHEEL SPIN-UP CONTROL: PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-45-01				PKG:3	
A325008 ^S	INSPECT NOSE LANDING GEAR FORK NOSE LANDING GEAR FORK(P/N 5542300-1,-3): PHASE MA INSPECTION							Service	ATA:32
PN:5542300-1	MOS	26-Nov-75		TAC 0					
SN:UNKNOWN	HRS	0		TAC 0					
	AFL	0	T:12000	TAC 0					
				PROC. REF: AMM 32-20-00				PKG:40	
A530002 ^S	INSPECT NOSE LANDING GEAR WHEEL WELL GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	12						
	HRS	10258.5							
	AFL	7155							
				PROC. REF: AMM 53-00-00				PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
B322003 ^S	CHECK NOSE GEAR CYLINDER BEARING: PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-20-00				PKG:6	
B323001 ^S	DIAL INDICATOR CHECK NOSE GEAR ACTUATOR: PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-30-04				PKG:3	
B324006 ^S	CHECK MAIN GEAR WHEEL BRAKES: PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24							
	HRS	10258.5	150 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-40-00				PKG:1,3,5	
B324008 ^S	FUNCTIONAL CHECK SKID WARNING: PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-41-03				PKG:6	
B324009 ^S	OPERATIONAL TEST EMERGENCY BRAKE SYSTEM: PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-40-03				PKG:6	
B324011 ^S	OPERATIONAL CHECK AVIATION BRAKE SYSTEMS LIMITED ANTISKID BRAKE SYSTEM: PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-42-01				PKG:6	
B324015 ^S	OPERATIONAL CHECK ANTISKID BRAKE SYSTEM(AIRPLANES 0425 AND ON INCORPATING SB500-32-28): PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-44-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
B325001 ^S	FUNCTIONAL TEST NOSE WHEEL SPIN-UP SYSTEM: PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-45-01				PKG:6	
B326001 ^S	ADJUSTMENT/TEST LANDING GEAR HYDRAULIC SYSTEM: PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-01-00				PKG:3	
B326003	HYDROSTATIC TEST EMERGENCY GEAR AIR BOTTLE							Service	ATA:32
PN:23111321	MOS	05-Oct-21	36		31-Oct-24		105 d	MANDATORY	
SN:2106	HRS								
WC#: 32.040	AFL								
				PROC. REF: AMM 32-30-07					
C122001 ^S	LUBRICATION NOSE AND MAIN LANDING GEAR: PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	24						
	HRS	10258.5	300						
	AFL	7155							
				PROC. REF: AMM 12-20-01				PKG:3	
C321003 ^S	LUBRICATE MAIN GEAR TORQUE LINKS: PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-10-00				PKG:3	
C322001 ^S	LUBRICATE NOSE GEAR TORQUE LINKS: PHASE 2 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 32-20-00				PKG:3	
D324010 ^S	REPLACE AVIATION BRAKE SYSTEM ANTI-SKID SYSTEM MOTOR PUMP FILTER: PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-42-01				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
D324012 ^S	REPLACE AVIATION BRAKE SYSTEMS LIMITED BRAKE RESERVIOR AIR FILTER: PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-42-01				PKG:6	
D324013 ^S	CLEAN/REPLACE AVIATION BRAKE SYSTEMS LIMITED BRAKE RESERVIOR SUPPLY LINE FILTER : PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-42-01				PKG:6	
D324014 ^S	REPLACE ANTI-SKIP MOTOR/PUMP(AIRPLANES 0425 AND ON INCORPORATING SB500-32-28) FILTER ELEMENT: PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-44-00				PKG:6	
D324016 ^S	REPLACE BRAKE RESERVOIR AIR FILTER(AIRPLANES 0425 AND ON INCORP SB 500-32-28): PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-44-00				PKG:6	
D324017 ^S	CLEAN/REPLACE BRAKE RESERVOIR SUPPLY LINE FILTER(AIRPLANES 0425 AND ON INCORP SB 500-32-28): PHASE 5 INSPECTION							Service	ATA:32
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 32-44-00				PKG:6	
ATA 33 - LIGHTS									
331001	ANNUNCIATOR PANEL							Component	ATA:33
PN:141-21481-004	MOS/MSC	03-Feb-84	O/C						
SN:343	HRS	3831		TSO 3831					
WC#: 33.070	AFL								
				PROC. REF: AMM 33-10-04					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
331011	ELECTRICAL PANEL LIGHT INVERTER							Component	ATA:33
PN:EM2044-1	MOS/MSC	28-Nov-12	O/C	TSN 0					
SN:6929A	HRS	9524.8		TSN 0					
WC#: 33.080	AFL	6481							
PROC. REF: AMM 33-10-03									
331012	MASTER WARNING SWITCH							Component	ATA:33
PN:1941-4	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-10-04									
332004	NO. 1 CAN/AC/12R AND CAN/AC/12RGA SELF ILLUMINATED EXIT SIGN							Component	ATA:33
PN:PN	MOS	EFF	72	TSN 0	28-Feb-30 *		2051 d	REPLACE	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-31-00, AMM 12-31-00									
332004	NO. 2 CAN/AC/12R AND CAN/AC/12RGA SELF ILLUMINATED EXIT SIGN							Component	ATA:33
PN:PN	MOS	EFF	72	TSN 0	28-Feb-30 *		2051 d	REPLACE	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-31-00, AMM 12-31-00									
334001	LOWER ANTI-COLLISION LIGHT							Component	ATA:33
PN:40-0100-11	MOS/MSC	19-Dec-96	O/C						
SN:4567	HRS	6082		TSO 0					
	AFL								
PROC. REF: AMM 33-40-07									
334002	VERTICAL FIN ANTI-COLLISION LIGHT							Component	ATA:33
PN:40-0100-1	MOS/MSC	28-Feb-78	O/C						
SN:2390	HRS	1402		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
334003	CENTER STROBE POWER SUPPLY							Component	ATA:33
PN:60-1755-5	MOS/MSC	02-Nov-79	O/C						
SN:3049	HRS	2458		TSN 0					
	AFL								
				PROC. REF: GENERIC NO REF					
334003	LEFT STROBE POWER SUPPLY							Component	ATA:33
PN:60-1755-1	MOS/MSC	11-Apr-78	O/C						
SN:245	HRS	1507		TSO 112					
WC#: 33.060	AFL								
				PROC. REF: GENERIC NO REF					
334003	RIGHT STROBE POWER SUPPLY							Component	ATA:33
PN:60-1755-5	MOS/MSC	07-Jan-81	O/C						
SN:3502	HRS	3056		TSN 0					
WC#: 33.060	AFL								
				PROC. REF: GENERIC NO REF					
335001	EMERGENCY LIGHTING BATTERY							Component	ATA:33
PN:41B020BA01301	MOS/MSC	25-May-11	O/C	TSN 160					
SN:UNKNOWN	HRS	9339.7							
WC#: 33.090	AFL								
				PROC. REF: GENERIC NO REF					
33FO-05	LIGHT STROBE THREE FACTORY OPTION							Component	ATA:33
PN:96	MOS/MSC	26-Nov-75	-						
SN:FO	HRS	0							
	AFL	0							
				PROC. REF: GENERIC NO REF					
A335001 ^S	INSPECT EMERGENCY LIGHTS BATTERY BOX: PHASE 5 INSPECTION							Service	ATA:33
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 33-50-00					PKG:6
A335002 ^S	INSPECT EMERGENCY EXIT LIGHTS: PHASE 1 INSPECTION							Service	ATA:33
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 33-50-00					PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
B335001 ^S	OPERATIONAL CHECK EMERGENCY LIGHTS: PHASE 1 INSPECTION							Service	ATA:33
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
PROC. REF: AMM 33-50-00								PKG:2	
ATA 34 - NAVIGATION									
341001	LEFT AIRSPEED INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.050	AFL								
PROC. REF: AMM 34-10-01									
341001	RIGHT AIRSPEED INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.050	AFL								
PROC. REF: AMM 34-10-01									
341002	COPILOT ALTIMETER							Component	ATA:34
PN:PN	MOS/MSC	26-Nov-75	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
341002	PILOT ALTIMETER							Component	ATA:34
PN:4016341-905	MOS/MSC	10-Mar-03	O/C						
SN:87024476	HRS	7747		TSO 2714					
WC#: 34.010	AFL								
PROC. REF: GENERIC NO REF									
341003	ENCODING ALTIMETER							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 34-12-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341004	OUTSIDE AIR TEMPERATURE GAUGE							Component	ATA:34
PN:C668510-0301	MOS/MSC	26-Nov-75	O/C						
SN:307	HRS	0		TSN 0					
WC#: 34.470	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
341005	OVERSPEED WARNING SWITCH							Component	ATA:34
PN:10-51002-9	MOS/MSC	25-Jan-12	O/C						
SN:114	HRS	9476.8							
WC#: 34.510	AFL								
PROC. REF: AMM 34-10-05									
341006	OVERSPEED WARNING HORN							Component	ATA:34
PN:5518108-7	MOS/MSC	23-Mar-06	O/C						
SN:UNKNOWN	HRS	7902							
WC#: 34.040	AFL								
PROC. REF: AMM 34-10-05									
341010	ANGLE OF ATTACK INDICATOR							Component	ATA:34
PN:SLZ9686-1	MOS/MSC	01-Mar-24	O/C						
SN:PC1849	HRS	10258.5							
WC#: 34.460	AFL	7155							
PROC. REF: AMM 34-11-01									
341012	ANGLE OF ATTACK POTENTIOMETER							Component	ATA:34
PN:MOD202-5K	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
341013	ANGLE OF ATTACK TRANSMITTER							Component	ATA:34
PN:SLZ9386	MOS/MSC	12-Nov-86	O/C						
SN:GU0104C	HRS	4101		TSO 0					
WC#: 34.070	AFL								
PROC. REF: AMM 34-11-03									
341014	ANGLE OF ATTACK INDEXER							Component	ATA:34
PN:SLZ9374	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.290	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341020	VERTICAL NAVIGATIONAL CONTROLLER/ COMPUTER							Component	ATA:34
PN:4020571-904	MOS/MSC	03-Feb-20	O/C						
SN:90062323	HRS	10057.2							
WC#: 34.280	AFL	6982							
PROC. REF: AMM 34-12-04									
341021	RADIO ALTIMETER INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.480	AFL								
PROC. REF: GENERIC NO REF									
342001	MAGNETIC COMPASS							Component	ATA:34
PN:C660501-0301	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.090	AFL	0			TSN 0				
PROC. REF: AMM 34-20-01									
342002	TURN AND BANK INDICATOR							Component	ATA:34
PN:C661004-0101	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.630	AFL	0			TSN 0				
PROC. REF: AMM 34-20-02									
342003	RIGHT HORIZON GYRO							Component	ATA:34
PN:C661056-0202	MOS/MSC	26-Nov-75	O/C						
SN:375596	HRS	0			TSN 0				
WC#: 34.600	AFL	0			TSN 0				
PROC. REF: AMM 34-20-03, AMM 34-20-06									
342021	LEFT VERTICAL SPEED INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.300	AFL								
PROC. REF: AMM 34-10-03									
342021	RIGHT VERTICAL SPEED INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.300	AFL								
PROC. REF: AMM 34-10-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342041	NO. 1 FLIGHT DIRECTOR COMPUTER							Component	ATA:34
PN:4018369-901	MOS/MSC	06-Feb-13	O/C						
SN:78080817	HRS	9528.8							
	AFL	6488							
					PROC. REF: AMM 34-24-00				
342041	NO. 2 FLIGHT DIRECTOR COMPUTER							Component	ATA:34
PN:4018369-901	MOS/MSC	06-Feb-13	O/C						
SN:77020382	HRS	9528.8							
WC#: 34.320	AFL	6488							
					PROC. REF: AMM 34-24-00				
342042	LEFT AP/FD MODE SELECTOR							Component	ATA:34
PN:4020570-901	MOS/MSC	26-Nov-75	O/C						
SN:050118	HRS	0			TSN 0				
	AFL	0			TSN 0				
					PROC. REF: AMM 34-24-03				
342042	RIGHT AP/FD MODE SELECTOR							Component	ATA:34
PN:4020570-901	MOS/MSC	26-Nov-75	O/C						
SN:040109	HRS	0			TSN 0				
	AFL	0			TSN 0				
					PROC. REF: AMM 34-24-03				
342043	NO. 1 VERTICAL GYRO							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.340	AFL								
					PROC. REF: AMM 34-21-00				
342044	LEFT RATE GYRO							Component	ATA:34
PN:4020576-901	MOS/MSC	16-Mar-76	O/C						
SN:020039	HRS	211			TSN 0				
WC#: 34.610	AFL								
					PROC. REF: AMM 34-23-00				
342045	NO. 1 ADI INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.350	AFL								
					PROC. REF: AMM 34-24-03				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342045	NO. 2 ADI INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.350	AFL								
PROC. REF: AMM 34-24-03									
342048 ^U	AIRDATA COMPUTER AZ-241							Component	ATA:34
PN:4013241-901	MOS/MSC	02-Oct-14	O/C						
SN:80021132	HRS								
	AFL								
342048	NO. 1 AIR DATA COMPUTER							Component	ATA:34
PN:010-00390-01	MOS/MSC	02-Oct-14	O/C	TSN 0					
SN:1SW006256	HRS	9533.5		TSN 0					
WC#: 34.030	AFL	6494		TSN 0					
PROC. REF: AMM 34-12-04									
342048	NO. 2 AIR DATA COMPUTER							Component	ATA:34
PN:010-00390-01	MOS/MSC	02-Oct-14	O/C	TSN 0					
SN:1SW006271	HRS	9533.5		TSN 0					
	AFL	6494		TSN 0					
PROC. REF: AMM 34-12-04									
342049	LEFT DIR GYRO SYN COMPASS							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 34-23-01									
342049	RIGHT DIR GYRO SYN COMPASS							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 34-23-01									
342050	NO. 1 FLUX VALVE							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.110	AFL								
PROC. REF: AMM 34-23-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342050	NO. 2 FLUX VALVE							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.110	AFL								
PROC. REF: AMM 34-23-01									
342052	DUAL REMOTE COMPENSATOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.520	AFL								
PROC. REF: AMM 34-23-01									
342053	NO. 1 HSI INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.360	AFL								
PROC. REF: GENERIC NO REF									
342053	NO. 2 HSI INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.360	AFL								
PROC. REF: GENERIC NO REF									
342054 ^U	RIGHT HSI							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
	AFL								
342064	STANDBY GYRO POWER SUPPLY							Component	ATA:34
PN:501-1075-02	MOS/MSC	02-Mar-12	O/C	TSN 4					
SN:3608	HRS	9509.9		TSN 43.9					
WC#: 34.100	AFL	6465		TSN 29					
PROC. REF: GENERIC NO REF									
343001 ^U	NO. 1 GARMIN AHARS GRS 77							Component	ATA:34
PN:011-00868-10	MOS/MSC	16-Dec-22	O/C	TSO 0					
SN:42005226	HRS	10188.3		TSO 0					
	AFL	7097		TSO 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
343001 ^U	NO. 2 GARMIN AHARS GRS 77							Component	ATA:34
PN:010-000295-10	MOS/MSC	02-Oct-14	O/C						
SN:42026327	HRS								
	AFL								
343002 ^U	NO. 1 GARMIN GAD 43E							Component	ATA:34
PN:010-00852-00	MOS/MSC	02-Oct-14	O/C						
SN:IV7001235	HRS								
	AFL								
343002 ^U	NO. 2 GARMIN GAD 43E							Component	ATA:34
PN:010-00850-00	MOS/MSC	02-Oct-14	O/C						
SN:IV7001233	HRS								
	AFL								
343003 ^U	GARMIN GAD 42							Component	ATA:34
PN:00-00417-00	MOS/MSC	02-Oct-14	O/C						
SN:6715070	HRS								
	AFL								
343004 ^U	NO. 1 GARMIN FLUX VALVE GMU 44							Component	ATA:34
PN:010-00296-00	MOS/MSC	02-Oct-14	O/C						
SN:47522760	HRS								
	AFL								
343004 ^U	NO. 2 GARMIN FLUX VALVE							Component	ATA:34
PN:010-00296-00	MOS/MSC	02-Oct-14	O/C						
SN:47522968	HRS								
	AFL								
343005 ^U	NO. 1 GARMIN GTN 750 NAV/COM/GPS							Component	ATA:34
PN:010-00820-50	MOS/MSC	02-Oct-14	O/C						
SN:1ZA013636	HRS								
	AFL								
343005 ^U	NO. 2 GARMIN GTN 750 NAV/COM/GPS							Component	ATA:34
PN:010-00820-50	MOS/MSC	02-Oct-14	O/C						
SN:1ZA013809	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
343006 ^U	NO. 1 GARMIN PFD GDU 620 INSPECT							Component	ATA:34
PN:010-00482-00	MOS/MSC	02-Oct-14	O/C						
SN:165003021	HRS								
	AFL								
343006 ^U	NO.2 GARMIN PFD GDU 620							Component	ATA:34
PN:010-00482-00	MOS/MSC	02-Oct-14	O/C						
SN:165003024	HRS								
	AFL								
343007 ^U	GARMIN GA 37 ANTENNA							Component	ATA:34
PN:013-00245-00	MOS/MSC	02-Oct-14	O/C						
SN:11824	HRS								
	AFL								
343008 ^U	GARMIN GA 35 ANTENNA							Component	ATA:34
PN:013-00235-00	MOS/MSC	02-Oct-14	O/C						
SN:104186	HRS								
	AFL								
343009 ^U	NO. 1 TEMPERATURE PROBE GTP 59							Component	ATA:34
PN:011-00978-00	MOS/MSC	02-Oct-14	O/C						
SN:47925861	HRS								
	AFL								
343009 ^U	NO. 2 TEMPERATURE PROBE GTP 59							Component	ATA:34
PN:011-00978-00	MOS/MSC	02-Oct-14	O/C						
SN:47925867	HRS								
	AFL								
343010 ^U	GARMIN GTX 33 TRANSPONDER							Component	ATA:34
PN:010-00267-31	MOS/MSC	02-Oct-14	O/C						
SN:8612996	HRS								
	AFL								
343011 ^U	SPLITTER							Component	ATA:34
PN:CI-507	MOS/MSC	02-Oct-14	O/C						
SN:452905	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
343012 ^U	MID CONTINENTAL STANDBY UNIT							Component	ATA:34
PN:6420302-1	MOS/MSC	02-Oct-14	O/C						
SN:E14-11013	HRS								
	AFL								
344002	RADAR INDICATOR SCREEN							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
	AFL								
					PROC. REF: GENERIC NO REF				
344004	WEATHER RADAR RECEIVER/TRANSMITTER							Component	ATA:34
PN:071-01378-0000	MOS/MSC	02-Oct-14	O/C		TSR 0				
SN:12772	HRS	9533.5			TSR 0				
WC#: 34.670	AFL	6494			TSR 0				
					PROC. REF: AMM 34-41-00				
344018	WEATHER RADAR INDICATOR							Component	ATA:34
PN:4000503-0204	MOS/MSC	25-Oct-93	O/C						
SN:2382	HRS	5331			TSO 5331				
WC#: 34.130	AFL								
					PROC. REF: GENERIC NO REF				
344019 ^U	RADAR-RCVR/XMTR							Component	ATA:34
PN:4000502-0101	MOS/MSC	25-Oct-93	O/C						
SN:2213	HRS	5331			TSO 5331				
	AFL								
344020 ^U	RADAR ANTENNA							Component	ATA:34
PN:4000504-0301	MOS/MSC	25-Oct-93	O/C						
SN:47523	HRS	5331			TSO 5331				
	AFL								
344021	NO. 1 RADIO MAGNETIC INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.180	AFL								
					PROC. REF: AMM 34-51-05				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
344021	NO. 2 RADIO MAGNETIC INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.180	AFL								
					PROC. REF: AMM 34-51-05				
344022	RADIO ALTIMETER TRANSCEIVER							Component	ATA:34
PN:4004437-901	MOS/MSC	16-Nov-19	O/C						
SN:77041735	HRS	10000.6							
WC#: 34.060	AFL	6917							
					PROC. REF: GENERIC NO REF				
344023	AFT RADIO ALTITUDE ANTENNA							Component	ATA:34
PN:4010504	MOS/MSC	26-Nov-75	O/C						
SN:1924	HRS	0			TSN 0				
WC#: 34.260	AFL	0			TSN 0				
					PROC. REF: AMM 34-13-03				
344023	FORWARD RADIO ALTITUDE ANTENNA							Component	ATA:34
PN:4010504	MOS/MSC	26-Nov-75	O/C						
SN:1940	HRS	0			TSN 0				
WC#: 34.260	AFL	0			TSN 0				
					PROC. REF: AMM 34-13-03				
345004	NO. 1 ATC TRANSPONDER ANTENNA							Component	ATA:34
PN:DMN150-2	MOS/MSC	26-Nov-75	O/C						
SN:5795	HRS	0			TSN 0				
WC#: 34.390	AFL	0			TSN 0				
					PROC. REF: AMM 34-53-01				
345004	NO. 2 ATC TRANSPONDER ANTENNA							Component	ATA:34
PN:DMN150-2	MOS/MSC	26-Nov-75	O/C						
SN:5224	HRS	0			TSN 0				
WC#: 34.390	AFL	0			TSN 0				
					PROC. REF: AMM 34-53-01				
345007	NO. 1 DME ANTENNA							Component	ATA:34
PN:DMNI50-2	MOS/MSC	09-Oct-87	O/C						
SN:33446	HRS	4259			TSN 0				
WC#: 34.400	AFL								
					PROC. REF: AMM 34-51-02, AMM 34-51-09				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345007	NO. 2 DME ANTENNA							Component	ATA:34
PN:DMNI50-2	MOS/MSC	26-Nov-75	O/C						
SN:5914	HRS	0		TSN 0					
WC#: 34.400	AFL	0		TSN 0					
PROC. REF: AMM 34-51-02, AMM 34-51-09									
345008	NO. 1 COURSE DEVIATION INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.420	AFL								
PROC. REF: GENERIC NO REF									
345010	NAV ANTENNA KIT							Component	ATA:34
PN:DMN4-17	MOS/MSC	26-Nov-75	O/C						
SN:1554	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-01									
345011	NO. 1 ADF RECEIVER							Component	ATA:34
PN:792-6216-004	MOS/MSC	07-Oct-77	O/C						
SN:4305	HRS	1191		TSO 0					
WC#: 34.450	AFL								
PROC. REF: AMM 34-50-01									
345012	NO. 1 ADF CONTROL							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.140	AFL								
PROC. REF: AMM 34-50-01									
345014	NO. 1 ADF LOOP ANTENNA							Component	ATA:34
PN:792-6931-001	MOS/MSC	26-Nov-75	O/C						
SN:1013	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: AMM 34-52-05									
345017	MARKER BEACON ANTENNA							Component	ATA:34
PN:16D00400-2	MOS/MSC	26-Nov-75	O/C						
SN:7544	HRS	0		TSN 0					
WC#: 34.550	AFL	0		TSN 0					
PROC. REF: AMM 34-31-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345020	NO. 1 RVSM CONFIGURATION MODULE							Component	ATA:34
PN:9B-03508-15	MOS/MSC	06-Mar-06	O/C						
SN:52641	HRS	7908							
	AFL								
	PROC. REF: GENERIC NO REF, AMM 34-51-10								
345020	NO. 2 RVSM CONFIGURATION MODULE							Component	ATA:34
PN:9B-03508-15	MOS/MSC	06-Mar-06	O/C						
SN:52645	HRS	7908							
	AFL								
	PROC. REF: GENERIC NO REF, AMM 34-51-10								
345021	NO. 1 RVSM ANALOG INTERFACE UNIT							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
	AFL								
	PROC. REF: GENERIC NO REF, AMM 34-52-08								
345021	NO. 2 RVSM ANALOG INTERFACE UNIT							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
	AFL								
	PROC. REF: GENERIC NO REF, AMM 34-52-08								
345021	RNAV DIST CONVERTER							Component	ATA:34
PN:4000651-0601	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 34-52-08								
345032	BOTTOM NO. 2 NAVIGATION RECEIVER							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
	AFL								
	PROC. REF: GENERIC NO REF								
345032	TOP NO. 1 NAVIGATION RECEIVER							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
	AFL								
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345034	NO. 1 ATC TRANSPONDER							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.220	AFL								
PROC. REF: GENERIC NO REF									
345034	NO. 2 ATC TRANSPONDER							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.220	AFL								
PROC. REF: GENERIC NO REF									
345035	NO. 1 DME INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.430	AFL								
PROC. REF: AMM 34-51-02, AMM 34-51-09									
345035	NO. 2 DME INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.430	AFL								
PROC. REF: AMM 34-51-02, AMM 34-51-09									
345036	NO. 1 DME INTERROGATOR							Component	ATA:34
PN:622-1233-001	MOS/MSC	26-May-89	O/C						
SN:1789	HRS	4614		TSO 4614					
WC#: 34.440	AFL								
PROC. REF: AMM 34-51-02									
345036	NO. 2 DME INTERROGATOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
WC#: 34.440	AFL								
PROC. REF: AMM 34-51-02									
345118	GPS ANTENNA							Component	ATA:34
PN:010-10040-01	MOS/MSC	06-Mar-06	O/C						
SN:594123452	HRS	7908							
	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345132	GPS RECEIVER/ SENSOR							Component	ATA:34
PN:PN	MOS/MSC	02-Oct-14	O/C						
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: GENERIC NO REF									
346027	GPS NAVIGATION DATABASE							Component	ATA:34
PN:071-01523-0302	MOS/MSC	26-Oct-93	O/C						
SN:U189904	HRS	5331		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF									
34FO-02	INDICATOR-ANGLE OF ATTACK FACTORY OPTION							Component	ATA:34
PN:11	MOS/MSC	26-Nov-75	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
A342001 ^S	INSPECT MAGNETIC COMPASS AND COMPASS CARD: PHASE 5 INSPECTION							Service	ATA:34
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 34-20-01									
PKG:6									
B341001	CALIBRATION TEST COPILOT ALTIMETER FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
PN:PN	MOS	01-Mar-24	24		31-Mar-26		621 d		
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 34-10-15									
PKG:20									
B341001	CALIBRATION TEST LEFT AIRSPEED INDICATOR PHASE 20 INSPECTION							Service	ATA:34
PN:PN	MOS	01-Mar-24	24		31-Mar-26		621 d		
SN:NOT INSTALLED	HRS								
	AFL								
PROC. REF: AMM 34-10-15									
PKG:20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
B341001	CALIBRATION TEST NO. 1 AIR DATA COMPUTER FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
PN:010-00390-01	MOS	01-Mar-24	24		31-Mar-26		621 d		
SN:1SW006256	HRS								
	AFL								
				PROC. REF: AMM 34-10-15				PKG:20	
B341001	CALIBRATION TEST NO. 2 AIR DATA COMPUTER FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
PN:010-00390-01	MOS	01-Mar-24	24		31-Mar-26		621 d		
SN:1SW006271	HRS								
	AFL								
				PROC. REF: AMM 34-10-15				PKG:20	
B341001	CALIBRATION TEST PILOT ALTIMETER FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
PN:4016341-905	MOS	01-Mar-24	24		31-Mar-26		621 d		
SN:87024476	HRS								
	AFL								
				PROC. REF: AMM 34-10-15				PKG:20	
B341001	CALIBRATION TEST RIGHT AIRSPEED INDICATOR PHASE 20 INSPECTION							Service	ATA:34
PN:PN	MOS	01-Mar-24	24		31-Mar-26		621 d		
SN:NOT INSTALLED	HRS								
	AFL								
				PROC. REF: AMM 34-10-15				PKG:20	
B341002 ^S	OPERATIONAL TEST ANGLE OF ATTACK SYSTEM: PHASE 5 INSPECTION							Service	ATA:34
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 34-11-00				PKG:6	
B341003	LEAK TEST LEFT STATIC SYSTEM FAR 91.411 : PHASE 20 INSPECTION							Service	ATA:34
	MOS	01-Mar-24	24		31-Mar-26		621 d		
	HRS	10258.5							
WC#: 34.010	AFL	7155							
				PROC. REF: AMM 34-10-15				PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
B341003	LEAK TEST RIGHT STATIC SYSTEM FAR 91.411 : PHASE 20 INSPECTION							Service	ATA:34
	MOS	01-Mar-24	24		31-Mar-26		621 d		
	HRS	10258.5							
WC#: 34.020	AFL	7155							
				PROC. REF: AMM 34-10-15				PKG:20	
B341005	LEAK TEST LEFT STATIC SYSTEM FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
	MOS	01-Mar-24	24		31-Mar-26		621 d		
	HRS	10258.5							
	AFL	7155							
				PROC. REF: AMM 34-10-10				PKG:20	
B341005	LEAK TEST RIGHT STATIC SYSTEM FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
	MOS	01-Mar-24	24		31-Mar-26		621 d		
	HRS	10258.5							
	AFL	7155							
				PROC. REF: AMM 34-10-10				PKG:20	
B342001 ^S	OPERATIONAL CHECK COMPASS SYSTEMS AND ADF BEARINGS: PHASE 5 INSPECTION							Service	ATA:34
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 34-23-01				PKG:6	
B345001	CALIBRATION TEST NO. 1 ATC TRANSPONDER FAR 91.413: PHASE 20 INSPECTION							Service	ATA:34
PN:PN	MOS	01-Mar-24	24		31-Mar-26		621 d		
SN:NOT INSTALLED	HRS								
	AFL								
				PROC. REF: AMM 34-53-00				PKG:20	
ATA 35 - OXYGEN									
351001	OXYGEN PRESSURE GAUGE							Component	ATA:35
PN:C668512-0101	MOS/MSC	26-Nov-75	O/C	TSN 0					
SN:450	HRS	0		TSN 0					
WC#: 35.060	AFL	0		TSN 0					
				PROC. REF: AMM 35-10-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
351004	COPILOT OXYGEN MASK							Component	ATA:35
PN:MC10-16-101	MOS	02-Oct-18	72	TSN 0, TSO 0	31-Jul-23		OVD	OVERHAUL	
SN:116538	HRS	9738.5							
WC#: 35.050	AFL	6620							
		Manufacture Date:: 01-Jul-17		PROC. REF: AMM 35-10-03					
351004	PILOT OXYGEN MASK							Component	ATA:35
PN:9914067-41	MOS/MSC	21-Jun-24	O/C	TSO 0					
SN:63508	HRS	10316.6		TSO 0					
WC#: 35.050	AFL	7209		TSO 0					
				PROC. REF: AMM 35-10-03					
351005	OXYGEN REGULATOR							Component	ATA:35
PN:ZR807	MOS/MSC	11-Jul-81	O/C	TSN 0					
SN:3591	HRS	3263							
WC#: 35.060	AFL								
				PROC. REF: GENERIC NO REF					
351006	LEFT 49 CU. FT OXYGEN CYLINDER							Component	ATA:35
PN:176122-49	MOS	17-May-15	288	TSN 157	30-Apr-26		651 d	LIFE LIMIT	
SN:718171	HRS	9537							
	AFL	6496							
				PROC. REF: AMM 35-10-00					
351006	RIGHT 11 CU. FT OXYGEN CYLINDER							Component	ATA:35
PN:176502-11	MOS/MSC	01-Mar-24	O/C						
SN:547638	HRS	10258.5							
WC#: 35.010	AFL	7155							
				PROC. REF: AMM 35-10-00					
A351001 ^S	INSPECT OXYGEN SYSTEM: PHASE 5 INSPECTION							Service	ATA:35
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 35-00-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
B350004	HYDROSTATIC TEST LEFT 49 CU. FT OXYGEN CYLINDER (DOT 3HT1850 OR 3FC1850)							Service	ATA:35
PN:176122-49	MOS	15-Jun-23	36		30-Jun-26		712 d		
SN:718171	HRS								
	AFL								
PROC. REF: AMM 35-00-00									
B350005	HYDROSTATIC TEST RIGHT 11 CU. FT OXYGEN CYLINDER (DOT 3AA OR SP8162)							Service	ATA:35
PN:176502-11	MOS	24-Feb-24	60		28-Feb-29		1686 d		
SN:547638	HRS	10258.5							
WC#: 35.010	AFL	7155							
PROC. REF: AMM 35-00-00, AMM 35-00-00									
B351002 ^S	FUNCTIONAL TEST OXYGEN SYSTEM: PHASE 5 INSPECTION							Service	ATA:35
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 35-00-00									
B351003 ^S	OPERATIONAL CHECK CREW OXYGEN MASK INSPECTION,AND MICROPHONE: PHASE 5 INSPECTION							Service	ATA:35
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 35-10-03									
ATA 36 - PNEUMATIC									
361001	DOOR SEAL CONTROL VALVE							Component	ATA:36
PN:MJV3	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.040	AFL	0		TSN 0					
PROC. REF: AMM 36-10-04									
361002	INSTRUMENT REGULATOR							Component	ATA:36
PN:38E85-4C	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-10-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361003	DEICE BOOT REGULATOR							Component	ATA:36
PN:38E85-5C	MOS/MSC	26-Nov-75	O/C						
SN:228U	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361004	PNEUMATIC (BLEED AIR) PRESSURE REGULATOR							Component	ATA:36
PN:2102702-1	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.010	AFL	0		TSN 0					
PROC. REF: AMM 36-10-01									
361005	RIGHT GYRO PRESSURE GAUGE							Component	ATA:36
PN:C668515-0101	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361006	FORWARD INSTRUMENT BLEED AIR PRESSURE REGULATOR							Component	ATA:36
PN:3H64-2	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-10-05									
361007	PRESSURE DOOR SEAL HOSE							Component	ATA:36
PN:CM2939-4-15	MOS/MSC	30-Oct-80	O/C						
SN:UNKNOWN	HRS	2959		TSN 0					
WC#: 36.080	AFL								
PROC. REF: GENERIC NO REF									
A361001 ^S	DETAILED INSPECTION BLEED AIR FLEXIBLE CONNECTOR: PHASE 4 INSPECTION							Service	ATA:36
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
PROC. REF: AMM 36-10-00									
D361001 ^S	REPLACE BLEED AIR-SEAL CONNECTORS: PHASE 4 INSPECTION							Service	ATA:36
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
PROC. REF: AMM 36-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
D361003 ^S	REPLACE INSTRUMENT AIR WATER SEPERATOR FILTER ELEMENT: PHASE 5 INSPECTION							Service	ATA:36
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 36-10-05				PKG:6	
D361005 ^S	SERVICE AIR PERI-SEAL REPLACEMENT: PHASE 5 INSPECTION							Service	ATA:36
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 36-10-00				PKG:6	
ATA 37 - VACUUM									
D371001 ^S	CLEAN/REPLACE VACUM REGULATOR INLINE FILTER SCREEN: PHASE 5 INSPECTION							Service	ATA:37
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 37-00-00				PKG:6	
ATA 38 - WATER/WASTE									
B383001 ^S	OPERATIONAL CHECK REFRESHMENT CENTER DRAIN LINE: PHASE 5 INSPECTION							Service	ATA:38
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 38-30-00				PKG:6	
ATA 51 - STD PRACTICES AND STRUCT-GENRL									
A510001 ^S	INSPECT EXTERIOR DRAIN HOLES: PHASE 1 INSPECTION							Service	ATA:51
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 51-00-00				PKG:2	
ATA 52 - DOORS									
521001	CABIN DOOR SEAL							Component	ATA:52
PN:S15501-4	MOS/MSC	16-Mar-17	O/C		TSN 0				
SN:UNKNOWN	HRS	9621.5			TSN 0				
WC#: 52.050	AFL	6554			TSN 0				
				PROC. REF: AMM 52-10-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
526001	CABIN DOOR STEP							Component	ATA:52
PN:5511244-55	MOS/MSC	26-Nov-75	O/C						
SN:917	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
A521001 ^S	INSPECT CABIN DOOR INFLATABLE SEAL: PHASE 1 INSPECTION							Service	ATA:52
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
PROC. REF: AMM 52-10-00									
A521003 ^S	INSPECT CABIN DOOR: PHASE 5 INSPECTION							Service	ATA:52
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 52-10-02									
A521004 ^S	INSPECT CABIN DOOR LOCKING PINS: PHASE 37 INSPECTION							Service	ATA:52
	MOS	15-Oct-14							
	HRS	9533.3	5000 (+10)						
	AFL	6492							
PROC. REF: AMM 52-10-02									
A521005 ^S	INSPECT CABIN DOOR LOCKING COMPONENTS BEARING PLATES: PHASE 16 INSPECTION							Service	ATA:52
	MOS	15-Oct-14						COMPLIED WITH	
	HRS	9533.3	T:10000 (+10)						
	AFL	6492							
PROC. REF: AMM 52-10-02									
A522001 ^S	INSPECT EMERGENCY EXIT DOOR: PHASE 5 INSPECTION							Service	ATA:52
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 52-20-00									
A523001 ^S	INSPECT NOSE BAGGAGE DOOR AND LATCHES: PHASE 5 INSPECTION							Service	ATA:52
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 52-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
A523002 ^S	INSPECT TAILCONE DOORS: PHASE 5 INSPECTION							Service	ATA:52
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 52-30-00				PKG:6	
A526001 ^S	INSPECT CABIN DOOR STEP: PHASE 1 INSPECTION							Service	ATA:52
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 52-60-00				PKG:2	
B527001 ^S	OPERATIONAL CHECK DOOR WARNING SYSTEM: PHASE 1 INSPECTION							Service	ATA:52
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 52-70-00				PKG:2	
C521002 ^S	LUBRICATE CABIN DOOR HINGE: PHASE 5 INSPECTION							Service	ATA:52
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 52-10-00				PKG:6	
ATA 53 - FUSELAGE									
A531001 ^S	INSPECT NOSE AREA GENERAL STRUCTURE: PHASE 5 INSPECTION							Service	ATA:53
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 53-00-00				PKG:6	
A531002 ^S	INSPECT UNDERFLOOR: PHASE 5 INSPECTION							Service	ATA:53
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 53-20-03				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531003 ^S	INSPECT TAILCONE: PHASE 5 INSPECTION							Service	ATA:53
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 53-20-04				PKG:6	
A531004 ^S	INSPECT FRONT AND REAR SPAR CARRY-THRU: PHASE 5 INSPECTION							Service	ATA:53
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 53-20-00				PKG:6	
A531005 ^S	INSPECT CABIN DOOR FRAME: PHASE 37 INSPECTION							Service	ATA:53
	MOS	01-Mar-24							
	HRS	10258.5	5000 (+30)						
	AFL	7155							
				PROC. REF: AMM 53-20-00				PKG:6,29	
A531006 ^S	INSPECT EMERGENCY EXIT DOOR FRAME: PHASE 5 INSPECTION							Service	ATA:53
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 53-20-00				PKG:6	
A531007 ^S	INSPECT WINDSHIELD, COCKPIT SIDE WINDOW AND CABIN WINDOW FRAMES: PHASE 37 INSPECTION							Service	ATA:53
	MOS	15-Oct-14							
	HRS	9533.3	5000 (+30)						
	AFL	6492							
				PROC. REF: AMM 53-30-00				PKG:29	
A531008 ^S	INSPECT FUSELAGE INTERIOR CABIN STRUCTURE: PHASE 1 INSPECTION							Service	ATA:53
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 53-20-00				PKG:2	
A531009 ^S	INSPECT CABIN BULHEADS AND STRINGERS: PHASE 17 INSPECTION							Service	ATA:53
	MOS	15-Oct-14							
	HRS	9533.3	10000 (+10)						
	AFL	6492							
				PROC. REF: AMM 53-00-00				PKG:18	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531011 ^S	INSPECT FRONT CARRY-THRU TO WING SPAR LUGS - INSPECT: PHASE 59 INSPECTION							Service	ATA:53
	MOS	27-Feb-17							
	HRS	9621.5	1200 (+10)						
	AFL	6554							
				PROC. REF: AMM 53-00-00				PKG:504	
A531012 ^S	INSPECT CABIN DOOR THRESHOLD: PHASE 1 INSPECTION							Service	ATA:53
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 53-20-00				PKG:2	
A531013 ^S	INSPECT FORWARD PRESSURE BULKHEAD AFT SIDE(AIRPLANES -0001 THRU -0213 INCORPORATING SB500-21-09): PHASE 24 INSPECTION							Service	ATA:53
	MOS	15-Oct-14							
	HRS	9533.3	3000 (+10)						
	AFL	6492							
				PROC. REF: AMM 53-00-00				PKG:24	
A531014 ^S	INSPECT AFT PRESSURE BULKHEAD FORWARD SIDE(AIRPLANES -0001 THRU -0213 NOT INCORPORATING SB500-21-09): PHASE 24 INSPECTION							Service	ATA:53
	MOS	15-Oct-14							
	HRS	9533.3	3000 (+10)						
	AFL	6492							
				PROC. REF: AMM 53-00-00				PKG:24	
A531017 ^S	INSPECT MAIN SPAR CARRY-THRU ASSEMBLY: PHASE 24 INSPECTION							Service	ATA:53
	MOS	15-Oct-14							
	HRS	9533.3	3000 (+10)						
	AFL	6492							
				PROC. REF: AMM 53-20-00				PKG:24	
A531019 ^S	INSPECT WING ATTACH BOLT AND LUG: PHASE 5 INSPECTION							Service	ATA:53
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 53-30-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531020 ^S	INSPECT CABIN DOOR FUSELAGE FRAME: PHASE 37 INSPECTION							Service	ATA:53
	MOS	15-Oct-14							
	HRS	9533.3	5000 (+10)						
	AFL	6492							
	PROC. REF: AMM 53-20-00							PKG:29	
A531031 ^S	INSPECT FOWARD PRESSURE BULKHEAD AFT SIDE(AIRPLANES -0214 AND ON AND AIRPLANES -0001 THRU 0213 INCORPORATING SB500-21-09): PHASE 52 INSPECTION							Service	ATA:53
	MOS	15-Oct-14							
	HRS	9533.3	2000 (+10)						
	AFL	6492							
	PROC. REF: AMM 53-00-00							PKG:38	
A531032 ^S	INSPECT AFT PRESSURE BULKHEAD FORWARD SIDE(AIRPLANES -0214 AND ON AND AIRPLANES -0001 THRU -0213 INCORPORATING SB500-21-09): PHASE 52 INSPECTION							Service	ATA:53
	MOS	15-Oct-14							
	HRS	9533.3	2000 (+10)						
	AFL	6492							
	PROC. REF: AMM 53-00-00							PKG:38	
A532001 ^S	INSPECT CONTROL PEDESTAL AREA: PHASE 5 INSPECTION							Service	ATA:53
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
	PROC. REF: AMM 53-20-00							PKG:6	
A532002 ^S	INSPECT NOSE GEAR WHEEL WELL: PHASE 5 INSPECTION							Service	ATA:53
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
	PROC. REF: AMM 53-30-00							PKG:6	
A533001 ^S	INSPECT FUSELAGE EXTERIOR SKIN: PHASE 5 INSPECTION							Service	ATA:53
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
	PROC. REF: AMM 53-30-00							PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A533010 ^S	INSPECT FUSELAGE SKIN SEAM : PHASE 49 INSPECTION							Service	ATA:53
	MOS	17-Mar-23	36 (+2m)						
	HRS	10226.7	1200 (+100)						
	AFL	7129							
				PROC. REF: AMM 53-30-00				PKG:35	
A535001 ^S	INSPECT NOSE CAP: PHASE 5 INSPECTION							Service	ATA:53
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 53-50-01				PKG:6	
A535002 ^S	INSPECT STINGER: PHASE 5 INSPECTION							Service	ATA:53
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 53-50-02				PKG:6	
A536001 ^S	INSPECT DRAG CHUTE CANISTER AND LATCH ASSEMBLY: PHASE 5 INSPECTION							Service	ATA:53
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 53-60-00				PKG:6	
A536002 ^S	INSPECT DRAG CHUTE HANDLE ASSEMBLY: PHASE 5 INSPECTION							Service	ATA:53
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 53-60-00				PKG:6	
B535001 ^S	CHECK ELECTRICAL BOND RADOME: PHASE 1 INSPECTION							Service	ATA:53
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 53-50-01				PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
A541001 ^S	INSPECT ENGINE NACELLE,PYLON, AND FIREWALL: PHASE 5 INSPECTION							Service	ATA:54
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 54-10-02				PKG:6	
A541002 ^S	INSPECT ENGINE SUPPORT STRUCTURES: PHASE 16 INSPECTION							Service	ATA:54
	MOS	15-Oct-14						COMPLIED WITH	
	HRS	9533.3	T:10000 (+10)						
	AFL	6492							
				PROC. REF: AMM 54-40-00				PKG:17	
ATA 55 - STABILIZERS									
A551001 ^S	INSPECT HORIZONTAL STABILIZER EXTERNALLY: PHASE 2 INSPECTION							Service	ATA:55
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 55-10-00				PKG:3	
A551002 ^S	INSPECT HORIZONTAL AND VERTICAL STABILIZER AFT EDGE: PHASE 2 INSPECTION							Service	ATA:55
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 55-10-00				PKG:3	
A551003 ^S	INSPECT HORIZONTAL STABILIZER FORWARD SPAR, FORWARD AUXILIARY SPAR, AFT AUXILIARY SPAR AND AFT SPAR CENTERLINE: PHASE 15 INSPECTION							Service	ATA:55
	MOS	15-Oct-14						COMPLIED WITH	
	HRS	9533.3	T:10000 (+10)						
	AFL	6492							
				PROC. REF: AMM 55-10-00				PKG:16	
A551004 ^S	INSPECT HORIZONTAL STABILIZER FORWARD SPAR AND FORWARD AUXILIARY SPAR SPLICE: PHASE 15 INSPECTION							Service	ATA:55
	MOS	15-Oct-14						COMPLIED WITH	
	HRS	9533.3	T:10000 (+10)						
	AFL	6492							
				PROC. REF: AMM 55-10-00				PKG:16	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
A551005 ^S	INSPECT HORIZONTAL STABILIZER: PHASE 41 INSPECTION							Service	ATA:55
	MOS	15-Oct-14							
	HRS	9533.3	1200 (+10)						
	AFL	6492							
				PROC. REF: AMM 55-10-00				PKG:32	
A551006 ^S	INSPECT HORIZONTAL STABILIZER FORWARD AND AFT SPAR: PHASE 37 INSPECTION							Service	ATA:55
	MOS	15-Oct-14							
	HRS	9533.3	5000 (+10)						
	AFL	6492							
				PROC. REF: AMM 55-10-00				PKG:29	
A551008 ^S	INSPECT HORIZONTAL STABILIZER AFT SPAR AREA GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:55
	MOS	01-Mar-24	12						
	HRS	10258.5							
	AFL	7155							
				PROC. REF: AMM 55-10-00				PKG:19	
A553001 ^S	INSPECT VERTICAL STABILIZER EXTERNALLY: PHASE 2 INSPECTION							Service	ATA:55
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 55-30-00				PKG:3	
A553002 ^S	INSPECT VERTICAL STABILIZER AFT SPAR: PHASE 15 INSPECTION							Service	ATA:55
	MOS	15-Oct-14						COMPLIED WITH	
	HRS	9533.3	T:10000 (+10)						
	AFL	6492							
				PROC. REF: AMM 55-30-00				PKG:16	
A553003 ^S	INSPECT VERTICAL STABILIZER FORWARD SPAR CAP STRAP: PHASE 15 INSPECTION							Service	ATA:55
	MOS	15-Oct-14						COMPLIED WITH	
	HRS	9533.3	T:10000 (+10)						
	AFL	6492							
				PROC. REF: AMM 55-30-00				PKG:16	
A553005 ^S	INSPECT HORIZONTAL STABILIZER ATTACH FITTING: PHASE 17 INSPECTION							Service	ATA:55
	MOS	15-Oct-14							
	HRS	9533.3	10000 (+10)						
	AFL	6492							
				PROC. REF: AMM 55-10-00				PKG:18	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
A553006 ^S	INTERNAL INSPECTION VERTICAL STABILIZER: PHASE 5 INSPECTION							Service	ATA:55
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 55-30-00				PKG:6	
A553008 ^S	INSPECT VERTICAL STABILIZER AFT SPAR AREA GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:55
	MOS	01-Mar-24	12						
	HRS	10258.5							
	AFL	7155							
				PROC. REF: AMM 55-30-00				PKG:19	
A555001 ^S	INTERNAL INSPECTION HORIZONTAL STABILIZER: PHASE 5 INSPECTION							Service	ATA:55
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
				PROC. REF: AMM 55-10-00				PKG:6	
ATA 56 - WINDOWS									
561001	LEFT MAIN WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:E149000-5	MOS/MSC	25-Feb-99	O/C						
SN:5109	HRS	6648		TSO 0					
WC#: 56.060	AFL								
				PROC. REF: AMM 56-10-01					
561002	RIGHT MAIN WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:E149000-6	MOS/MSC	06-Mar-03	O/C						
SN:6770	HRS	7747		TSO 0					
WC#: 56.060	AFL								
				PROC. REF: AMM 56-10-01					
561003	FOUL WEATHER WINDOW							Component	ATA:56
PN:5511275-7	MOS/MSC	24-Aug-79	O/C						
SN:UNKNOWN	HRS	2358		TSN 0					
WC#: 56.050	AFL								
				PROC. REF: AMM 56-10-03					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
561005	COPILOT INBOARD WINDOW							Component	ATA:56
PN:5511285-6	MOS/MSC	06-Mar-03	O/C						
SN:UNKNOWN	HRS	7747		TSN 0					
WC#: 56.030	AFL								
PROC. REF: GENERIC NO REF									
561005	COPILOT OUTBOARD WINDOW							Component	ATA:56
PN:5511285-4	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
561005	PILOT INBOARD WINDOW							Component	ATA:56
PN:5511285-5	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
561005	PILOT OUTBOARD WINDOW							Component	ATA:56
PN:5511285-3	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
562001	LEFT AFT CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-21-00									
562001	LEFT CENTER AFT CABIN WINDOW							Component	ATA:56
PN:9912207-1	MOS/MSC	16-Jan-17	O/C						
SN:3616	HRS	9607.3							
WC#: 56.090	AFL	6546							
PROC. REF: AMM 56-21-00									
562001	LEFT CENTER FORWARD CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.100	AFL	0		TSN 0					
PROC. REF: AMM 56-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
562001	LEFT FORWARD CABIN MAIN DOOR WINDOW							Component	ATA:56
PN:5591005-6	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.070	AFL	0		TSN 0					
PROC. REF: AMM 56-21-00									
562001	RIGHT AFT CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-21-00									
562001	RIGHT CENTER AFT CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.090	AFL	0		TSN 0					
PROC. REF: AMM 56-21-00									
562001	RIGHT CENTER FORWARD CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.100	AFL	0		TSN 0					
PROC. REF: AMM 56-21-00									
562001	RIGHT FORWARD CABIN EMERGENCY DOOR WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.070	AFL	0		TSN 0					
PROC. REF: AMM 56-21-00									
A561001 ^S	INSPECT AIRPLANE WINDOWS: PHASE 1 INSPECTION							Service	ATA:56
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
PROC. REF: AMM 56-00-00									
A561002 ^S	INSPECT WINDSHIELD AND FLIGHT COMPARTMENT SIDE WINDOWS: PHASE 49 INSPECTION							Service	ATA:56
	MOS	17-Mar-23	36 (+2m)						
	HRS	10226.7	1200 (+100)						
	AFL	7129							
PROC. REF: AMM 56-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
572001	LEFT FORWARD TRUNNION FITTING ASSEMBLY							Component	ATA:57
PN:5522700-1	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 57.110	AFL	5524	20000	TSN 6281	19243		12034		
PROC. REF: GENERIC NO REF									
572002	RIGHT FORWARD TRUNNION FITTING ASSEMBLY							Component	ATA:57
PN:5522700-2	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 57.110	AFL	5524	20000	TSN 6281	19243		12034		
PROC. REF: GENERIC NO REF									
574001	LEFT AFT TRUNNION FITTING ASSEMBLY							Component	ATA:57
PN:5522710-1	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 57.100	AFL	5524	16969	TSN 6281	16212		9003		
PROC. REF: GENERIC NO REF									
574002	RIGHT AFT TRUNNION FITTING ASSEMBLY							Component	ATA:57
PN:5522710-2	MOS	30-Oct-06						LIFE LIMIT	
SN:UNKNOWN	HRS								
WC#: 57.100	AFL	5524	41600	TSN 6281	40843		33634		
PROC. REF: GENERIC NO REF									
574003	LEFT SIDEBRACE FITTING ASSEMBLY							Component	ATA:57
PN:5522720-1	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.090	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00									
574004	RIGHT SIDEBRACE FITTING ASSEMBLY							Component	ATA:57
PN:5522720-2	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.090	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
A570003 ^S	INSPECT MAIN LANDING GEAR WHEEL WELL GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:57
	MOS	01-Mar-24	12						
	HRS	10258.5							
	AFL	7155							
				PROC. REF: AMM 57-00-00				PKG:19	
A570004 ^S	INSPECT AFT WING SPAR AREA GENERAL VISUAL INSPECTION(CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:57
	MOS	01-Mar-24	12						
	HRS	10258.5							
	AFL	7155							
				PROC. REF: AMM 57-00-00				PKG:19	
A571001 ^S	INSPECT WING MAIN SPAR CAP HORIZONTAL FLANGE: PHASE 24 INSPECTION							Service	ATA:57
	MOS	15-Oct-14							
	HRS	9533.3	3000 (+10)						
	AFL	6492							
				PROC. REF: AMM 57-00-00				PKG:24	
A571002 ^S	INSPECT WING MAIN SPAR CAP VERTICAL FLANGE: PHASE 24 INSPECTION							Service	ATA:57
	MOS	15-Oct-14							
	HRS	9533.3	3000 (+10)						
	AFL	6492							
				PROC. REF: AMM 57-00-00				PKG:24	
A571003 ^S	INSPECT WING AFT SPAR: PHASE 24 INSPECTION							Service	ATA:57
	MOS	15-Oct-14							
	HRS	9533.3	3000 (+10)						
	AFL	6492							
				PROC. REF: AMM 57-00-00				PKG:24	
A571004 ^S	INSPECT WING MAIN SPAR CAPS-AIRPLANES -0001 THRU -0520 NOT INCORPORATING SB500-57-10 OR 500-57-11: PHASE 12 INSPECTION							Service	ATA:57
	MOS	10-Sep-19							
	HRS	9998.9	600 (+10)						
	AFL	6911	600						
				PROC. REF: AMM 57-00-00				PKG:13	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
A571008 ^S	INSPECT MAIN LANDING GEAR RIB TO LOWER WING SPAR ATTACHMENT(-0001 THRU -0087,THRU -0092,-0094 THRU -0099 THRU -0114): PHASE 37 INSPECTION							Service	ATA:57
	MOS	15-Oct-14							
	HRS	9533.3	5000 (+10)						
	AFL	6492							
	PROC. REF: AMM 57-00-00							PKG:29	
A572004 ^S	INSPECT MAIN LANDING GEAR RIB TO LOWER WING MAIN SPAR: PHASE 24 INSPECTION							Service	ATA:57
	MOS	15-Oct-14							
	HRS	9533.3	3000 (+10)						
	AFL	6492							
	PROC. REF: AMM 57-00-00							PKG:24	
A573001 ^S	INSPECT WINGS: PHASE 5 INSPECTION							Service	ATA:57
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
	PROC. REF: AMM 57-00-00							PKG:6	
A573003 ^S	INSPECT JACK PADS: PHASE 24 INSPECTION							Service	ATA:57
	MOS	15-Oct-14							
	HRS	9533.3	3000 (+10)						
	AFL	6492							
	PROC. REF: AMM 57-00-00							PKG:24	
A574010	INSPECT LEFT MAIN LANDING GEAR SIDE BRACE FITTING: PHASE MD INSPECTION							Service	ATA:57
PN:5522720-1	MOS	21-Jul-95		TAC 0					
SN:UNKNOWN	HRS	5726		TAC 0					
	AFL	4468	5000		9468		2259		
	PROC. REF: AMM 57-40-00							PKG:42	
A574010	INSPECT RIGHT MAIN LANDING GEAR SIDE BRACE FITTING: PHASE MD INSPECTION							Service	ATA:57
PN:5522720-2	MOS	21-Jul-95		TAC 0					
SN:UNKNOWN	HRS	5726		TAC 0					
	AFL	4468	5000		9468		2259		
	PROC. REF: AMM 57-40-00							PKG:42	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
A575001 ^S	INSPECT FLAPS: PHASE 2 INSPECTION							Service	ATA:57
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
				PROC. REF: AMM 57-00-00				PKG:3	
ATA 70 - STANDARD PRACTICES - ENGINES									
700401 ^S	NO. 1 ENGINE - REVIEW ENGINE LOGBOOK FOR INSTANCES WHERE BONDING AGENT WAS NOT APPLIED TO ELECTRICAL CONNECTORS (SINCE LAST ROUTINE PERIODIC INSPECTION). IF INDICATED, APPLY BONDING AGENT TO APPLICABLE CONNECTORS							Service	ATA:70
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)						
	ENC	1638							
				PROC. REF: GENERIC NO REF				PKG:1 ,2	
700401 ^S	NO. 2 ENGINE - REVIEW ENGINE LOGBOOK FOR INSTANCES WHERE BONDING AGENT WAS NOT APPLIED TO ELECTRICAL CONNECTORS (SINCE LAST ROUTINE PERIODIC INSPECTION). IF INDICATED, APPLY BONDING AGENT TO APPLICABLE CONNECTORS							Service	ATA:70
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)						
	ENC	1638							
				PROC. REF: GENERIC NO REF				PKG:1 ,2	
ATA 71 - POWER PLANT									
710002	LEFT ENGINE BY-PASS NOZZLE ASSEMBLY							Component	ATA:71
PN:5555030-5	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
710002	RIGHT ENGINE BY-PASS NOZZLE ASSEMBLY							Component	ATA:71
PN:5555030-5	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
710010	NO. 1 ENGINE - COMPRESSOR CLEANING							Service	ATA:71
	MOS/MSC	29-Mar-06	A/R						
	HRS	0							
	ENC	0							
				PROC. REF: LMM 05-50-00-801A-042A-A					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710010	NO. 2 ENGINE - COMPRESSOR CLEANING							Service	ATA:71
	MOS/MSC	29-Mar-06	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 05-50-00-801A-042A-A									
710030	NO. 1 ENGINE - POLISH FAN ROTOR							Service	ATA:71
	MOS/MSC	29-Mar-06	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 05-50-00-803A-913A-A									
710030	NO. 2 ENGINE - POLISH FAN ROTOR							Service	ATA:71
	MOS/MSC	29-Mar-06	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 05-50-00-803A-913A-A									
712002	LEFT ENGINE FORWARD BOTTOM ISOLATOR MOUNT							Component	ATA:71
PN:96094-01	MOS	30-Jun-06						OVERHAUL	
SN:UNKNOWN	HRS	7916	4000	TSO 0	11916		1599.4		
WC#: 71.100	AFL								
PROC. REF: AMM 71-20-00									
712002	LEFT ENGINE FORWARD TOP ISOLATOR MOUNT							Component	ATA:71
PN:96094-01	MOS	30-Jun-06						OVERHAUL	
SN:118	HRS	7916	4000	TSO 0	11916		1599.4		
WC#: 71.110	AFL								
PROC. REF: AMM 71-20-00									
712002	RIGHT ENGINE FORWARD BOTTOM ISOLATOR MOUNT							Component	ATA:71
PN:96094-01	MOS	30-Jun-06						OVERHAUL	
SN:114	HRS	7916	4000	TSO 0	11916		1599.4		
WC#: 71.100	AFL								
PROC. REF: AMM 71-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
712002	RIGHT ENGINE FORWARD TOP ISOLATOR MOUNT							Component	ATA:71
PN:96094-01	MOS	30-Jun-06						OVERHAUL	
SN:104	HRS	7916	4000	TSO 0	11916		1599.4		
WC#: 71.110	AFL								
PROC. REF: AMM 71-20-00									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:56000-104	MOS/MSC	30-Jun-06	E/C						
SN:116047	HRS	7916.5		TSN 0					
WC#: 71.EN1	AFL	5524							
PROC. REF: GENERIC NO REF									
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:56000-104	MOS/MSC	30-Jun-06	E/C						
SN:116046	HRS	7916.5		TSN 0					
WC#: 71.EN2	AFL	5524							
PROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
722010	NO. 1 ENGINE - IP (STAGE 1&2) VANE ASSEMBLY							Component	ATA:72
PN:59087	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU20006	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
722010	NO. 2 ENGINE - IP (STAGE 1&2) VANE ASSEMBLY							Component	ATA:72
PN:59087	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU20005	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723001	NO. 1 ENGINE - FAN ROTOR							Component	ATA:72
PN:65502	MOS	29-Mar-06		TSN 0				LIFE LIMIT	
SN:AU20008	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 15517		8308		
PROC. REF: LMM 72-00-31-802A-500A-A, LMM 72-00-31-802A-700A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723001	NO. 2 ENGINE - FAN ROTOR							Component	ATA:72
PN:65502	MOS	29-Mar-06		TSN 0				LIFE LIMIT	
SN:AU20006	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 15517		8308		
PROC. REF: LMM 72-00-31-802A-500A-A, LMM 72-00-31-802A-700A-A									
723003 ^S	NO. 1 ENGINE - CLEAN FAN ROTOR AND VISUALLY INSPECT FOR DEFECTS							Service	ATA:72
PN:65502	MOS	21-Dec-19							
SN:AU20008	HRS	2087.7	600 (+30)						
	ENC	1392							
PROC. REF: LMM 72-31-20-801A-310A-A									
723003 ^S	NO. 2 ENGINE - CLEAN FAN ROTOR AND VISUALLY INSPECT FOR DEFECTS							Service	ATA:72
PN:65502	MOS	21-Dec-19							
SN:AU20006	HRS	2087.7	600 (+30)						
	ENC	1392							
PROC. REF: LMM 72-31-20-801A-310A-A									
723010	NO. 1 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:61964	MOS	29-Mar-06		TSN 0				LIFE LIMIT	
SN:HW20989	HRS	0		TSN 0					
	ENC	0	6000	TSN 0	(6000) 11517		4308		
PROC. REF: GENERIC NO REF									
723010	NO. 2 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:61964	MOS	29-Mar-06		TSN 0				LIFE LIMIT	
SN:HW20986	HRS	0		TSN 0					
	ENC	0	6000	TSN 0	(6000) 11517		4308		
PROC. REF: GENERIC NO REF									
723015	NO. 1 ENGINE - IP COMPRESSOR ROTOR							Component	ATA:72
PN:69986	MOS	29-Mar-06		TSN 0				LIFE LIMIT	
SN:HW20180	HRS	0		TSN 0					
	ENC	0	8000	TSN 0	(8000) 13517		6308		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723015	NO. 2 ENGINE - IP COMPRESSOR ROTOR							Component	ATA:72
PN:69986	MOS	29-Mar-06		TSN 0				LIFE LIMIT	
SN:HW20185	HRS	0		TSN 0					
	ENC	0	8000	TSN 0	(8000) 13517		6308		
PROC. REF: GENERIC NO REF									
723019	NO. 1 ENGINE - INTERSTAGE HOUSING ASSEMBLY							Component	ATA:72
PN:67548	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:RC2162	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723019	NO. 2 ENGINE - INTERSTAGE HOUSING ASSEMBLY							Component	ATA:72
PN:67548	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:RC2148	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723021 ^S	NO. 1 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER							Service	ATA:72
	MOS	21-Dec-19							
	HRS	2087.7	600 (+30/-30)						
	ENC	1392							
PROC. REF: LMM 72-30-10-801A-310A-A									
723021 ^S	NO. 2 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER							Service	ATA:72
	MOS	21-Dec-19							
	HRS	2087.7	600 (+30/-30)						
	ENC	1392							
PROC. REF: LMM 72-30-10-801A-310A-A									
723022	NO. 1 ENGINE - DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:67894	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU20004	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723022	NO. 2 ENGINE - DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:67894	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU20001	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723028	NO. 1 ENGINE - BEARING NO.1 HOUSING							Component	ATA:72
PN:66772	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:FRM1268	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723028	NO. 2 ENGINE - BEARING NO.1 HOUSING							Component	ATA:72
PN:67305	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU00743	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723036	NO. 1 ENGINE - STAGE 3 IP ROTOR STATOR							Component	ATA:72
PN:59084	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU01973	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723036	NO. 2 ENGINE - STAGE 3 IP ROTOR STATOR							Component	ATA:72
PN:59084	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU01992	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723037	NO. 1 ENGINE - FAN STATOR VANE ASSEMBLY							Component	ATA:72
PN:68435	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU20018	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723037	NO. 2 ENGINE - FAN STATOR VANE ASSEMBLY							Component	ATA:72
PN:68435	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU20017	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723061	NO. 1 ENGINE - HIGH PRESSURE SHAFT							Component	ATA:72
PN:64711	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:RX5RT712	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723061	NO. 2 ENGINE - HIGH PRESSURE SHAFT							Component	ATA:72
PN:64711	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:RX5RT13	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723092	NO. 1 ENGINE - COMPLETE LP SHAFT ASSEMBLY							Component	ATA:72
PN:64257	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:RX1SN15287	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723092	NO. 2 ENGINE - COMPLETE LP SHAFT ASSEMBLY							Component	ATA:72
PN:64257	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:RX5NA0693	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724035	NO. 1 ENGINE - HP TURBINE COMBUSTER ASSEMBLY							Component	ATA:72
PN:76668	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU00317	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724035	NO. 2 ENGINE - HP TURBINE COMBUSTER ASSEMBLY							Component	ATA:72
PN:76668	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU00334	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724036	NO. 1 ENGINE - COMBUSTION COVER ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724036	NO. 2 ENGINE - COMBUSTION COVER ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724040	NO. 1 ENGINE - REAR FUEL SLINGER SEAL ASSEMBLY							Component	ATA:72
PN:57882	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU01371	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724040	NO. 2 ENGINE - REAR FUEL SLINGER SEAL ASSEMBLY							Component	ATA:72
PN:57882	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU01361	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724045	NO. 1 ENGINE - SEAL AND FUEL SLINGER ASSEMBLY							Component	ATA:72
PN:55608	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU03785	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724045	NO. 2 ENGINE - SEAL AND FUEL SLINGER ASSEMBLY							Component	ATA:72
PN:55608	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU03776	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - HP TURBINE DISK							Component	ATA:72
PN:59387	MOS	29-Mar-06		TSN 0				LIFE LIMIT	
SN:RRL7LD11789	HRS	0		TSN 0					
	ENC	0	8000	TSN 0	(8000) 13517		6308		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - HP TURBINE DISK							Component	ATA:72
PN:59387	MOS	29-Mar-06		TSN 0				LIFE LIMIT	
SN:RRL7LD13014	HRS	0		TSN 0					
	ENC	0	8000	TSN 0	(8000) 13517		6308		
PROC. REF: GENERIC NO REF									
725016	NO. 1 ENGINE - NOZZLE, 2ND LP TURBINE HOUSING ASSEMBLY							Component	ATA:72
PN:56310	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU00128	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725016	NO. 2 ENGINE - NOZZLE, 2ND LP TURBINE HOUSING ASSEMBLY							Component	ATA:72
PN:56310	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU01373	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725020	NO. 1 ENGINE - 1ST LP TURBINE DISK							Component	ATA:72
PN:55531	MOS	29-Mar-06		TSN 0				LIFE LIMIT	
SN:RRLD1533	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 15517		8308		
PROC. REF: GENERIC NO REF									
725020	NO. 2 ENGINE - 1ST LP TURBINE DISK							Component	ATA:72
PN:55531	MOS	29-Mar-06		TSN 0				LIFE LIMIT	
SN:RRL7S3566	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 15517		8308		
PROC. REF: GENERIC NO REF									
725030	NO. 1 ENGINE - 2ND LP TURBINE DISK							Component	ATA:72
PN:55534	MOS	29-Mar-06		TSN 0				LIFE LIMIT	
SN:RRL7D1510	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 15517		8308		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725030	NO. 2 ENGINE - 2ND LP TURBINE DISK							Component	ATA:72
PN:55534	MOS	29-Mar-06		TSN 0				LIFE LIMIT	
SN:RRL7D623	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 15517		8308		
PROC. REF: GENERIC NO REF									
726011	NO. 1 ENGINE - ACCESSORY DRIVE GEARBOX ASSEMBLY							Component	ATA:72
PN:72772	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU20016	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60-801A-500A-A									
726011	NO. 2 ENGINE - ACCESSORY DRIVE GEARBOX ASSEMBLY							Component	ATA:72
PN:72772	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU20015	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60-801A-500A-A									
ATA 73 - ENGINE FUEL AND CONTROL									
731001	NO. 1 ENGINE - FUEL PUMP							Component	ATA:73
PN:59863	MOS	29-Mar-06		TSN 0				OVERHAUL	
SN:YYK0440	HRS	0	5000 (+100)	TSN 0	(5000) 12911.2	5100	2594.6 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 73-16-01-801A-520A-A, LMM 73-16-01-801A-720A-A									
731001	NO. 2 ENGINE - FUEL PUMP							Component	ATA:73
PN:59863	MOS	29-Mar-06		TSN 0				OVERHAUL	
SN:YYK0449	HRS	0	5000 (+100)	TSN 0	(5000) 12911.2	5100	2594.6 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 73-16-01-801A-520A-A, LMM 73-16-01-801A-720A-A									
731004	NO. 1 ENGINE LOW FUEL PRESSURE SWITCH							Component	ATA:73
PN:9912033-1	MOS/MSC	30-Jun-06	O/C						
SN:44	HRS	7916							
WC#: 73.030	AFL								
PROC. REF: AMM 73-30-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731004	NO. 2 ENGINE LOW FUEL PRESSURE SWITCH							Component	ATA:73
PN:9912033-2	MOS/MSC	30-Jun-06	O/C						
SN:3340	HRS	7916							
WC#: 73.030	AFL								
PROC. REF: AMM 73-30-04									
731010 ^S	NO. 1 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER							Service	ATA:73
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)						
	ENC	1638							
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A									
731010 ^S	NO. 2 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER							Service	ATA:73
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)						
	ENC	1638							
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A									
731015 ^S	NO. 1 ENGINE - CHECK FUEL START NOZZLE SPRAY PATTERN							Service	ATA:73
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)						
	ENC	1638							
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A									
731015 ^S	NO. 2 ENGINE - CHECK FUEL START NOZZLE SPRAY PATTERN							Service	ATA:73
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)						
	ENC	1638							
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A									
731020 ^S	NO. 1 ENGINE - REPLACE UNION-TO-OIL COOLER FUEL TUBE ASSEMBLY AND HMU-TO-OIL COOLER FUEL TUBE ASSEMBLY (RENTAL ENGINES ONLY)							Service	ATA:73
	MOS/MSC	21-Dec-19	A/R						
	HRS	2087.7							
	ENC	1392							
PROC. REF: LMM 73-10-01-803A-520A-A, LMM 73-10-01-803A-720A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731020 ^S	NO. 2 ENGINE - REPLACE UNION-TO-OIL COOLER FUEL TUBE ASSEMBLY AND HMU-TO-OIL COOLER FUEL TUBE ASSEMBLY (RENTAL ENGINES ONLY)							Service	ATA:73
	MOS/MSC	21-Dec-19	A/R						
	HRS	2087.7							
	ENC	1392							
PROC. REF: LMM 73-10-01-803A-520A-A, LMM 73-10-01-803A-720A-A								PKG:2	
731025	NO. 1 ENGINE - FUEL FILTER REPLACEMENT							Service	ATA:73
	MOS	21-Dec-19							
	HRS	2087.7	1200 (+120)		(3287.7) 11198.9	3407.7	882.3 (+120)		
	ENC	1392							
PROC. REF: LMM 73-14-01-801A-520A-A, LMM 73-14-01-801A-720A-A								PKG:2	
731025	NO. 2 ENGINE - FUEL FILTER REPLACEMENT							Service	ATA:73
	MOS	21-Dec-19							
	HRS	2087.7	1200 (+120)		(3287.7) 11198.9	3407.7	882.3 (+120)		
	ENC	1392							
PROC. REF: LMM 73-14-01-801A-520A-A, LMM 73-14-01-801A-720A-A								PKG:2	
731046	NO. 1 ENGINE - FUEL MANIFOLD ASSEMBLY							Component	ATA:73
PN:PN	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731046	NO. 2 ENGINE - FUEL MANIFOLD ASSEMBLY							Component	ATA:73
PN:PN	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
732002	ENGINE SYNCHRONIZER CONTROL							Component	ATA:73
PN:213787	MOS/MSC	09-Jun-99	O/C						
SN:1998255	HRS	6809		TSO 2114					
WC#: 76.020	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732003	ENGINE SYNCHRONIZER ACTUATOR							Component	ATA:73
PN:5485-066	MOS/MSC	09-Jun-99	O/C						
SN:1744872	HRS	6809		TSO 0					
WC#: 76.050	AFL								
PROC. REF: GENERIC NO REF									
732101	NO. 1 ENGINE - ELECTRONIC CONTROL UNIT							Component	ATA:73
PN:71792	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:LH2A0459	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-24-01-802A-520A-A									
732101	NO. 2 ENGINE - ELECTRONIC CONTROL UNIT							Component	ATA:73
PN:71792	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:LH2A0446	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-24-01-802A-520A-A									
732104 ^S	NO. 1 ENGINE - PERFORM ECU P AMBIENT CHECK							Service	ATA:73
	MOS	21-Dec-19							
	HRS	2087.7	600 (+30/-30)						
	ENC	1392							
PROC. REF: LMM 73-24-01-805A-913A-A									
732104 ^S	NO. 2 ENGINE - PERFORM ECU P AMBIENT CHECK							Service	ATA:73
	MOS	21-Dec-19							
	HRS	2087.7	600 (+30/-30)						
	ENC	1392							
PROC. REF: LMM 73-24-01-805A-913A-A									
732105 ^S	NO. 1 ENGINE - OPERATIONAL CHECK ELECTRONIC CONTROL UNIT OF THE EFCU IN MANUAL MODE							Service	ATA:73
PN:71792	MOS	01-Mar-24							
SN:LH2A0459	HRS	2347.3	300 (+30)						
	ENC	1638							
PROC. REF: LMM 71-00-00-818A-322A-A									
732105 ^S	NO. 2 ENGINE - OPERATIONAL CHECK ELECTRONIC CONTROL UNIT OF THE EFCU IN MANUAL MODE							Service	ATA:73
PN:71792	MOS	01-Mar-24							
SN:LH2A0446	HRS	2347.3	300 (+30)						
	ENC	1638							
PROC. REF: LMM 71-00-00-818A-322A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732401	NO. 1 ENGINE - FUEL CONTROL (HMU) UNIT							Component	ATA:73
PN:75208	MOS	29-Mar-06		TSN 0				OVERHAUL	
SN:RF13444467	HRS	0	5000 (+100)	TSN 0	(5000) 12911.2	5100	2594.6 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 73-21-01-803A-520A-A, LMM 73-21-01-803A-720A-A									
732401	NO. 2 ENGINE - FUEL CONTROL (HMU) UNIT							Component	ATA:73
PN:75208	MOS	29-Mar-06		TSN 0				OVERHAUL	
SN:RF13444461	HRS	0	5000 (+100)	TSN 0	(5000) 12911.2	5100	2594.6 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 73-21-01-803A-520A-A, LMM 73-21-01-803A-720A-A									
733002	FUEL FLOW INDICATOR							Component	ATA:73
PN:S1360-836-1	MOS/MSC	30-Jun-06	O/C						
SN:14	HRS	7916							
WC#: 73.020	AFL								
PROC. REF: AMM 73-30-01									
733003	NO. 1 ENGINE FUEL FLOWMETER							Component	ATA:73
PN:9912031-4	MOS/MSC	30-Jun-06	O/C						
SN:198	HRS	7916							
WC#: 73.100	AFL								
PROC. REF: GENERIC NO REF									
733003	NO. 2 ENGINE FUEL FLOWMETER							Component	ATA:73
PN:9912031-4	MOS/MSC	30-Jun-06	O/C						
SN:6706	HRS	7916							
WC#: 73.100	AFL								
PROC. REF: GENERIC NO REF									
73FO-01	ENGINE SYNCHRONIZING INSTRUMENT FACTORY OPTION							Component	ATA:73
PN:76	MOS/MSC	26-Nov-75	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
ATA 74 - IGNITION									
741010	NO. 1 ENGINE - INBOARD IGNITION EXCITER							Component	ATA:74
PN:68145	MOS/MSC	29-Mar-06	O/C	TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
SN:CK0600091	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01-801A-520A-A									
741010	NO. 2 ENGINE - INBOARD IGNITION EXCITER							Component	ATA:74
PN:68145	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:CK0600215	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01-801A-520A-A									
741020	NO. 1 ENGINE - OUTBOARD IGNITION EXCITER							Component	ATA:74
PN:68145	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:CK0600216	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01-801A-520A-A									
741020	NO. 2 ENGINE - OUTBOARD IGNITION EXCITER							Component	ATA:74
PN:68145	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:CK0600218	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01-801A-520A-A									
742037^S	NO. 1 ENGINE - REMOVE/VISUALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)						
	ENC	1638							
PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A									
742037^S	NO. 2 ENGINE - REMOVE/VISUALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)						
	ENC	1638							
PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A									
742040^S	NO. 1 ENGINE - OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)						
	ENC	1638							
PROC. REF: LMM 74-00-10-801A-340A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742040 ^S	NO. 2 ENGINE - OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)						
	ENC	1638							
					PROC. REF: LMM 74-00-10-801A-340A-A			PKG:1 ,2	
742050 ^S	NO. 1 ENGINE - DIMENSIONALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)						
	ENC	1638							
					PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A			PKG:1 ,2	
742050 ^S	NO. 2 ENGINE - DIMENSIONALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)						
	ENC	1638							
					PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A			PKG:1 ,2	
742201	NO. 1 ENGINE - INBOARD IGNITOR							Component	ATA:74
PN:68032	MOS/MSC	29-Mar-06	O/C		TSN 0				
SN:CK0501440	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: LMM 74-22-01-801A-520A-A				
742201	NO. 2 ENGINE - INBOARD IGNITOR							Component	ATA:74
PN:68032	MOS/MSC	29-Mar-06	O/C		TSN 0				
SN:CK0501573	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: LMM 74-22-01-801A-520A-A				
742202	NO. 1 ENGINE - OUTBOARD IGNITOR							Component	ATA:74
PN:68032	MOS/MSC	29-Mar-06	O/C		TSN 0				
SN:CK501451	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: LMM 74-22-01-801A-520A-A				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742202	NO. 2 ENGINE - OUTBOARD IGNITOR							Component	ATA:74
PN:68032	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:CK0501574	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-22-01-801A-520A-A									
ATA 75 - AIR									
750001	LEFT INBOARD BLEED AIR FLEX JOINT COUPLING							Component	ATA:75
PN:9912025-4	MOS/MSC	30-Jun-06	O/C						
SN:UNKNOWN	HRS	7916							
	AFL								
PROC. REF: GENERIC NO REF									
750001	LEFT OUTBOARD BLEED AIR FLEX JOINT COUPLING							Component	ATA:75
PN:9912025-4	MOS/MSC	30-Jun-06	O/C						
SN:UNKNOWN	HRS	7916							
	AFL								
PROC. REF: GENERIC NO REF									
750001	RIGHT INBOARD BLEED AIR FLEX JOINT COUPLING							Component	ATA:75
PN:9912025-2	MOS/MSC	30-Jun-06	O/C						
SN:UNKNOWN	HRS	7916							
	AFL								
PROC. REF: GENERIC NO REF									
750001	RIGHT OUTBOARD BLEED AIR FLEX JOINT COUPLING							Component	ATA:75
PN:9912025-2	MOS/MSC	30-Jun-06	O/C						
SN:UNKNOWN	HRS	7916							
	AFL								
PROC. REF: GENERIC NO REF									
753010 ^S	NO. 1 ENGINE - INSPECT ACCELERATION BLEED SYSTEM							Service	ATA:75
	MOS	21-Dec-19							
	HRS	2087.7	600 (+30/-30)						
	ENC	1392							
PROC. REF: LMM 75-30-01-801A-310A-A									
								PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
753010 ^S	NO. 2 ENGINE - INSPECT ACCELERATION BLEED SYSTEM							Service	ATA:75
	MOS	21-Dec-19							
	HRS	2087.7	600 (+30/-30)						
	ENC	1392							
	PROC. REF: LMM 75-30-01-801A-310A-A							PKG:2	
753020	NO. 1 ENGINE - HP COMPRESSOR COVER ASSY							Component	ATA:75
PN:65593	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU02531	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: GENERIC NO REF								
753020	NO. 2 ENGINE - HP COMPRESSOR COVER ASSY							Component	ATA:75
PN:65593	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:AU02529	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
761001	ENGINE CONTROL QUADRANT ASSEMBLY							Component	ATA:76
PN:5565810-1	MOS/MSC		30-Jun-06	O/C					
SN:UNKNOWN	HRS		7916						
WC#: 76.060	AFL								
PROC. REF: AMM 76-10-01									
761002	NO. 1 ENGINE MAIN THROTTLE CONTROL CABLE							Component	ATA:76
PN:PN-UNKNOWN	MOS/MSC		30-Jun-06	O/C					
SN:UNKNOWN	HRS		7916						
WC#: 76.040	AFL								
PROC. REF: AMM 76-10-02									
761002	NO. 2 ENGINE MAIN THROTTLE CONTROL CABLE							Component	ATA:76
PN:PN-UNKNOWN	MOS/MSC		30-Jun-06	O/C					
SN:UNKNOWN	HRS		7916						
WC#: 76.040	AFL								
PROC. REF: AMM 76-10-02									
761003	NO. 1 ENGINE NACELLE THROTTLE CONTROL CABLE							Component	ATA:76
PN:7-42346-1	MOS/MSC		30-Jun-06	O/C					
SN:UNKNOWN	HRS		7916						
WC#: 76.030	AFL								
PROC. REF: AMM 76-10-02									
761004	NO. 2 ENGINE NACELLE THROTTLE CONTROL CABLE							Component	ATA:76
PN:7-42346-2	MOS/MSC		30-Jun-06	O/C					
SN:UNKNOWN	HRS		7916						
WC#: 76.030	AFL								
PROC. REF: AMM 76-10-02									
B761002 ^S	INSPECT/CHECK THRUST REVERSER LOAD LIMIT PRE-LOAD: PHASE 5 INSPECTION							Service	ATA:76
	MOS		01-Mar-24	36 (+2m)					
	HRS		10258.5	1200 (+100)					
	AFL		7155						
PROC. REF: AMM 78-30-00									
PKG:6									
ATA 77 - ENGINE INDICATING									
771001	LEFT BOTTOM N2 TACH GENERATOR							Component	ATA:77
PN:AG34	MOS/MSC		09-Jun-99	O/C					
SN:4977	HRS		6809		TSO 0				
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
PROC. REF: AMM 77-11-01									
771001	LEFT TOP N1 TACH GENERATOR							Component	ATA:77
PN:AG34	MOS/MSC	09-Jun-99	O/C						
SN:3294	HRS	6809		TSO 0					
	AFL								
PROC. REF: AMM 77-11-01									
771001	RIGHT BOTTOM N2 TACH GENERATOR							Component	ATA:77
PN:AG34	MOS/MSC	15-Jun-99	O/C						
SN:3294	HRS			TSO 6799					
	AFL								
PROC. REF: AMM 77-11-01									
771001	RIGHT TOP N1 TACH GENERATOR							Component	ATA:77
PN:AG34	MOS/MSC	15-Jun-99	O/C						
SN:4977	HRS			TSO 5662					
	AFL								
PROC. REF: AMM 77-11-01									
771001W ^U	LEFT BOTTOM ROTOR SPEED INDICATOR-N2							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
771001W ^U	LEFT TOP ROTOR SPEED INDICATOR-N1							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
771001W ^U	RIGHT BOTTOM ROTOR SPEED INDICATOR-N2							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
771001W ^U	RIGHT TOP ROTOR SPEED INDICATOR-N1							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771001W : LB^U LEFT BOTTOM ROTOR SPEED INDICATOR-N2 Component ATA:77								
PN:PN	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
771001W : LT^U LEFT TOP ROTOR SPEED INDICATOR-N1 Component ATA:77								
PN:PN	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
771001W : RB^U RIGHT BOTTOM ROTOR SPEED INDICATOR-N2 Component ATA:77								
PN:PN	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
771001W : RT^U RIGHT TOP ROTOR SPEED INDICATOR-N1 Component ATA:77								
PN:PN	MOS/MSC	26-Nov-75	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
771002 N2 (TURBINE) INDICATOR Component ATA:77								
PN:472018	MOS/MSC	28-Aug-03	O/C					
SN:H391Z	HRS	7806		TSO 0				
WC#: 77.050	AFL							
PROC. REF: AMM 77-12-01								
771003 N1 (FAN) INDICATOR Component ATA:77								
PN:472019-002	MOS/MSC	06-Mar-03	O/C					
SN:S410Y	HRS	7747		TSO 0				
WC#: 77.050	AFL							
PROC. REF: AMM 77-11-01								
771005 NO. 1 ENGINE - N1 DUAL MAGNETIC SPEED SENSOR Component ATA:77								
PN:57355	MOS/MSC	29-Mar-06	O/C	TSN 0				
SN:MD082763	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
771005	NO. 2 ENGINE - N1 DUAL MAGNETIC SPEED SENSOR							Component	ATA:77
PN:57355	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:MD082757	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
771015	NO. 1 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR							Component	ATA:77
PN:54831	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:MD082585	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
771015	NO. 2 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR							Component	ATA:77
PN:54831	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:MD084206	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
772001	ITT INDICATOR							Component	ATA:77
PN:472017	MOS/MSC	09-Jun-99	O/C						
SN:S207Z	HRS	6809		TSO 0					
	AFL								
PROC. REF: AMM 77-21-01									
772001W ^U	LEFT ITT INDICATOR							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W ^U	LEFT NO. 1 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W ^U	LEFT NO. 2 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
772001W ^U	LEFT NO. 3 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W ^U	LEFT NO. 4 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W ^U	LEFT NO. 5 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W ^U	LEFT NO. 6 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W ^U	RIGHT ITT INDICATOR							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W ^U	RIGHT NO. 1 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W ^U	RIGHT NO. 2 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W ^U	RIGHT NO. 3 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
772001W ^U	RIGHT NO. 4 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W ^U	RIGHT NO. 5 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W ^U	RIGHT NO. 6 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W : E1-1 ^U	LEFT NO. 1 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W : E1-2 ^U	LEFT NO. 2 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W : E1-3 ^U	LEFT NO. 3 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W : E1-4 ^U	LEFT NO. 4 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W : E1-5 ^U	LEFT NO. 5 ITT PROBE							Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
772001W : E1-6 ^U		LEFT NO. 6 ITT PROBE						Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W : E2-1 ^U		RIGHT NO. 1 ITT PROBE						Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W : E2-2 ^U		RIGHT NO. 2 ITT PROBE						Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W : E2-3 ^U		RIGHT NO. 3 ITT PROBE						Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W : E2-4 ^U		RIGHT NO. 4 ITT PROBE						Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W : E2-5 ^U		RIGHT NO. 5 ITT PROBE						Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W : E2-6 ^U		RIGHT NO. 6 ITT PROBE						Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772001W : L ^U		LEFT ITT INDICATOR						Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
772001W : R^U		RIGHT ITT INDICATOR						Component	ATA:77
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
772005		NO. 1 ENGINE - TT2 SENSOR						Component	ATA:77
PN:59715	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:LR11303	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-22-01-801A-520A-A									
772005		NO. 2 ENGINE - TT2 SENSOR						Component	ATA:77
PN:59715	MOS/MSC	29-Mar-06	O/C	TSN 0					
SN:LR11315	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-22-01-801A-520A-A									
772010^S		NO. 1 ENGINE - INSPECT/FUNCTIONAL CHECK TT2 SENSOR HEATER ELEMENT						Service	ATA:77
PN:59715	MOS	01-Mar-24							
SN:LR11303	HRS	2347.3	300 (+30/-30)						
	ENC	1638							
PROC. REF: LMM 77-22-01-801A-300A-A, LMM 77-22-01-801A-310A-A, LMM 77-22-01-801B-300A-A									
772010^S		NO. 2 ENGINE - INSPECT/FUNCTIONAL CHECK TT2 SENSOR HEATER ELEMENT						Service	ATA:77
PN:59715	MOS	01-Mar-24							
SN:LR11315	HRS	2347.3	300 (+30/-30)						
	ENC	1638							
PROC. REF: LMM 77-22-01-801A-300A-A, LMM 77-22-01-801A-310A-A, LMM 77-22-01-801B-300A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
781001	NO. 1 ENGINE EXHAUST NOZZLE CONE							Component	ATA:78
PN:PN-UNKNOWN	MOS/MSC	30-Jun-06	O/C						
SN:UNKNOWN	HRS	7916							
WC#: 78.050	AFL								
PROC. REF: AMM 78-00-00									
781001	NO. 2 ENGINE EXHAUST NOZZLE CONE							Component	ATA:78
PN:PN-UNKNOWN	MOS/MSC	30-Jun-06	O/C						
SN:UNKNOWN	HRS	7916							
WC#: 78.050	AFL								
PROC. REF: AMM 78-00-00									
A783003 ^S	INSPECT THRUST REVERSER ELECTRICAL JUNCTION BOX: PHASE 5 INSPECTION							Service	ATA:78
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 78-30-00									
C783003 ^S	LUBRICATE THRUST REVERSER PIVOT POINTS (C5-A ANTISIEZE COMPOUND LUBRICATION METHOD): PHASE 55 INSPECTION							Service	ATA:78
	MOS	26-Nov-75		TAC 0					
	HRS	0	600	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 78-30-00									
ATA 79 - OIL									
792015 ^S	NO. 1 ENGINE - INSTALL NEW OIL FILTER							Service	ATA:79
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)						
	ENC	1638							
PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A									
792015 ^S	NO. 2 ENGINE - INSTALL NEW OIL FILTER							Service	ATA:79
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)						
	ENC	1638							
PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792020 ^S	NO. 1 ENGINE - REMOVE/INSPECT MAGNETIC CHIP COLLECTORS							Service	ATA:79
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)						
	ENC	1638							
	PROC. REF: LMM 79-30-01-801A-310A-A							PKG:1	.2
792020 ^S	NO. 2 ENGINE - REMOVE/INSPECT MAGNETIC CHIP COLLECTORS							Service	ATA:79
	MOS	01-Mar-24							
	HRS	2347.3	300 (+30)						
	ENC	1638							
	PROC. REF: LMM 79-30-01-801A-310A-A							PKG:1	.2
792025	NO. 1 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	21-Dec-19							
	HRS	2087.7	600 (+30/-30)		(2687.7) 10598.9	2717.7	282.3 (+30)		
	ENC	1392							
	PROC. REF: LMM 72-00-03-801A-200A-A							PKG:2	
792025	NO. 2 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	21-Dec-19							
	HRS	2087.7	600 (+30/-30)		(2687.7) 10598.9	2717.7	282.3 (+30)		
	ENC	1392							
	PROC. REF: LMM 72-00-03-801A-200A-A							PKG:2	
792401	NO. 1 ENGINE - LUBE AND SCAVENGE PUMP							Component	ATA:79
PN:73302	MOS	29-Mar-06		TSN 0				OVERHAUL	
SN:WL20064	HRS	0	5000 (+100)	TSN 0	(5000) 12911.2	5100	2594.6 (+100)		
	ENC	0		TSN 0					
	PROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-A								
792401	NO. 2 ENGINE - LUBE AND SCAVENGE PUMP							Component	ATA:79
PN:73302	MOS	29-Mar-06		TSN 0				OVERHAUL	
SN:WL20062	HRS	0	5000 (+100)	TSN 0	(5000) 12911.2	5100	2594.6 (+100)		
	ENC	0		TSN 0					
	PROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793001	OIL TEMPERATURE INDICATOR							Component	ATA:79
PN:PN-UNKNOWN	MOS/MSC	30-Jun-06	O/C						
SN:UNKNOWN	HRS	7916							
WC#: 79.060	AFL								
PROC. REF: AMM 79-30-03									
793002	LEFT ENGINE OIL TEMPERATURE TRANSMITTER							Component	ATA:79
PN:SI360-837-1	MOS/MSC	30-Jun-06	O/C						
SN:35	HRS	7916							
WC#: 79.050	AFL								
PROC. REF: AMM 79-30-04									
793002	LEFT ENGINE OIL TEMPERATURE TRANSMITTER							Component	ATA:79
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
WC#: 79.050	AFL	0							
PROC. REF: AMM 79-30-04									
793002	RIGHT ENGINE OIL TEMPERATURE TRANSMITTER							Component	ATA:79
PN:SI360-837-1	MOS/MSC	30-Jun-06	O/C						
SN:34	HRS	7916							
WC#: 79.050	AFL								
PROC. REF: AMM 79-30-04									
793002	RIGHT ENGINE OIL TEMPERATURE TRANSMITTER							Component	ATA:79
PN:PN	MOS/MSC	26-Nov-75	O/C						
SN:UNKNOWN	HRS	0							
WC#: 79.050	AFL	0							
PROC. REF: AMM 79-30-04									
793003	OIL PRESSURE INDICATOR							Component	ATA:79
PN:472021	MOS/MSC	19-Dec-96	O/C						
SN:S337	HRS	6082		TSO 170					
WC#: 79.060	AFL								
PROC. REF: AMM 79-30-01									
793004	LEFT ENGINE OIL PRESSURE TRANSMITTER							Component	ATA:79
PN:9912178-4	MOS/MSC	30-Jun-06	O/C						
SN:1084	HRS	7916							
	AFL								
PROC. REF: AMM 79-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0643 RegNo: N504SF HRS: 10316.6 AFL: 7209 As Of: 21-Jun-2024

18-Jul-2024 06:32 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793004	RIGHT ENGINE OIL PRESSURE TRANSMITTER							Component	ATA:79
PN:123479	MOS/MSC	01-Mar-24	O/C						
SN:0067	HRS	10258.5							
	AFL	7155							
PROC. REF: AMM 79-30-02									
ATA 80 - STARTING									
B801001 ^S	INSPECT LUCAS AEROSPACE STARTER GENERATOR(P/N 9912038-3,4,5) BRUSH: PHASE 4 INSPECTION							Service	ATA:80
	MOS	01-Mar-24	24 (+2m)						
	HRS	10258.5	300 (+30)						
	AFL	7155							
PROC. REF: AMM 80-10-01									
B801002 ^S	OPERATIONAL TEST STARTER DISENGAGE: PHASE 5 INSPECTION							Service	ATA:80
	MOS	01-Mar-24	36 (+2m)						
	HRS	10258.5	1200 (+100)						
	AFL	7155							
PROC. REF: AMM 80-10-01									

PKG:5

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task