

AW169, S/N 69025, Reg # LV-GYK

LIFE LIMITED PARTS LIST - REPLACEMENT SCHEDULE - CHAPTER 4 & 5

T.Time:	173,3
Ldg:	424
Date:	22-jun-22

E#1 TT:	177,9
E#1 TC:	331
E#2 TT:	173,3
E#2 TC:	309

Y	YEARS
HL	HOIST LIFTS
L	LANDINGS
FH	FLIGHT HOURS

EC	ENG. CYCLES	Date of Manufacture: 29-SEPT-2016	Type Certificate: HE-1601
----	-------------	-----------------------------------	---------------------------

CODE	DESCRIPTION	P/N	S/N	ACTION			SERVICE LIFE	TIME @ INSTALL.			LAST COMPLIANCE WITH			TIME SINCE LAST C/W			NEXT COMPLIANCE			REMAINING		
				I	R	O/H		HS	LDG	MO	HS	LDG	DATE	HS	LDG	DAYS	HS	LDG	DATE	HS	LDG	DAYS
69-A-AMPI-00-P / TABLE 2 - RETIREMENT LIVES - LIST OF AFFECTED PARTS (69-A-04-10-00-00A-028A-A)																						
RL25-01	RESCUE HOIST CABLE	42325-298				4Y / 1500 HL				NOT APPLICABLE / HOIST NOT INSTALLED												
RL25-02	HOIST BOOM ASSY	6F2591A01931				57200HL				NOT APPLICABLE / HOIST NOT INSTALLED												
RL25-03	HOIST REAR FITTING ASSY	6F2591A01831				57200HL				NOT APPLICABLE / HOIST NOT INSTALLED												
RL25-04	HOIST FWD FITTING ASSY	6F2591A01731				21000HL				NOT APPLICABLE / HOIST NOT INSTALLED												
RL25-05	HOIST BOOM ASSY	6F2591A01932				16000HL				NOT APPLICABLE / HOIST NOT INSTALLED												
RL32-01	NOSE LANDING GEAR ASSY	6F3220V00531				2500L																
RL32-02	NLG UP / DOWN LOCK ACTUATOR	6F3230V00631	000647			24000L	0	0		0	0	29-sep-16	173,3	424	2092		24000			23576		
RL32-03	LEFT MAIN LANDING GEAR ASSY (Struct & Wheels)	6F3210V00932	MN135			79200L	143,7	346	24-jul-20	143,7	346	24-jul-20	29,6	78	698		79200			78776		
RL32-04	LEFT MLG UP/DOWN LOCK ACTUATOR	6F3230V00931	000615			55200L	0	0		0	0	29-sep-16	173,3	424	2092		55200			54776		
RL32-05	RIGHT MAIN LANDING GEAR ASSY (Struct & Wheels)	6F3210V01031	MN31			79200L	0	0		0	0	29-sep-16	173,3	424	2092		79200			78776		
RL32-06	RIGHT MLG UP/DOWN LOCK ACTUATOR	6F3230V01131	000632			55200L	0	0		0	0	29-sep-16	173,3	424	2092		55200			54776		
RL32-07	NLG LOCKING ASSY	6F3230V00332				100000L	0	0		0	0		173,3	424	44734		100000			99576		
RL32-08	MLG LOCKING ASSY	6F3230V00132				110000L	0	0		0	0		173,3	424	44734		110000			109576		
RL32-09	NOSE LANDING GEAR ASSY	6F3220V00532	MN60			24000L	0	0		0	0	29-sep-16	173,3	424	2092		24000			23576		
RL53-01	CABIN MAIN ASSY	6F5330A00131	AWBA024			10000FH / 40000L	0	0		0	0	29-sep-16	173,3	424	2092	10000	40000		9826,7	39576		
RL53-02	TAIL STRUCTURE ASSY	6F5350A00231	TECN029			40000FH	0	0		0	0	29-sep-16	173,3	424	2092	40000			39826,7			
RL53-03	INTERMEDIATE GEARBOX ELASTOMERIC BUSHING	6F5350V00151	NSN			6200FH / 5Y	169,9	0	15-oct-21	0	0	15-oct-21	173,3	424	250	6030,1		31-oct-26	5856,8		1592	
	INTERMEDIATE GEARBOX ELASTOMERIC BUSHING	6F5350V00151	NSN			6200FH / 5Y	169,9	0	15-oct-21	0	0	15-oct-21	173,3	424	250	6030,1		31-oct-26	5856,8		1592	
	INTERMEDIATE GEARBOX ELASTOMERIC BUSHING	6F5350V00151	NSN			6200FH / 5Y	169,9	0	15-oct-21	0	0	15-oct-21	173,3	424	250	6030,1		31-oct-26	5856,8		1592	
	INTERMEDIATE GEARBOX ELASTOMERIC BUSHING	6F5350V00151	NSN			6200FH / 5Y	169,9	0	15-oct-21	0	0	15-oct-21	173,3	424	250	6030,1		31-oct-26	5856,8		1592	
RL62-01	MAIN ROTOR BLADE ASSY	6F6210A00132	110			60000 LDG	0	0		0	0	29-sep-16	173,3	424	2092		60000			59576		
	MAIN ROTOR BLADE ASSY	6F6210A00132	131			60000 LDG	0	0		0	0	29-sep-16	173,3	424	2092		60000			59576		
	MAIN ROTOR BLADE ASSY	6F6210A00132	137			60000 LDG	0	0		0	0	29-sep-16	173,3	424	2092		60000			59576		
	MAIN ROTOR BLADE ASSY	6F6210A00132	236			60000 LDG	0	0		0	0	29-sep-16	173,3	424	2092		60000			59576		
	MAIN ROTOR BLADE ASSY	6F6210A00132	248			60000 LDG	0	0		0	0	29-sep-16	173,3	424	2092		60000			59576		
RL62-02	MAIN ROTOR HUB ASSY	6F6220A00333	34			DELETED	0	0		0	0	29-sep-16	173,3	424	2092	REQUIREMENT DELETED BY REV DATED 05-20-2018						
RL62-03	LOCK NUT	6F6220A01351	30			DELETED	0	0		0	0	29-sep-16	173,3	424	2092	REQUIREMENT DELETED BY REV DATED 05-20-2018						

CODE	DESCRIPTION	P/N	S/N	ACTION			SERVICE LIFE	TIME @ INSTALL.			LAST COMPLIANCE WITH			TIME SINCE LAST C/W			NEXT COMPLIANCE			REMAINING		
				I	R	O/H		HS	LDG	MO	HS	LDG	DATE	HS	LDG	DAYS	HS	LDG	DATE	HS	LDG	DAYS
RL62-04	TENSION BOLT	6F6220A01552	231				DELETED	0	0		0	0	29-sep-16	173,3	424	2092	REQUIREMENT DELETED BY REV DATED 05-20-2018 REQUIREMENT DELETED BY REV DATED 05-20-2018 REQUIREMENT DELETED BY REV DATED 05-20-2018 REQUIREMENT DELETED BY REV DATED 05-20-2018 REQUIREMENT DELETED BY REV DATED 05-20-2018 REQUIREMENT DELETED BY REV DATED 05-20-2018 REQUIREMENT DELETED BY REV DATED 05-20-2018 REQUIREMENT DELETED BY REV DATED 05-20-2018 REQUIREMENT DELETED BY REV DATED 05-20-2018 REQUIREMENT DELETED BY REV DATED 05-20-2018 REQUIREMENT DELETED BY REV DATED 05-20-2018					
	TENSION BOLT	6F6220A01552	232				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
	TENSION BOLT	6F6220A01552	233				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
	TENSION BOLT	6F6220A01552	234				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
	TENSION BOLT	6F6220A01552	235				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
	TENSION BOLT	6F6220A01552	236				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
	TENSION BOLT	6F6220A01552	237				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
	TENSION BOLT	6F6220A01552	238				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
	TENSION BOLT	6F6220A01552	239				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
	TENSION BOLT	6F6220A01552	240				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
	TENSION BOLT	6F6220A01552	241				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
	TENSION BOLT	6F6220A01552	242				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
RL62-05	TENSION LINK ASSY	6F6220A00532	CCB0044				18000L	0	0		0	0	29-sep-16	173,3	424	2092		18000			17576	
	TENSION LINK ASSY	6F6220A00532	CCB0045				18000L	0	0		0	0	29-sep-16	173,3	424	2092		18000			17576	
	TENSION LINK ASSY	6F6220A00532	CCB0046				18000L	0	0		0	0	29-sep-16	173,3	424	2092		18000			17576	
	TENSION LINK ASSY	6F6220A00532	CCB0047				18000L	0	0		0	0	29-sep-16	173,3	424	2092		18000			17576	
	TENSION LINK ASSY	6F6220A00532	CCB0048				18000L	0	0		0	0	29-sep-16	173,3	424	2092		18000			17576	
RL62-06	MAIN ROTOR BLADE BOLT	6F6220A00251	261				18000L	0	0		0	0	29-sep-16	173,3	424	2092		18000			17576	
	MAIN ROTOR BLADE BOLT	6F6220A00251	262				18000L	0	0		0	0	29-sep-16	173,3	424	2092		18000			17576	
	MAIN ROTOR BLADE BOLT	6F6220A00251	263				18000L	0	0		0	0	29-sep-16	173,3	424	2092		18000			17576	
	MAIN ROTOR BLADE BOLT	6F6220A00251	264				18000L	0	0		0	0	29-sep-16	173,3	424	2092		18000			17576	
	MAIN ROTOR BLADE BOLT	6F6220A00251	265				18000L	0	0		0	0	29-sep-16	173,3	424	2092		18000			17576	
	MAIN ROTOR BLADE BOLT	6F6220A00251	266				18000L	0	0		0	0	29-sep-16	173,3	424	2092		18000			17576	
	MAIN ROTOR BLADE BOLT	6F6220A00251	267				18000L	0	0		0	0	29-sep-16	173,3	424	2092		18000			17576	
	MAIN ROTOR BLADE BOLT	6F6220A00251	268				18000L	0	0		0	0	29-sep-16	173,3	424	2092		18000			17576	
	MAIN ROTOR BLADE BOLT	6F6220A00251	269				18000L	0	0		0	0	29-sep-16	173,3	424	2092		18000			17576	
	MAIN ROTOR BLADE BOLT	6F6220A00251	270				18000L	0	0		0	0	29-sep-16	173,3	424	2092		18000			17576	
RL62-07	PITCH CONTROL LEVER ASSY	6F6220A00732	110				DELETED	0	0		0	0	29-sep-16	173,3	424	2092	REQUIREMENT DELETED BY REV DATED 05-20-2018 REQUIREMENT DELETED BY REV DATED 05-20-2018 REQUIREMENT DELETED BY REV DATED 05-20-2018 REQUIREMENT DELETED BY REV DATED 05-20-2018 REQUIREMENT DELETED BY REV DATED 05-20-2018					
	PITCH CONTROL LEVER ASSY	6F6220A00732	112				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
	PITCH CONTROL LEVER ASSY	6F6220A00732	146				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
	PITCH CONTROL LEVER ASSY	6F6220A00732	149				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
	PITCH CONTROL LEVER ASSY	6F6220A00732	152				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
RL62-08	MAIN ROTOR ELASTOMERIC BEARING	6F6220V00151	LK0223				73200 LDG	0	0		0	0	29-sep-16	173,3	424	2092		73200			72776	
	MAIN ROTOR ELASTOMERIC BEARING	6F6220V00151	LK0225				73200 LDG	0	0		0	0	29-sep-16	173,3	424	2092		73200			72776	
	MAIN ROTOR ELASTOMERIC BEARING	6F6220V00151	LK0229				73200 LDG	0	0		0	0	29-sep-16	173,3	424	2092		73200			72776	
	MAIN ROTOR ELASTOMERIC BEARING	6F6220V00151	LK0234				73200 LDG	0	0		0	0	29-sep-16	173,3	424	2092		73200			72776	
	MAIN ROTOR ELASTOMERIC BEARING	6F6220V00151	LK0235				73200 LDG	0	0		0	0	29-sep-16	173,3	424	2092		73200			72776	
RL62-09	DAMPER BODY ASSY (ROTATIVE LAG DAMPER)	6F6220V00352	LK0387				15000FH	0	0		0	0	29-sep-16	173,3	424	2092	15000				14826,7	
	DAMPER BODY ASSY (ROTATIVE LAG DAMPER)	6F6220V00352	LK0408				15000FH	0	0		0	0	29-sep-16	173,3	424	2092	15000				14826,7	
	DAMPER BODY ASSY (ROTATIVE LAG DAMPER)	6F6220V00352	LK0412				15000FH	0	0		0	0	29-sep-16	173,3	424	2092	15000				14826,7	
	DAMPER BODY ASSY (ROTATIVE LAG DAMPER)	6F6220V00352	LK0424				15000FH	0	0		0	0	29-sep-16	173,3	424	2092	15000				14826,7	
	DAMPER BODY ASSY (ROTATIVE LAG DAMPER)	6F6220V00352	LK0431				15000FH	0	0		0	0	29-sep-16	173,3	424	2092	15000				14826,7	

CODE	DESCRIPTION	P/N	S/N	ACTION			SERVICE LIFE	TIME @ INSTALL.			LAST COMPLIANCE WITH			TIME SINCE LAST C/W			NEXT COMPLIANCE			REMAINING		
				I	R	O/H		HS	LDG	MO	HS	LDG	DATE	HS	LDG	DAYS	HS	LDG	DATE	HS	LDG	DAYS
RL62-10	MAIN ROTOR DAMPER FLOATING BUSHING	6F6220A05451	115				15000FH	0	0		0	0	29-sep-16	173,3	424	2092	15000			14826,7		
	MAIN ROTOR DAMPER FLOATING BUSHING	6F6220A05451	116				15000FH	0	0		0	0	29-sep-16	173,3	424	2092	15000			14826,7		
	MAIN ROTOR DAMPER FLOATING BUSHING	6F6220A05451	117				15000FH	0	0		0	0	29-sep-16	173,3	424	2092	15000			14826,7		
	MAIN ROTOR DAMPER FLOATING BUSHING	6F6220A05451	121				15000FH	0	0		0	0	29-sep-16	173,3	424	2092	15000			14826,7		
	MAIN ROTOR DAMPER FLOATING BUSHING	6F6220A05451	130				15000FH	0	0		0	0	29-sep-16	173,3	424	2092	15000			14826,7		
RL62-11	DAMPER ANTITORQUE BOLT	6F6220A06552	PPF0051				15000FH	0	0		0	0	29-sep-16	173,3	424	2092	15000			14826,7		
	DAMPER ANTITORQUE BOLT	6F6220A06552	PPG0100				15000FH	0	0		0	0	29-sep-16	173,3	424	2092	15000			14826,7		
	DAMPER ANTITORQUE BOLT	6F6220A06552	PPG0106				15000FH	0	0		0	0	29-sep-16	173,3	424	2092	15000			14826,7		
	DAMPER ANTITORQUE BOLT	6F6220A06552	PPG0107				15000FH	0	0		0	0	29-sep-16	173,3	424	2092	15000			14826,7		
	DAMPER ANTITORQUE BOLT	6F6220A06552	PPG0108				15000FH	0	0		0	0	29-sep-16	173,3	424	2092	15000			14826,7		
RL62-12	DAMPER LINK ASSY	6F6220V00452	LK0424				26000FH	0	0		0	0	29-sep-16	173,3	424	2092	26000			25826,7		
	DAMPER LINK ASSY	6F6220V00452	LK0425				26000FH	0	0		0	0	29-sep-16	173,3	424	2092	26000			25826,7		
	DAMPER LINK ASSY	6F6220V00452	LK0431				26000FH	0	0		0	0	29-sep-16	173,3	424	2092	26000			25826,7		
	DAMPER LINK ASSY	6F6220V00452	LK0433				26000FH	0	0		0	0	29-sep-16	173,3	424	2092	26000			25826,7		
	DAMPER LINK ASSY	6F6220V00452	LK0437				26000FH	0	0		0	0	29-sep-16	173,3	424	2092	26000			25826,7		
RL62-13	STATIONARY SWASHPLATE CENTERING PLATE	6F6230V00851	KC10131				DELETED	0	0		0	0	29-sep-16	173,3	424	2092	REQUIREMENT DELETED BY REV DATED 15-12-2020 REQUIREMENT DELETED BY REV DATED 15-12-2020 REQUIREMENT DELETED BY REV DATED 15-12-2020 REQUIREMENT DELETED BY REV DATED 15-12-2020					
	STATIONARY SWASHPLATE CENTERING PLATE	6F6230V00851	KC10132				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
	STATIONARY SWASHPLATE CENTERING PLATE	6F6230V00851	KC10133				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
	STATIONARY SWASHPLATE CENTERING PLATE	6F6230V00851	KC10134				DELETED	0	0		0	0	29-sep-16	173,3	424	2092						
RL62-14	ROTATING SWASHPLATE ASSY	6F6230A00332	13				40000FH	0	0		0	0	29-sep-16	173,3	424	2092	40000			39826,7		
RL62-15	PITCH LINK ASSY	6F6230A00433					1140FH															
RL62-16	PITCH LINK ASSY	6F6230A00434	MCR0034				1140FH	0	0		0	0	29-sep-16	173,3	424	2092	1140			966,7		
	PITCH LINK ASSY	6F6230A00434	MCR0035				1140FH	0	0		0	0	29-sep-16	173,3	424	2092	1140			966,7		
	PITCH LINK ASSY	6F6230A00434	MCR0036				1140FH	0	0		0	0	29-sep-16	173,3	424	2092	1140			966,7		
	PITCH LINK ASSY	6F6230A00434	MCR0037				1140FH	0	0		0	0	29-sep-16	173,3	424	2092	1140			966,7		
	PITCH LINK ASSY	6F6230A00434	MCR0038				1140FH	0	0		0	0	29-sep-16	173,3	424	2092	1140			966,7		
RL62-17	UPPER SCISSOR ASSY	6F6230A00831	V44				3950FH	0	0		0	0	29-sep-16	173,3	424	2092	3950			3776,7		
	UPPER SCISSOR ASSY	6F6230A00831	V45				3950FH	0	0		0	0	29-sep-16	173,3	424	2092	3950			3776,7		
RL62-18	ROTATING SWASHPLATE OUTER LOCKING RING	6F6230A02251	29				35200FH	0	0		0	0	29-sep-16	173,3	424	2092	35200			35026,7		
RL62-19	STATIONARY SWASHPLATE CENTERING BUSHING	6F6230A00531	TIB0047				40000FH	0	0		0	0	29-sep-16	173,3	424	2092	40000			39826,7		
RL62-20	LOWER SCISSOR ASSY	6F6230A00931	106				40000FH	0	0		0	0	29-sep-16	173,3	424	2092	40000			39826,7		
	LOWER SCISSOR ASSY	6F6230A00931	108				40000FH	0	0		0	0	29-sep-16	173,3	424	2092	40000			39826,7		
RL62-21	ROTATING SCISSORS ATTACHMENT FLANGE ASSY	6F6220A00631	93				40000FH	0	0		0	0	29-sep-16	173,3	424	2092	40000			39826,7		
	ROTATING SCISSORS ATTACHMENT FLANGE ASSY	6F6220A00631	94				40000FH	0	0		0	0	29-sep-16	173,3	424	2092	40000			39826,7		
RL62-22	RIGHT SERVO BRACKET ASSY	6F6230A03231	V30				40000FH	0	0		0	0	29-sep-16	173,3	424	2092	40000			39826,7		

CODE	DESCRIPTION	P/N	S/N	ACTION			SERVICE LIFE	TIME @ INSTALL.			LAST COMPLIANCE WITH			TIME SINCE LAST C/W			NEXT COMPLIANCE			REMAINING		
				I	R	O/H		HS	LDG	MO	HS	LDG	DATE	HS	LDG	DAYS	HS	LDG	DATE	HS	LDG	DAYS
RL62-23	INBOARD DAMPER ATTACHMENT ASSY	6F6220A04032	128				7500FH	0	0		0	0	29-sep-16	173,3	424	2092	7500			7326,7		
	INBOARD DAMPER ATTACHMENT ASSY	6F6220A04032	129				7500FH	0	0		0	0	29-sep-16	173,3	424	2092	7500			7326,7		
	INBOARD DAMPER ATTACHMENT ASSY	6F6220A04032	95				7500FH	0	0		0	0	29-sep-16	173,3	424	2092	7500			7326,7		
	INBOARD DAMPER ATTACHMENT ASSY	6F6220A04032	96				7500FH	0	0		0	0	29-sep-16	173,3	424	2092	7500			7326,7		
	INBOARD DAMPER ATTACHMENT ASSY	6F6220A04032	97				7500FH	0	0		0	0	29-sep-16	173,3	424	2092	7500			7326,7		
RL62-24	STATIONARY SWASHPLATE ASSY	6F6230A00232	25				21800FH	0	0		0	0	29-sep-16	173,3	424	2092	21800			21626,7		
RL62-25	SPECIAL RING, UPPER	6F6230V00251					40000 FH	0	0		0	0	29-sep-16	173,3	424	2092	40000			39826,7		
RL63-01	MAIN GEARBOX SHAFT MAIN ROTOR	6F6320A20452					13270FH / 81600L															
RL63-02	MAIN GEARBOX SHAFT MAIN ROTOR (M/R MAST)	6F6320A20453	24/1				13270FH / 81600L	0	0		0	0	29-sep-16	173,3	424	2092	13270	81600		13096,7	81176	
RL63-03	MAIN GEARBOX CASE MAIN ASSY	6F6320A01332	58				8900FH	0	0		0	0	29-sep-16	173,3	424	2092	8900			8726,7		
RL63-04	MAIN GEARBOX UPPER CASE ASSY	6F6320A20232	V3				8000FH / 18900L	0	0		0	0	29-sep-16	173,3	424	2092	8000	18900		7826,7	18476	
RL63-05	BEAM ANTITORQUE ASSY	6F6330A00631	MOR0003				12400 FH / 59000L	0	0		0	0	29-sep-16	173,3	424	2092	12100	59000		11926,7	58576	
RL63-06	GIMBAL ENGINE ASSY	6F6310A00232	CNO0039				15200FH	0	0		0	0	29-sep-16	173,3	424	2092	15200			15026,7		
	GIMBAL ENGINE ASSY	6F6310A00232	CNO0040				15200FH	0	0		0	0	29-sep-16	173,3	424	2092	15200			15026,7		
RL64-01	TAIL ROTOR BLADE ASSY	6F6410A00132	89				60000L	0	0		0	0	29-sep-16	173,3	424	2092		60000			59576	
	TAIL ROTOR BLADE ASSY	6F6410A00132	90				60000L	0	0		0	0	29-sep-16	173,3	424	2092		60000			59576	
	TAIL ROTOR BLADE ASSY	6F6410A00132	91				60000L	0	0		0	0	29-sep-16	173,3	424	2092		60000			59576	
RL64-02	PITCH CONTROL ARM BOLT	6F6410A04251	OVS0152				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	PITCH CONTROL ARM BOLT	6F6410A04251	OVS0153				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	PITCH CONTROL ARM BOLT	6F6410A04251	OVS0154				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	PITCH CONTROL ARM BOLT	6F6410A04251	OVS0155				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	PITCH CONTROL ARM BOLT	6F6410A04251	OVS0166				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	PITCH CONTROL ARM BOLT	6F6410A04251	OVS0167				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	PITCH CONTROL ARM BOLT	6F6410A04251	OVS0168				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	PITCH CONTROL ARM BOLT	6F6410A04251	OVS0173				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	PITCH CONTROL ARM BOLT	6F6410A04251	OVS0174				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
RL64-03	FLOATING BUSHING	6F6430A01551	NRB8142				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	FLOATING BUSHING	6F6430A01551	NRB8143				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	FLOATING BUSHING	6F6430A01551	NRB8144				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
RL64-04	PITCH CONTROL ARM	6F6410A02831	CCB0082				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	PITCH CONTROL ARM	6F6410A02831	CCB0083				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	PITCH CONTROL ARM	6F6410A02831	CCB0084				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
RL64-05	TORQUE RETENTION BOLT	6F6420A02351	REC1966				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	TORQUE RETENTION BOLT	6F6420A02351	REC1967				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	TORQUE RETENTION BOLT	6F6420A02351	REC1968				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	TORQUE RETENTION BOLT	6F6420A02351	REC1969				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	TORQUE RETENTION BOLT	6F6420A02351	REC1970				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
	TORQUE RETENTION BOLT	6F6420A02351	REC1971				3000FH	0	0		0	0	29-sep-16	173,3	424	2092	3000			2826,7		
RL64-06	PITCH LINK LOWER BOLT	6F6430L00452	PPG0076				5300FH	0	0		0	0	29-sep-16	173,3	424	2092	5300			5126,7		
	PITCH LINK LOWER BOLT	6F6430L00452	PPG0077				5300FH	0	0		0	0	29-sep-16	173,3	424	2092	5300			5126,7		
	PITCH LINK LOWER BOLT	6F6430L00452	PPG0078				5300FH	0	0		0	0	29-sep-16	173,3	424	2092	5300			5126,7		
RL64-07	TAIL ROTOR HUB ASSY	6F6420A00332	BAT5645				9700FH	0	0		0	0	29-sep-16	173,3	424	2092	9700			9526,7		

CODE	DESCRIPTION	P/N	S/N	ACTION			SERVICE LIFE	TIME @ INSTALL.			LAST COMPLIANCE WITH			TIME SINCE LAST C/W			NEXT COMPLIANCE			REMAINING		
				I	R	O/H		HS	LDG	MO	HS	LDG	DATE	HS	LDG	DAYS	HS	LDG	DATE	HS	LDG	DAYS
RL64-08	BOLT CONICAL RING	6F6420A01251	LAC2841				9700FH	0	0		0	0	29-sep-16	173,3	424	2092	9700			9526,7		
	BOLT CONICAL RING	6F6420A01251	LAC2842				9700FH	0	0		0	0	29-sep-16	173,3	424	2092	9700			9526,7		
	BOLT CONICAL RING	6F6420A01251	LAC2843				9700FH	0	0		0	0	29-sep-16	173,3	424	2092	9700			9526,7		
	BOLT CONICAL RING	6F6420A01251	LAC2844				9700FH	0	0		0	0	29-sep-16	173,3	424	2092	9700			9526,7		
	BOLT CONICAL RING	6F6420A01251	LAC2845				9700FH	0	0		0	0	29-sep-16	173,3	424	2092	9700			9526,7		
	BOLT CONICAL RING	6F6420A01251	LAC2846				9700FH	0	0		0	0	29-sep-16	173,3	424	2092	9700			9526,7		
	BOLT CONICAL RING	6F6420A01251	LAC2847				9700FH	0	0		0	0	29-sep-16	173,3	424	2092	9700			9526,7		
	BOLT CONICAL RING	6F6420A01251	LAC2848				9700FH	0	0		0	0	29-sep-16	173,3	424	2092	9700			9526,7		
RL64-09	LOCKING NUT	6F6420A01051	LAC0686				9700FH	0	0		0	0	29-sep-16	173,3	424	2092	9700			9526,7		
RL64-10	TAIL ROTOR BLADE BOLT	6F6420L00951	PPF0094				8500FH	0	0		0	0	29-sep-16	173,3	424	2092	8500			8326,7		
	TAIL ROTOR BLADE BOLT	6F6420L00951	PPF0095				8500FH	0	0		0	0	29-sep-16	173,3	424	2092	8500			8326,7		
	TAIL ROTOR BLADE BOLT	6F6420L00951	PPF0096				8500FH	0	0		0	0	29-sep-16	173,3	424	2092	8500			8326,7		
RL64-11	DAMPER CONNECTION BOLT	6F6420L00551	PPG0010				8500FH	0	0		0	0	29-sep-16	173,3	424	2092	8500			8326,7		
	DAMPER CONNECTION BOLT	6F6420L00551	PPG0011				8500FH	0	0		0	0	29-sep-16	173,3	424	2092	8500			8326,7		
	DAMPER CONNECTION BOLT	6F6420L00551	PPG0012				8500FH	0	0		0	0	29-sep-16	173,3	424	2092	8500			8326,7		
	DAMPER CONNECTION BOLT	6F6420L00551	PPG0013				8500FH	0	0		0	0	29-sep-16	173,3	424	2092	8500			8326,7		
	DAMPER CONNECTION BOLT	6F6420L00551	PPG0015				8500FH	0	0		0	0	29-sep-16	173,3	424	2092	8500			8326,7		
	DAMPER CONNECTION BOLT	6F6420L00551	PPG0016				8500FH	0	0		0	0	29-sep-16	173,3	424	2092	8500			8326,7		
	DAMPER CONNECTION BOLT	6F6420L00551	PPG0017				8500FH	0	0		0	0	29-sep-16	173,3	424	2092	8500			8326,7		
	DAMPER CONNECTION BOLT	6F6420L00551	PPG0018				8500FH	0	0		0	0	29-sep-16	173,3	424	2092	8500			8326,7		
	DAMPER CONNECTION BOLT	6F6420L00551	PPG0019				8500FH	0	0		0	0	29-sep-16	173,3	424	2092	8500			8326,7		
	DAMPER CONNECTION BOLT	6F6420L00551	PPG0020				8500FH	0	0		0	0	29-sep-16	173,3	424	2092	8500			8326,7		
	DAMPER CONNECTION BOLT	6F6420L00551	PPG0021				8500FH	0	0		0	0	29-sep-16	173,3	424	2092	8500			8326,7		
	DAMPER CONNECTION BOLT	6F6420L00551	PPG0022				8500FH	0	0		0	0	29-sep-16	173,3	424	2092	8500			8326,7		
RL64-12	PITCH LINK ELASTOMERIC LOWER ROD END	6F6430V00152					13000 FH															
RL64-13	PITCH LINK ELASTOMERIC UPPER ROD END	6F6430V00252					13000 FH															
RL64-14	PITCH LINK ELASTOMERIC LOWER ROD END	6F6430V00151	LK0132				19000FH	0	0		0	0	29-sep-16	173,3	424	2092	19000			18826,7		
	PITCH LINK ELASTOMERIC LOWER ROD END	6F6430V00151	LK0147				19000FH	0	0		0	0	29-sep-16	173,3	424	2092	19000			18826,7		
	PITCH LINK ELASTOMERIC LOWER ROD END	6F6430V00151	LK0152				19000FH	0	0		0	0	29-sep-16	173,3	424	2092	19000			18826,7		
RL64-15	PITCH LINK ELASTOMERIC UPPER ROD END	6F6430V00251	LK0108				19000FH	0	0		0	0	29-sep-16	173,3	424	2092	19000			18826,7		
	PITCH LINK ELASTOMERIC UPPER ROD END	6F6430V00251	LK0111				19000FH	0	0		0	0	29-sep-16	173,3	424	2092	19000			18826,7		
	PITCH LINK ELASTOMERIC UPPER ROD END	6F6430V00251	LK0129				19000FH	0	0		0	0	29-sep-16	173,3	424	2092	19000			18826,7		
RL64-16	PITCH LINK SLEEVE	6F6430A00751	NRB2980				20000FH	0	0		0	0	29-sep-16	173,3	424	2092	20000			19826,7		
	PITCH LINK SLEEVE	6F6430A00751	NRB8850				20000FH	0	0		0	0	29-sep-16	173,3	424	2092	20000			19826,7		
	PITCH LINK SLEEVE	6F6430A00751	NRB8854				20000FH	0	0		0	0	29-sep-16	173,3	424	2092	20000			19826,7		
RL64-17	SLIDING CONTROL BOLT	6F6430L00651	PPG0016				20300FH	0	0		0	0	29-sep-16	173,3	424	2092	20300			20126,7		
	SLIDING CONTROL BOLT	6F6430L00651	PPG0017				20300FH	0	0		0	0	29-sep-16	173,3	424	2092	20300			20126,7		
	SLIDING CONTROL BOLT	6F6430L00651	PPG0018				20300FH	0	0		0	0	29-sep-16	173,3	424	2092	20300			20126,7		
	SLIDING CONTROL BOLT	6F6430L00651	PPG0019				20300FH	0	0		0	0	29-sep-16	173,3	424	2092	20300			20126,7		
RL64-18	LOWER HALF SCISSOR	6F6430A00431	LAC0110				7000FH	0	0		0	0	29-sep-16	173,3	424	2092	7000			6826,7		
	LOWER HALF SCISSOR	6F6430A00431	LAC0111				7000FH	0	0		0	0	29-sep-16	173,3	424	2092	7000			6826,7		

CODE	DESCRIPTION	P/N	S/N	ACTION			SERVICE LIFE	TIME @ INSTALL.			LAST COMPLIANCE WITH			TIME SINCE LAST C/W			NEXT COMPLIANCE			REMAINING		
				I	R	O/H		HS	LDG	MO	HS	LDG	DATE	HS	LDG	DAYS	HS	LDG	DATE	HS	LDG	DAYS
RL64-19	HALF SCISSOR LONG BOLT	6F6430L00851	PPF0045				13800FH	0	0		0	0	29-sep-16	173,3	424	2092	13800			13626,7		
	HALF SCISSOR LONG BOLT	6F6430L00851	PPF0046				13800FH	0	0		0	0	29-sep-16	173,3	424	2092	13800			13626,7		
	HALF SCISSOR LONG BOLT	6F6430L00851	PPF0047				13800FH	0	0		0	0	29-sep-16	173,3	424	2092	13800			13626,7		
	HALF SCISSOR LONG BOLT	6F6430L00851	PPF0048				13800FH	0	0		0	0	29-sep-16	173,3	424	2092	13800			13626,7		
RL64-20	DELETED																					
RL64-21	DAMPER AND DAMPER LINK ASSY	6F6420V00431	LK0217				2600FH	0	0		0	0	29-sep-16	173,3	424	2092	2600			2426,7		
	DAMPER AND DAMPER LINK ASSY	6F6420V00431	LK0230				2600FH	0	0		0	0	29-sep-16	173,3	424	2092	2600			2426,7		
	DAMPER AND DAMPER LINK ASSY	6F6420V00431	LK0237				2600FH	0	0		0	0	29-sep-16	173,3	424	2092	2600			2426,7		
RL64-22	DAMPER LINK ATTACHMENT	6F6410A03131	LAD0162				11000FH	0	0		0	0	29-sep-16	173,3	424	2092	11000			10826,7		
	DAMPER LINK ATTACHMENT	6F6410A03131	LAD0164				11000FH	0	0		0	0	29-sep-16	173,3	424	2092	11000			10826,7		
	DAMPER LINK ATTACHMENT	6F6410A03131	LAD0166				11000FH	0	0		0	0	29-sep-16	173,3	424	2092	11000			10826,7		
RL64-23	TAIL ROTOR DAMPER FLOATING BUSHING	6F6420A01351	NRB8086				11000FH	0	0		0	0	29-sep-16	173,3	424	2092	11000			10826,7		
	TAIL ROTOR DAMPER FLOATING BUSHING	6F6420A01351	NRB8118				11000FH	0	0		0	0	29-sep-16	173,3	424	2092	11000			10826,7		
	TAIL ROTOR DAMPER FLOATING BUSHING	6F6420A01351	NRB8119				11000FH	0	0		0	0	29-sep-16	173,3	424	2092	11000			10826,7		
RL64-24	DELETED																					
RL64-25	TAIL ROTOR ELASTOMERIC SPHERICAL BEARING	6F6420V00152	132				86600L	0	0		0	0	29-sep-16	173,3	424	2092		86600			86176	
	TAIL ROTOR ELASTOMERIC SPHERICAL BEARING	6F6420V00152	150				86600L	0	0		0	0	29-sep-16	173,3	424	2092		86600			86176	
	TAIL ROTOR ELASTOMERIC SPHERICAL BEARING	6F6420V00152	152				86600L	0	0		0	0	29-sep-16	173,3	424	2092		86600			86176	
RL64-26	BEARING FLANGE	6F6430A01432	NRB2856				39800FH	0	0		0	0	29-sep-16	173,3	424	2092	39800			39626,7		
RL64-27	TAIL ROTOR SPIDER ASSY	6F6430A00232	BAU2084				29200FH	0	0		0	0	29-sep-16	173,3	424	2092	29200			29026,7		
RL64-28	UPPER HALF SCISSOR	6F6430A00332	LAC1823				7000FH	0	0		0	0	29-sep-16	173,3	424	2092	7000			6826,7		
	UPPER HALF SCISSOR	6F6430A00332	LAC1824				7000FH	0	0		0	0	29-sep-16	173,3	424	2092	7000			6826,7		
RL64-29	TAIL ROTOR ELASTOMERIC SPHERICAL BEARING	6F6420V00151					42800 L															
RL64-30	CONTROL ROD NUT	4F6430L00751					40000FH	0	0		0	0	29-sep-16	173,3	424	2092	40000			39826,7		
RL65-01	TAIL ROTOR GEARBOX SHAFT	6F6522A00631	MCA0777				100000L	0	0		0	0	29-sep-16	173,3	424	2092		100000			99576	
RL65-02	TAIL ROTOR GEARBOX INPUT HOUSING ASSY	6F6522A00331	V65				11200FH	0	0		0	0	29-sep-16	173,3	424	2092	11200			11026,7		
RL65-03	TAIL ROTOR GEARBOX CENTER HOUSING ASSY	6F6522A00231	205				11200FH	0	0		0	0	29-sep-16	173,3	424	2092	11200			11026,7		
RL65-04	TAIL ROTOR GEARBOX OUTPUT HOUSING ASSY	6F6522A00451	189				13600FH	0	0		0	0	29-sep-16	173,3	424	2092	13600			13426,7		
RL65-05	INTERMEDIATE GEARBOX INPUT HOUSING ASSY	6F6521A00332	V55				8150FH	0	0		0	0	29-sep-16	173,3	424	2092	8150			7976,7		
RL65-06	INTERMEDIATE GEARBOX CENTER HOUSING ASSY	6F6521A00231	86				8150FH	0	0		0	0	29-sep-16	173,3	424	2092	8150			7976,7		
RL65-07	INTERMEDIATE GEARBOX OUTPUT HOUSING ASSY	6F6521A00432	V34				8150FH	0	0		0	0	29-sep-16	173,3	424	2092	8150			7976,7		
RL65-08	INTERMEDIATE GEARBOX INPUT PINION	6F6521A00551	BAT0477				1000FH	0	0		0	0	29-sep-16	173,3	424	2092	1000			826,7		
RL67-01	PILOT COLLECTIVE STICK TUBE ASSY	6F6711A07832	PLY0038				1250FH	0	0		0	0	29-sep-16	173,3	424	2092	1250			1076,7		
RL67-02	CO-PILOT COLLECTIVE UPPER STICK TUBE ASSY	6F6711A08031	PLY00030				6300FH	0	0		0	0	29-sep-16	173,3	424	2092	6300			6126,7		
RL67-03	CO-PILOT COLLECTIVE LOWER STICK TUBE ASSY	6F6711A08131	PLY00031				6300FH	0	0		0	0	29-sep-16	173,3	424	2092	6300			6126,7		

CODE	DESCRIPTION	P/N	S/N	ACTION			SERVICE LIFE	TIME @ INSTALL.			LAST COMPLIANCE WITH			TIME SINCE LAST C/W			NEXT COMPLIANCE			REMAINING		
				I	R	O/H		HS	LDG	MO	HS	LDG	DATE	HS	LDG	DAYS	HS	LDG	DATE	HS	LDG	DAYS
RL67-04	PILOT AND CO-PILOT CYCLIC STICK TUBE ASSY	6F6712A09431	PLY00057				6300FH	0	0		0	0	29-sep-16	173,3	424	2092	6300			6126,7		
	PILOT AND CO-PILOT CYCLIC STICK TUBE ASSY	6F6712A09431	PLY0110				6300FH	0	0		0	0	29-sep-16	173,3	424	2092	6300			6126,7		
RL71-01	POWER PLANT FITTING BOLT LH/RH	AW004TB04-012C	QTY 12				DELETED															
69-A-AMPI-00-P / TABLE 2 - DISCARD TIME - LIST OF COMPONENTS (69-A-05-13-00-00A-028A-A)																						
DT23-01	SATCOM ISAT 200 BATTERY PACK	STS0061				5Y FROM MFG DATE	0	0		REQUIREMENT DELETED BY REV DATED 15-12-2020												
DT25-01	BATTERY PACK - ELT	452-0133	367829-068			HT	0	0		158,5	373	16-nov-20	14,8	51	583			30-sep-25			1196	
DT25-02	SYSTEM INTERFACE UNIT (SIU) BATTERY	A01011				EXP. DATE OF BATT. PACK / 1Y	0	0		NOT APPLICABLE / EQUIPMENT NOT INSTALLED - KIT K008 ELT DEPLOYABLE (ADELT)												
DT25-03	BEACON BATTERY (NOTE: PART OF THE CRASH POSITION INDICATOR BEACON P/N 503-16GPS)	936				HT	0	0		NOT APPLICABLE / EQUIPMENT NOT INSTALLED - KIT K008 ELT DEPLOYABLE (ADELT)												
DT25-04	HOIST CABLE CUTTER CARTRIDGE	42315-281				5Y FROM MFG DATE	0	0		NOT APPLICABLE / HOIST NOT INSTALLED												
DT25-05	WINCHMAN HARNESS	AMTC-H1037-BL				7Y IN SERV. / 10Y FROM MFG	0	0		NOT APPLICABLE / EQUIPMENT NOT INSTALLED												
DT25-06	CARGO HOOK PRESSURE CARTRIDGE	FE-7590-95				5Y FROM INST / 13Y FROM MFG	0	0		NOT APPLICABLE / EQUIPMENT NOT INSTALLED												
DT25-07	STRETCHER RESTRAINT HARNESS AND LEG BELT	CI-1010-123-01				12Y FROM MFG	0	0		NOT APPLICABLE / EQUIPMENT NOT INSTALLED												
DT25-08	STRETCHER SAFETY HARNESS	937-0221823-001				8Y FROM MFG	0	0		NOT APPLICABLE / EQUIPMENT NOT INSTALLED												
DT25-09	STRETCHER SAFETY ROPE	937-0221822-001				8Y FROM MFG	0	0		NOT APPLICABLE / EQUIPMENT NOT INSTALLED												
DT26-01	FIRE BOTTLES CARTRIDGE - TOP	30903914-1	2813			10Y IN SERV. / 15Y FROM MFG	0	0		0	0	29-sep-16	173,3	424	2092			30-sep-26			1561	
DT26-01	FIRE BOTTLES CARTRIDGE - TOP	30903914-1	2820			10Y IN SERV. / 15Y FROM MFG	0	0		0	0	29-sep-16	173,3	424	2092			30-sep-26			1561	
DT26-01	FIRE BOTTLES CARTRIDGE - BOTTOM	30903915-1	2819			10Y IN SERV. / 15Y FROM MFG	0	0		0	0	29-sep-16	173,3	424	2092			30-sep-26			1561	
DT26-01	FIRE BOTTLES CARTRIDGE - BOTTOM	30903915-1	2834			10Y IN SERV. / 15Y FROM MFG	0	0		0	0	29-sep-16	173,3	424	2092			30-sep-26			1561	
DT26-02	PORTABLE FIRE EXTINGUISHERS (MFG P/N BA23792-5)	AW003ZE02	08-2015 / 00592			10Y FROM MFG DATE	0	0		0	0	31-ago-15	173,3	424	2487			31-ago-25			1166	
DT26-02	PORTABLE FIRE EXTINGUISHERS (MFG P/N BA23792-5)	AW003ZE02	11-2015 / 00672			10Y FROM MFG DATE	0	0		0	0	30-nov-15	173,3	424	2396			30-nov-25			1257	
DT26-03	PORTABLE FIRE EXTINGUISHERS (P/N A344 SUPPLIED BY H3R AVIATION)	A344				6Y FROM MFG DATE	0	0		NOT APPLICABLE / EQUIPMENT NOT INSTALLED												
DT26-04	PORTABLE FIRE EXTINGUISHERS (P/N P3APP003010A & P3APP003010D SUPPLIED BY P3 HAFEX)	P3APP003010A P3APP003010D				12Y FROM MFG DATE	0	0		NOT APPLICABLE / EQUIPMENT NOT INSTALLED												
DT31-01	UNDERWATER LOCATOR BEACON BATTERY	810-2008/K	ST69054			HT	0	0		158,5	373	16-nov-20	14,8	51	583			30-nov-26			1622	
	EMERGENCY BATTERY PACK - EPSU (SIRIO PANEL S.P.A.)	4F3350V00251	S13018140			O/C	0	0		LIFE LIMIT NOT ESTABLISHED FOR THIS P/N												
DT33-01	BATTERY PACK - EMERGENCY POWER SUPPLY (EPSU)	726-0457/01	S21124009			3Y FROM MFG DATE	173,3	424	22-jun-22	94	223	22-jun-22	79,3	201	0			1-oct-24			832	

CODE	DESCRIPTION	P/N	S/N	ACTION			SERVICE LIFE	TIME @ INSTALL.			LAST COMPLIANCE WITH			TIME SINCE LAST C/W			NEXT COMPLIANCE			REMAINING		
				I	R	O/H		HS	LDG	MO	HS	LDG	DATE	HS	LDG	DAYS	HS	LDG	DATE	HS	LDG	DAYS
DT33-02	BATTERY PACK - HEELS (HELICOPTER EMERGENCY EGRESS LIGHTING SYSTEM)	3G3350V00151					EXP. DATE OF BATT. PACK / 3Y FROM MFG DATE	0	0		NOT APPLICABLE / EQUIPMENT NOT INSTALLED - KIT K056 HEELS											
DT34-01	EMERGENCY POWER SUPPLY BATTERY - EISI (KIT K248 EMERG. BATT. FOR ADI STDBY)	MD835-1					10Y FROM MFG DATE	0	0		NOT APPLICABLE / EQUIPMENT NOT INSTALLED - KIT K248 OR K345 EISI											
DT56-01	COCKPIT DOORS EMERGENCY EXIT WINDOW SEALS, FILLER WEDGES AND PULL TABS	A417AG002WB (QTY 2) / A417AF001WB (QTY 3) / 8G9500L00151 / 8G9500L00251	NSN				2Y	0	0		157,9	371	2-oct-20	15,4	53	628			31-oct-22			131
DT56-02	CABIN EMERGENCY EXIT WINDOW SEALS, FILLER WEDGES AND PULL TABS	A417AG002WB24 02 (QTY 4) / A417AG002WB24 61 (QTY 2) / A417AF001WB24 02 (QTY 4) / A417AF001WB24 61 (QTY 4) / 8G9500L00151 (QTY 6) / 8G9500L00251 (QTY 6) / 6F5630A08951 6F5630A09051 6F5630A09151 6F5630A09251 6F5630A09351	NSN				2Y	0	0		157,9	371	2-oct-20	15,4	53	628			31-oct-22			131
DT64-01	TAIL ROTOR DUPLEX BEARING	MM6430V00151	20131				2400FH	158,5	373	29-dic-20	158,5	373	29-dic-20	14,8	51	540	2400			2226,7		
DT72-01	ENGINE #1 POWER TURBINE BLADES PT1	30M5191-01 / 30M5391-01					12000 CY	0	0		0	0		173,3	331	44734		12000			11669	
DT72-01	ENGINE #2 POWER TURBINE BLADES PT1	30M5191-01 / 30M5391-01					12000 CY	0	0		0	0		173,3	309	44734		12000			11691	
DT72-02	ENGINE #1 POWER TURBINE BLADES PT2	30M5182-01 / 30M5382-01					12000 CY	0	0		0	0		173,3	331	44734		12000			11669	
DT72-02	ENGINE #2 POWER TURBINE BLADES PT2	30M5182-01 / 30M5382-01					12000 CY	0	0		0	0		173,3	309	44734		12000			11691	
DT73-01	ENGINE FUEL FILTER ELEMENT	SEE EMM					900FH	0	0		0	0		173,3	424	44734	900			726,7		
DT79-01	ENGINE OIL FILTER ELEMENT	SEE EMM					900FH	0	0		0	0		173,3	424	44734	900			726,7		
DT95-01	EMERGENCY FLOAT GAS CYLINDER (NOTE: COMPONENT IS PART OF THE INFLATION SYSTEM P/N 6F9560V00551)	P-F20014					15Y FROM MFG DATE				NOT APPLICABLE / EQUIPMENT NOT INSTALLED											
DT95-02	LIFERAFT GAS CYLINDER	44065001					15Y FROM MFG DATE				NOT APPLICABLE / EQUIPMENT NOT INSTALLED											
DT95-03	LIFERAFT LIGHT SYSTEM BATTERY PACK	11051009					5Y FROM MFG DATE				NOT APPLICABLE / EQUIPMENT NOT INSTALLED											
DT95-04	LIFERAFT ELT BATTERY PACK	A0696Y					5Y FROM MFG DATE				NOT APPLICABLE / EQUIPMENT NOT INSTALLED											

AW169, S/N 69025, Reg # LV-GYK

T. Time:	173,3
Ldg:	424
Date:	22-jun-22

E#1 TT:	177,9
E#1 TC:	331
E#2 TT:	173,3
E#2 TC:	309

Y	YEARS
HL	HOIST LIFTS
L	LANDINGS
FH	FLIGHT HOURS

CODE	DESCRIPTION	P/N	S/N	ACTION			INTERV.	LAST COMPLIANCE WITH			TIME SINCE LAST C/W			NEXT COMPLIANCE			REMAINING		
				I	R	O/H		HS	LDG	DATE	HS	LDG	DAYS	HS	LDG	DATE	HS	LDG	DAYS
ALTIMETERS / TRANSPONDERS / W&B																			
91,413	TRANSPONDER MODE S	622-9210-551	4RT34				24 MO	158,5	373	29-dic-20	14,8	51	540			31-dic-22			192
91,411	AIR DATA MODULE ADAHRS	822-3028-003	149				24 MO	158,5	373	29-dic-20	14,8	51	540			31-dic-22			192
91,411	AIR DATA MODULE ADAHRS	822-3028-003	172				24 MO	158,5	373	29-dic-20	14,8	51	540			31-dic-22			192
91,411	ATTITUDE DIRECTOR INDICATOR (ADI) STANDBY	9200-34410-0501	1514				24 MO	158,5	373	29-dic-20	14,8	51	540			31-dic-22			192
	WEIGHT & BALANCE	N/A	N/A				36 MO	134	319	13-dic-19	39,3	105	922			12-dic-22			173
69-A-AMPI-00-P / TABLE 2 - MANDATORY INSPECTIONS - LIST OF AFFECTED PARTS (69-A-04-20-00-00A-028A-A)																			
MI18-01	ACTIVE VIBRATION CONTROL (AVCS)						435FH				173,3	424	44734	435			261,7		
MI25-01	HOIST CABLE						AFTER LAST FLIGHT OF THE	NOT APPLICABLE - HOIST NOT INSTALLED											
MI25-02	RESCUE D-LOCK HOOK AND SLIDE-LOCK HOOK						DAILY	NOT APPLICABLE - HOIST NOT INSTALLED											
MI25-03	HOIST MOUNT FWD/REAR FITTING ASSY						626HL	NOT APPLICABLE - HOIST NOT INSTALLED											
MI25-04	HOIST GR, FWD/REAR FITTING ASSY						626HL	NOT APPLICABLE - HOIST NOT INSTALLED											
MI25-05	HOIST MOUNT ASSY						626HL	NOT APPLICABLE - HOIST NOT INSTALLED											
MI25-06	CRITICAL JOINTS (4 BOLTS AND 4 SPIGOTS)						626HL	NOT APPLICABLE - HOIST NOT INSTALLED											
MI25-07	FRAME, FWD RH BUTSTRAP, UPPER						626HL	NOT APPLICABLE - HOIST NOT INSTALLED											
MI53-01	FWD CROSSBEAMS AND THEIR ATTACHMENT AREAS TO FRAMES AND LONGERONS; FRAME STA3655; FRAME STA3528 (UPPER DECK AREA); FRAME ANTI-TORQUE AND ITS ATTACHMENTS						600FH				173,3	424	44734	600			426,7		
MI53-02	FRAME STA3528AND ITS ATTACHMENT (CABIN AREA)						600FH				173,3	424	44734	600			426,7		
MI53-03	AFT CROSSBEAM STA5525 AND ITS ATTACHMENT AREAS TO STIFFENERS, FRAMES AND LONGERONS; FRAME STA5470 (UPPER DECK AREA); TILT LONGERONS (UPPER DECK AREA); STIFFENERS						435FH				173,3	424	44734	435			261,7		
MI53-04	FRAME STA5470 AND ITS ATTACHMENT AREA (CABIN AREA); TILT LONGERONS (CABIN AREA / REAR FUSELAGE AREA); OMEGA						435FH				173,3	424	44734	435			261,7		
MI53-05	ENGINE RODS AND THEIR ATTACHMENTS TO THE CABIN (CABIN AREA)						450FH				173,3	424	44734	450			276,7		
MI53-06	ENGINE RODS AND THEIR ATTACHMENTS TO THE CABIN (UPPER DECK AREA)						450FH				173,3	424	44734	450			276,7		
MI53-07	NLG BACK-UP STRUCTURE						1814L				173,3	424	44734		1814			1390	
MI53-08	MLG BACK-UP STRUCTURE						2603L				173,3	424	44734		2603			2179	
MI53-09	MAIN LONGERONS; TAIL UNIT; REAR TO TAIL JUNCTION (REAR AND TAIL SPARS, AND EXTERNAL SKIN)						500FH				173,3	424	44734	500			326,7		
MI53-10	MAIN LONGERONS; TAIL UNIT; REAR TO TAIL JUNCTION (REAR TO TAIL JUNCTION VISIBLE PARTS, AND TAIL STRUCTURE JOINTS EXTERNAL SIDE)						500FH				173,3	424	44734	500			326,7		
MI53-11	TAIL UNIT (TAIL CONE IN FWD AND FIN AREAS						500FH				173,3	424	44734	500			326,7		

CODE	DESCRIPTION	P/N	S/N	ACTION			INTERV.	LAST COMPLIANCE WITH			TIME SINCE LAST C/W			NEXT COMPLIANCE			REMAINING		
				I	R	O/H		HS	LDG	DATE	HS	LDG	DAYS	HS	LDG	DATE	HS	LDG	DAYS
MI53-12	TAIL UNIT TGB AND IGB (METALLIC PARTS)						834FH				173,3	424	44734	834			660,7		
MI55-01	TAIL PLANE (COMPOSITE CENTRAL BOX)						600FH				173,3	424	44734	600			426,7		
MI62-01	MAIN ROTOR BLADE ASSY						400FH				173,3	424	44734	400			226,7		
MI62-02	MAIN ROTOR ELASTOMERIC BEARING (METALLIC PART)						7700FH				173,3	424	44734	7700			7526,7		
MI62-03	MAIN ROTOR ELASTOMERIC BEARING (ELASTOMERIC PART)						300FH				173,3	424	44734	300			126,7		
MI62-04	MAIN ROTOR PITCH CONTROL LEVER ASSY (INSP)						600FH				173,3	424	44734	600			426,7		
MI62-05	MAIN ROTOR PITCH CONTROL LEVER ASSY (FC)						600FH				173,3	424	44734	600			426,7		
MI62-06	ROTATING SWASHPLATE OUTER LOCKING RING AND BOLTS (NSP)						1200FH				173,3	424	44734	1200			1026,7		
MI62-07	ROTATING SWASHPLATE OUTER LOCKING RING AND BOLTS (FC)						1200FH				173,3	424	44734	1200			1026,7		
MI62-08	MAIN ROTOR DAMPER BODY ASSY						200FH	158,5	373	29-dic-20	14,8	51	540	358,5			185,2		
MI62-09	MAIN ROTOR DAMPER LINK ASSY						133FH	158,5	373	29-dic-20	14,8	51	540	291,5			118,2		
MI62-10	MAIN ROTOR ROTATING SCISSOR ASSY AND SCISSOR ATTACHMENT FLANGE ASSY						308FH				173,3	424	44734	308			134,7		
MI62-11	MAIN ROTOR DAMPER BODY ASSY (NOTE: INSPECTION REQUIREMENT APPLICABLE TO MAIN DAMPER BODY ASSY P/N 6F6220V00352 WHEN 1240FH ARE REACHED)						220FH				173,3	424	44734	1240			1066,7		
MI63-01	BEAM ANTI-TORQUE ASSY (NOTE: APPLICABLE TO P/N 6F6330A00631 ONLY)						4000FH				173,3	424	44734	4000			3826,7		
MI63-02	BEAM ANTI-TORQUE ASSY (NOTE: APPLICABLE TO P/N 6F6330A00632 ONLY)						6200FH				173,3	424	44734	6200			6026,7		
MI64-01	TAIL ROTOR BLADE ASSY						100FH	DELETED PER AMPI REVISION DATED 06-JULY-2018 (ISSUE 16)											
MI64-02	TAIL ROTOR PITCH LINK ELASTOMERIC UPPER AND LOWER ROD ENDS (NOTE: APPLICABLE TO P/N 6F6430A00631 ONLY)						225FH				173,3	424	44734	225			51,7		
MI64-03	TAIL ROTOR PITCH LINK ELASTOMERIC UPPER AND LOWER ROD ENDS (NOTE: APPLICABLE TO P/N 6F6430A00632 ONLY)						600FH				173,3	424	44734	600			426,7		
MI64-04	TAIL ROTOR DAMPER						62FH	158,5	373	29-dic-20	14,8	51	540	220,5			47,2		
MI64-05	TAIL ROTOR DAMPER LINK						55FH	158,5	373	29-dic-20	14,8	51	540	213,5			40,2		
MI64-06	TAIL ROTOR ELASTOMERIC SPHERICAL BEARING (APPLICABLE TO P/N 6F6420V00152, CURRENTLY INSTALLED - SEE RL64-25)						700FH				173,3	424	44734	300			126,7		
MI64-07	TAIL ROTOR ROTATING SCISSOR ASSY						509FH				173,3	424	44734	509			335,7		
MI64-08	TAIL ROTOR ELASTOMERIC SPHERICAL BEARING (APPLICABLE TO P/N 6F6420V00151, NOT INSTALLED - SEE RL64-29)						400FH	NOT APPLICABLE PER INSTALLED P/N											
69-A-AMPI-00-P / TABLE 2 - CERTIFICATION MAINTENANCE REQUIREMENTS (69-A-04-30-00-00A-028A-A)																			
CM18-01	ACTIVE VIBRATION CONTROL (AVCS) (NOTE: APPLICABLE ONLY TO AVCS P/N 6F1830F00211)						435FH				173,3	424	44734	435			261,7		
CM21-01	HEATING						3240FH				173,3	424	44734	3240			3066,7		
CM24-01	ELECTRICAL POWER GENERATION AND DISTRIBUTION SYSTEM						6000FH				173,3	424	44734	6000			5826,7		
CM25-01	RESCUE HOIST SYSTEM (OPS CHECK)						440FH	NOT APPLICABLE - HOIST NOT INSTALLED											
CM25-02	RESCUE HOIST SYSTEM (GENERAL VIS. INSP. OF CABLE)						440FH	NOT APPLICABLE - HOIST NOT INSTALLED											
CM25-03	RESCUE HOIST SYSTEM						440FH	NOT APPLICABLE - HOIST NOT INSTALLED											
CM25-04	RESCUE HOIST SYSTEM						3650FH	NOT APPLICABLE - HOIST NOT INSTALLED											
CM25-05	RESCUE HOIST SYSTEM						3650FH	NOT APPLICABLE - HOIST NOT INSTALLED											
CM25-06	RESCUE HOIST SYSTEM (F.CHECK OVERLOAD CLUTCH)						400HL / 6MO	NOT APPLICABLE - HOIST NOT INSTALLED											
CM25-07	RESCUE HOIST SYSTEM (LIFE LIMIT)						2600HL / 36MO	NOT APPLICABLE - HOIST NOT INSTALLED											
CM25-08	CARGO HOOK SYSTEM						2440FH	NOT APPLICABLE - CARGO HOOK NOT INSTALLED											
CM26-01	FIRE PROTECTION						5600FH				173,3	424	44734	5600			5426,7		

CODE	DESCRIPTION	P/N	S/N	ACTION			INTERV.	LAST COMPLIANCE WITH			TIME SINCE LAST C/W			NEXT COMPLIANCE			REMAINING		
				I	R	O/H		HS	LDG	DATE	HS	LDG	DAYS	HS	LDG	DATE	HS	LDG	DAYS
CM28-01	FUEL - OPS.CHECK OF THE FUEL TRANSFER PUMP						440FH				173,3	424	44734	440			266,7		
CM29-01	HYDRAULIC						840FH				173,3	424	44734	840			666,7		
CM29-02	HYDRAULIC						3240FH				173,3	424	44734	3240			3066,7		
CM29-03	HYDRAULIC						3240FH				173,3	424	44734	3240			3066,7		
CM29-04	HYDRAULIC						3240FH				173,3	424	44734	3240			3066,7		
CM29-05	HYDRAULIC						3240FH				173,3	424	44734	3240			3066,7		
CM29-06	HYDRAULIC						20000FH				173,3	424	44734	20000			19826,7		
CM32-01	RETRACTABLE LANDING GEAR						400FH				173,3	424	44734	400			226,7		
CM32-02	RETRACTABLE LANDING GEAR (applicable only to Landing Gear Control Module (LGCM) P/N 6F3230V01231)						400FH				173,3	424	44734	400			226,7		
CM32-03	RETRACTABLE LANDING GEAR						5000FH				173,3	424	44734	5000			4826,7		
CM46-01	SYSTEM INTEGRATION AND DISPLAY						440FH				173,3	424	44734	400			226,7		
CM46-02	SYSTEM INTEGRATION AND DISPLAY						440FH				173,3	424	44734	400			226,7		
CM67-01	ROTORS FLIGHT CONTROLS						840FH				173,3	424	44734	840			666,7		
CM67-02	ROTORS FLIGHT CONTROLS						840FH				173,3	424	44734	840			666,7		
CM71-01	ENGINE INSTALLATION (NOTE: REFER TO RFM FOR TASK PROCEDURE / FUNCTIONAL CHECK (POWER ASSURANCE CHECK) OF THE ENGINE)						25FH	158,5	373	29-dic-20	14,8	51	540	183,5			10,2		
69-A-AMPI-00-P / TABLE 2 - COMPONENT OVERHAUL (69-A-05-12-00-00A-028A-A)																			
CO21-01	COMPRESSOR PACK ASSY	6F2150V00153					600FH	NOT APPLICABLE - COMPRESSOR PACK ASSY P/N 6F2150V00155 INSTALLED											
CO21-02	COMPRESSOR PACK ASSY	6F2150V00154					200FH	NOT APPLICABLE - COMPRESSOR PACK ASSY P/N 6F2150V00155 INSTALLED											
	COMPRESSOR PACK ASSY	6F2150V00155	70834-00194				O/C	71	174	24-may-18	102,3	250	1490						
CO24-01	BRUSHLESS STARTER GENERATOR	6F2420V00151	257				3000FH	58,9	133	13-abr-18	114,4	291	1531	3058,9			2885,6		
CO24-01	BRUSHLESS STARTER GENERATOR	6F2420V00151	256				3000FH	79,1	201	7-ago-18	94,2	223	1415	3079,1			2905,8		
CO25-01	SYSTEM INTERFACE UNIT (SIU)	503-24-6-A					10Y	NOT APPLICABLE - KIT K008 (ADELT) NOT INSTALLED											
CO25-02	BEACON RELEASE UNIT	503-21					10Y	NOT APPLICABLE - KIT K008 (ADELT) NOT INSTALLED											
CO25-03	HOIST CORE	8G2591V00331					111 HOIST OP. HR / 10Y	NOT APPLICABLE - HOIST NOT INSTALLED											
CO25-04	CARGO HOOK (NOTE: COMPONENT WITHOUT PRESSURE CARTRIDGE ASSY INSTALLED)	3G2592V00651					5Y / 1500 EXT. LOAD CYCLES	NOT APPLICABLE - CARGO HOOK NOT INSTALLED											
CO32-01	NLG UP/DOWN LOCK ACTUATOR	6F3230V00631	000647				2000L			29-sep-16	173,3	424	2092		2000			1576	
CO32-02	LH MLG UP/DOWN LOCK ACTUATOR	6F3230V00931	000615				2000L				173,3	424	44734		2000			1576	
CO32-03	RH MLG UP/DOWN LOCK ACTUATOR	6F3230V01131	000632				2000L				173,3	424	44734		2000			1576	
CO32-04	NOSE LANDING GEAR STRUT ASSY	6F3220V00232	MN60				120000L			29-sep-16	173,3	424	2092		120000			119576	
CO32-05	LEFT MAIN LANDING GEAR STRUT	6F3210V00333	MN135				120000L	143,7	346	24-jul-20	29,6	78	698		120346			119922	
CO32-06	RIGHT MAIN LANDING GEAR STRUT	6F3210V00432	MN31				120000L			29-sep-16	173,3	424	2092		120000			119576	
CO32-07	NLG RETRACTING ACTUATOR	6F3230V00532	000710				2000L	58,9	133	13-abr-18	114,4	291	1531		2133			1709	
CO32-08	LEFT MLG RETRACTING ACTUATOR	6F3230V00832	000681				2000L			29-sep-16	173,3	424	2092		2000			1576	
CO32-09	RIGHT MLG RETRACTING ACTUATOR	6F3230V01032	000681				2000L			29-sep-16	173,3	424	2092		2000			1576	
CO62-01	MAIN ROTOR DAMPER BODY ASSY	6F6220V00352	LK0387				3600 FH			29-sep-16	173,3	424	2092	3600			3426,7		
	MAIN ROTOR DAMPER BODY ASSY	6F6220V00352	LK0408				3600 FH			29-sep-16	173,3	424	2092	3600			3426,7		
	MAIN ROTOR DAMPER BODY ASSY	6F6220V00352	LK0412				3600 FH			29-sep-16	173,3	424	2092	3600			3426,7		
	MAIN ROTOR DAMPER BODY ASSY	6F6220V00352	LK0424				3600 FH			29-sep-16	173,3	424	2092	3600			3426,7		
	MAIN ROTOR DAMPER BODY ASSY	6F6220V00352	LK0431				3600 FH			29-sep-16	173,3	424	2092	3600			3426,7		
CO63-01	MAIN GEARBOX (MGB)	6F6320A00132	25				6000FH			29-sep-16	173,3	424	2092	6000			5826,7		

CODE	DESCRIPTION	P/N	S/N	ACTION			INTERV.	LAST COMPLIANCE WITH			TIME SINCE LAST C/W			NEXT COMPLIANCE			REMAINING		
				I	R	O/H		HS	LDG	DATE	HS	LDG	DAYS	HS	LDG	DATE	HS	LDG	DAYS
CO63-02	DELETED																		
CO63-03	DELETED																		
CO63-04	MAIN GEARBOX (MGB) LUBRICATION PUMP	6F6320A32832	12				6000FH			29-sep-16	173,3	424	2092	6000			5826,7		
CO63-05	MAIN GEARBOX (MGB) COOLING FAN ASSY	6F6320A37732	16				6000FH			29-sep-16	173,3	424	2092	6000			5826,7		
	ROTOR BRAKE DISC	6F6351V00231	0025				5000FH			29-sep-16	173,3	424	2092	5000			4826,7		
	ROTOR BRAKE CALIPER ASSY	6F6352V00331	0027				5000FH			29-sep-16	173,3	424	2092	5000			4826,7		
CO65-01	INTERMEDIATE GEARBOX (IGB)	6F6521A00132	BAU4562				6000FH / 10Y			29-sep-16	173,3	424	2092	6000		30-sep-26	5826,7		1561
CO65-02	TAIL ROTOR GEARBOX (TGB)	6F6522A00131	BAU4511				6000FH / 10Y			29-sep-16	173,3	424	2092	6000		30-sep-26	5826,7		1561
CO67-01	MAIN ROTOR SERVO-ACTUATOR	6F6730V00431	243				5000FH			29-sep-16	173,3	424	2092	5000			4826,7		
	MAIN ROTOR SERVO-ACTUATOR	6F6730V00431	246				5000FH			29-sep-16	173,3	424	2092	5000			4826,7		
	MAIN ROTOR SERVO-ACTUATOR	6F6730V00431	548				5000FH			29-sep-16	173,3	424	2092	5000			4826,7		
CO67-02	MAIN ROTOR SERVO-ACTUATOR	6F6730V00131					1000FH												
CO67-03	TAIL ROTOR SERVO-ACTUATOR	6F6730V00332	408A				5000FH	158,5	373	29-dic-20	14,8	51	540	4987,1			4813,8		
CO72-01	PW210A ENGINE	30L1860-01					4000FH				SEE ENGINE STATUS								
CO95-01	EMERGENCY FLOAT INFLATION SYSTEMS	6F9560V00551					5Y FROM MFG OR LAST OH	NOT APPLICABLE - EQUIPMENT NOT INSTALLED											
CO95-02	LIFERAFT INFLATION SYSTEM	52559001 / 52559002 / 52559003					5Y FROM MFG OR LAST OH	NOT APPLICABLE - EQUIPMENT NOT INSTALLED											
CO95-03	LIFE JACKET	66601-105					10Y FROM MFG OR LAST OH	NOT APPLICABLE - EQUIPMENT NOT INSTALLED											
69-A-AMPI-00-P / TABLE 2 - MAINTENANCE TASKS OVERVIEW (69-A-05-21-00-00A-028A-A)																			
53-01	TORQUE CHECK - ONE OFF CHECK AFTER INSTALLATION: ALL REAR-TAIL JOINT CORNER HEXAGONAL SCREWS						5FH - 10FH	45,4	80	30-ago-17	127,9		1757						
62-01	TORQUE CHECK - ONE OFF CHECK AFTER INSTALLATION: MAIN ROTOR HUB RETAINING ASSEMBLY BOLTS						5FH - 10FH	158,5	373	29-dic-20	14,8	51	540	168,5			-4,8		
64-01	TORQUE CHECK - ONE OFF CHECK AFTER INSTALLATION: TAIL ROTOR HUB RETAINING BOLTS						5FH - 10FH	158,5	373	29-dic-20	14,8	51	540	168,5			-4,8		
62-34	FUNCTIONAL CHECK (TORQUE CHECK) OF THE DAMPER LINK TO THE INBOARD ATTACHMENT						5FH - 10FH												
62-35	FUNCTIONAL CHECK (DIMENSIONAL CHECK) BETWEEN THE ELASTOMER SURFACE OF THE DAMPER LINK ASSEMBLY AND THE INBOARD ATTACHMENT						5FH - 10FH												
72-07	ENGINE INSTALLATION (NOTE: REFER TO RFM FOR TASK PROCEDURE / FUNCTIONAL CHECK (POWER ASSURANCE CHECK) OF THE ENGINE)						25FH	158,5	373	29-dic-20	14,8	51	540	183,5			10,2		
71-08	SERVICING (DRAINING) OF THE ECOLOGIC TANKS: PERFORM DRAINING OF THE ECOLOGIC TANKS FOR POSSIBLE PRESENCE OF OIL						50FH	NOT APPLICABLE - ECOLOGIC TANK KIT NOT INSTALLED ON HELICOPTER S/N 69025											
	50 HOUR INSPECTION (AMPI 05-20, TASKS 29-01 / 53-44 / 62-36 / 63-01 / 65-01 / 65-02 / 72-02)						50FH	158,5	373	29-dic-20	14,8	51	540	208,5			35,2		
32-37	DET. INSPECTION OF VISIBLE PARTS OF THE UP/DOWN LOCK ACTUATOR PLUNGER OF NLG AND MLG						50FH / 30D	173,3	424	22-jun-22	0	0	0	223,3		22-jul-22	50		30
32-38	LUBRICATION OF THE UP/DOWN LOCK ACTUATOR PLUNGER OF NLG AND MLG						50FH / 30D	173,3	424	22-jun-22	0	0	0	223,3		22-jul-22	50		30

CODE	DESCRIPTION	P/N	S/N	ACTION			INTERV.	LAST COMPLIANCE WITH			TIME SINCE LAST C/W			NEXT COMPLIANCE			REMAINING		
				I	R	O/H		HS	LDG	DATE	HS	LDG	DAYS	HS	LDG	DATE	HS	LDG	DAYS
62-02	GVI OF THE MAIN ROTOR LAG DAMPER BODY						100 FH	158,5	373	29-dic-20	14,8	51	540	258,5			85,2		
67-16	FUNCTIONAL CHECK (FORCE MEASUREMENT) OF THE COLLECTIVE PITCH FLIGHT CONTROLS MOVEMENT						100 FH	158,5	373	29-dic-20	14,8	51	540	258,5			85,2		
	100 HR INSPECTION						100FH	NOT APPLICABLE - SEARCHLIGHT NOT INSTALLED ON HELICOPTER S/N 69025											
32-35	100 HR / 30 DAYS						100FH / 30D	NOT APPLICABLE - HELICOPTER LH MLG P/N 6F3210V00931 AND RH MLG P/N 6F3210V01031 (KITS 054 & 153 NOT INSTALLED ON HELICOPTER S/N 69025)											
	100 HR INSPECTION						100 FH	158,5	373	29-dic-20	14,8	51	540	258,5			85,2		
	200 HR INSPECTION						200FH	158,5	373	29-dic-20	14,8	51	540	358,5			185,2		
	200 HR / 1 YEAR INSPECTION						200FH / 1Y	173,3	424	22-jun-22	0	0	0	373,3		30-jun-23	200		373
	400 HR INSPECTION						400FH				173,3	424	44734	400			226,7		
	400 HR / 1 YEAR INSPECTION						400FH / 1Y	173,3	424	22-jun-22	0	0	0	573,3		30-jun-23	400		373
32-34	400 HR / 1 YEAR INSPECTION						400FH / 1Y	NOT APPLICABLE - KITS 054 & 153 NOT INSTALLED ON HELICOPTER S/N 69025											
	500 HR INSPECTION						500FH				173,3	424	44734	500			326,7		
	600 HR INSPECTION						600FH				173,3	424	44734	600			426,7		
	600 HR / 6 MONTH INSPECTION (SEARCHLIGHT & GIMBAL ASSY)						600FH / 6MO	NOT APPLICABLE - EQUIPMENT NOT INSTALLED											
	800 HR INSPECTION						800FH				173,3	424	44734	800			626,7		
67-14	FUNCT. CHECK (FORCE MEASUREMENT) OF MAIN ROTOR FIXED FLIGHT CONTROLS MOVEMENT (part of 800 hr package)						800FH				173,3	424	44734	800			626,7		
67-15	FUNCT. CHECK (FORCE MEASUREMENT) OF TAIL ROTOR FIXED FLIGHT CONTROLS MOVEMENT (part of 800 hr package)						800FH				173,3	424	44734	800			626,7		
	800 HR / 2 YEAR INSPECTION						800FH / 2Y	158,5	373	29-dic-20	14,8	51	540	958,5		31-dic-22	785,2		192
	1000 HR INSPECTION						1000FH				173,3	424	44734	1000			826,7		
	1200 HR INSPECTION						1200FH				173,3	424	44734	1200			1026,7		
	1200 HR / 1 YEAR INSPECTION						1200FH / 1Y	173,3	424	22-jun-22	0	0	0	1373,3		30-jun-23	1200		373
	1600 HR INSPECTION						1600FH				173,3	424	44734	1600			1426,7		
	1600 HR / 2 YEAR INSPECTION						1600FH / 2Y	158,5	373	29-dic-20	14,8	51	540	1758,5		31-dic-22	1585,2		192
	1600 HR / 4 YEAR INSPECTION						1600FH / 4Y	158,5	373	29-dic-20	14,8	51	540	1758,5		1-dic-24	1585,2		893
	2000 HR / 1 YEAR INSPECTION (DET. INSP. OF THE SIU SYSTEM)						2000FH / 1Y	NOT APPLICABLE - KIT K008 (ADELT) NOT INSTALLED											
	3200 HR INSPECTION						3200FH				173,3	424	44734	3200			3026,7		
	3200 HR / 4 YEAR INSPECTION						3200FH / 4Y	158,5	373	29-dic-20	14,8	51	540	3358,5		1-dic-24	3185,2		893
	3200 HR / 8 YEAR INSPECTION						3200FH / 8Y				173,3	424	2092	3200		30-sep-24	3026,7		831
	6400 HR INSPECTION						6400FH				173,3	424	44734	6400			6226,7		
	30 DAY INSPECTION (WINCHMAN HARNESS)						1MO	NOT APPLICABLE - EQUIPMENT NOT INSTALLED											
26-13	30 DAY INSPECTION OF H3R PORTABLE FIREX						1MO	NOT APPLICABLE - EQUIPMENT NOT INSTALLED											
	3 MONTH INSPECTION (HOOK ASSY)						3MO	NOT APPLICABLE - EQUIPMENT NOT INSTALLED											
	120 DAY INSPECTION (HOIST ASSY)						4MO	NOT APPLICABLE - EQUIPMENT NOT INSTALLED											
31-01 / 31-02	6 MONTH INSPECTION (CVR OPS CHECK / CVFDR ULB F.CHECK)						6MO	173,3	424	22-jun-22	0	0	0			31-dic-22			192
24-08	6 MONTH INSPECTION (GROUND FAULT INTERRUPTER - GFI)						6MO	NOT APPLICABLE - KITS K053 & K137 NOT INSTALLED											
	1 YEAR INSPECTION						1Y	173,3	424	22-jun-22	0	0	0			30-jun-23			373
25-03	1 YEAR INSPECTION (ADELT)						1Y	NOT APPLICABLE - KIT K008 (ADELT) NOT INSTALLED											
25-04	1 YEAR INSPECTION (ADELT)						1Y	NOT APPLICABLE - KIT K008 (ADELT) NOT INSTALLED											
25-05	1 YEAR INSPECTION (ADELT)						1Y	NOT APPLICABLE - KIT K008 (ADELT) NOT INSTALLED											

CODE	DESCRIPTION	P/N	S/N	ACTION			INTERV.	LAST COMPLIANCE WITH			TIME SINCE LAST C/W			NEXT COMPLIANCE			REMAINING			
				I	R	O/H		HS	LDG	DATE	HS	LDG	DAYS	HS	LDG	DATE	HS	LDG	DAYS	
25-47 / 25-48 / 95-02	1 YEAR INSPECTION (STRETCHER AND LIFERAFT)						1Y	NOT APPLICABLE - KITS NOT INSTALLED												
71-07	1 YEAR INSPECTION (ENGINE AIR PARTICLE SEPARATOR - EAPS)						1Y	NOT APPLICABLE - KIT K096 (EAPS) NOT INSTALLED												
	2 YEAR INSPECTION						2Y	158,5	373	29-dic-20	14,8	51	540			31-dic-22			192	
	30 MONTH INSPECTION (FLOAT INSTALLATION / LIFERAFT / LIFERAFT ELT)						30MO	NOT APPLICABLE - EQUIPMENT NOT INSTALLED												
	3 YEAR INSPECTION (AUTOMATIC DEPLOYABLE ELT - ADELTA)						3Y	NOT APPLICABLE - EQUIPMENT NOT INSTALLED												
	4 YEAR INSPECTION						4Y	158,5	373	29-dic-20	14,8	51	540			1-dic-24			893	
26-07	5 YEAR INSPECTION (HYDROTATIC TEST OF FIRE EXTINGUISHING BOTTLES)	3G2620V00131	72701B1				5Y	158,5	373	29-dic-20	14,8	51	540			31-dic-25			1288	
26-07	5 YEAR INSPECTION (HYDROTATIC TEST OF FIRE EXTINGUISHING BOTTLES)	3G2620V00131	72702B1				5Y	158,5	373	29-dic-20	14,8	51	540			31-dic-25			1288	
	6 YEAR INSPECTION						6Y				173,3	424	2092			30-sep-22			100	
	8 YEAR INSPECTION						8Y				173,3	424	2092			30-sep-24			831	
26-10	OP. CHECK OF THE FIRE EXTINGUISHING DISTRIBUTION PIPEWORK							FIRE BOTTLE REMOVAL	158,5	373	29-dic-20	14,8	51	540						
26-11	F.CHECK OF THE FIRE PROTECTION TEE CHECK VALVE (OFF ACFT)							FIRE BOTTLE REMOVAL	158,5	373	29-dic-20	14,8	51	540						
26-12	DET. INSP. OF THE FIRE DETECTION SENSOR IN ENGINE BAY							EACH ENGINE REMOVAL				173,3	424	44734						
63-24	DET. INSP. OF THE ENGINE / MGB COUPLING AND ENGINE INPUT DRIVE SHAFT							EACH ENGINE REMOVAL				173,3	424	44734						
71-04	DET. INSP. OF LH / RH INBD / OUTBD ENGINE MOUNT INSTALLATION							EACH ENGINE REMOVAL				173,3	424	44734						
71-05	PLAY CHECK OF THE SUPPORT ROD SPHERICAL BEARING							EACH ENGINE REMOVAL				173,3	424	44734						
65-31	DET. INSP. OF IGB ELASTOMERIC BUSHINGS							EACH IGB REMOVAL				173,3	424	44734						
32-32	DET. INSP. OF THE LG WHEEL ASSY							EACH TIRE REMOVAL				173,3	424	44734						
63-08	DET. INSP. OF THE ROTOR BRAKE DISC COVER AND ROTOR BRAKE CALLIPER ASSY (RBCA) FIXED FLANGE							EACH PADS REPLACEM.				173,3	424	44734						
63-09	TORQUE CHECK OF THE RBCA MOUNTING NUTS							EACH PADS REPLACEM.				173,3	424	44734						
63-10	THICKNESS MEASUREMENT OF ROTOR BRAKE DISC							EACH PADS REPLACEM.				173,3	424	44734						
95-21	V.CHECK OF LIFERAFT ACTIVATION MECHANISM LH/RH SUPPORT BRACKETS						EACH SPONSON MOUNTED LIFERAFT REMOVAL	NOT APPLICABLE - EQUIPMENT NOT INSTALLED												
25-46	DET. INSP. OF THE CARGO HOOK SUPPORT FRAME BUSHES						EACH CARGO HOOK ASSY RESTORATION	NOT APPLICABLE - EQUIPMENT NOT INSTALLED												
95-05	DET. INSP. OF CARRY-ON LIFERAFTS ASSEMBLIES						1Y FROM MFG OR LAST INSP.	NOT APPLICABLE - EQUIPMENT NOT INSTALLED												
95-06	PRESSURE CHECK OF CARRY-ON LIFERAFTS ASSEMBLIES						1Y FROM MFG OR LAST INSP.	NOT APPLICABLE - EQUIPMENT NOT INSTALLED												

CODE	DESCRIPTION	P/N	S/N	ACTION			INTERV.	LAST COMPLIANCE WITH			TIME SINCE LAST C/W			NEXT COMPLIANCE			REMAINING		
				I	R	O/H		HS	LDG	DATE	HS	LDG	DAYS	HS	LDG	DATE	HS	LDG	DAYS
95-07	POS. CHECK OF CARRY-ON LIFERAFT LIGHT SYSTEM						1Y FROM MFG OR LAST INSP.	NOT APPLICABLE - EQUIPMENT NOT INSTALLED											
95-08	DET. INSP. OF CARRY-ON LIFERAFT SURVIVAL KIT						1Y FROM MFG OR LAST INSP.	NOT APPLICABLE - EQUIPMENT NOT INSTALLED											
25-09	VIS. INSP. OF HOIST OIL LEVEL						1MO / 3 HOIST HR	NOT APPLICABLE - EQUIPMENT NOT INSTALLED											
25-10	F.CHECK AND LUBE OF HOIST CABLE						1MO / 3 HOIST HR	NOT APPLICABLE - EQUIPMENT NOT INSTALLED											
25-11	LUBE OF HOIST BALL SPLINESHAFT AND LEVEL WIND SCREW						1MO / 3 HOIST HR	NOT APPLICABLE - EQUIPMENT NOT INSTALLED											
25-17	OIL REPLACEMENT OF HOIST ASSY						6MO / 400HL	NOT APPLICABLE - EQUIPMENT NOT INSTALLED											
25-15	OPS. CHECK OF HOIST LIMIT SWITCH ASSY						6MO / 52 HOIST HR	NOT APPLICABLE - EQUIPMENT NOT INSTALLED											
25-16	VIS. INSP. OF HOIST CABLE						6MO / 52 HOIST HR	NOT APPLICABLE - EQUIPMENT NOT INSTALLED											
63-23	OPS. CHECK OF ROTOR BRAKE PAD THERMOCOUPLES AND WEAR SENSORS (OFF AIRCRAFT)						15000FH				173,3	424	44734	15000			14826,7		
21-01	OPS. CHECK OF THE TEMPERATURE CONTROL VALVE (TCV) RELAY BACK-UP MODE						20000FH				173,3	424	44734	20000			19826,7		
21-02	OPS. CHECK OF BLEED SHUT-OFF VALVE (SOV) 1 & 2, AND HIGH PRESSURE CHECK VALVE (HPCV) 1 & 2						20000FH				173,3	424	44734	20000			19826,7		
24-02	MAIN BATTERY - MARATHON	33181-002	11501372				PART OF 1Y	173,3	424	22-jun-22	0	0	0			30-jun-23			373
24-03	AUXILIARY BATTERY - MARATHON (13AH)	33296-001	11501304				PART OF 1Y	173,3	424	22-jun-22	0	0	0			30-jun-23			373
25-01	OPERATIONAL CHECK ELT (91.207F)	453-5061-247	252-00188				PART OF 1Y	173,3	424	22-jun-22	0	0	0			30-jun-23			373
25-06	FIRST AID KIT - GELBYSON S.R.L.	GELBY-FAKSCOPS	010199-10-1				PART OF 1Y	173,3	424	22-jun-22	0	0	0			30-jun-23			373
26-01	DETAILED INSP. OF PORTABLE FIRE EXTINGUISHERS (WEIGHT CHECK)	AW003ZE02 (MFG P/N BA23792-5)	08-2015 / 00592				PART OF 1Y	173,3	424	22-jun-22	0	0	0			30-jun-23			373
26-01	DETAILED INSP. OF PORTABLE FIRE EXTINGUISHERS (WEIGHT CHECK)	AW003ZE02 (MFG P/N BA23792-5)	11-2015 / 00672				PART OF 1Y	173,3	424	22-jun-22	0	0	0			30-jun-23			373
31-04	FUNCTIONAL CHECK OF CVFDR FOR FIDELITY AND QUALITY OF IN FLIGHT AUDIO AND DATA RECORDING						PART OF 2Y	158,5	373	29-dic-20	14,8	51	540			31-dic-22			192
34-04	DEEP CYCLE OF INTEGRATED ELECTRONIC STANDBY INSTRUMENT (EISI) EMERGENCY POWER SUPPLY						PART OF 2Y	NOT APPLICABLE - EQUIPMENT NOT INSTALLED (KIT K248 - EISI)											