

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT Vertical Stabilizer
 PART NUMBER 269A2419-003
 SERIAL NUMBER 52333

MODEL	269A & B	269C	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	
LIFELIMIT	N/A	20540	N/A	

SCHWEIZER AIRCRAFT CORP.
 P.O. Box 147 • Elmira, NY 14902
 Phone: 607-729-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H
2-3-99	51776	269C	SER	-0-	New	

REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE, ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

INSTALLED INTERNAL PARTS								
		ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
PART NAME	SERIAL NUMBERS		ACCUMULATED TIME ON ASSEMBLY OR PART				ACCUMULATED TIME ON ASSEMBLY OR PART	
PART NUMBER			DATE COMPONENT HOURS	SINCE NEW HOURS	SINCE OVERHAUL HOURS	DATE COMPONENT HOURS	DATE AIRCRAFT HOURS	SINCE NEW HOURS
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								

[illegible]

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT Horizontal Stabilizer
 PART NUMBER 269A2516-021
 SERIAL NUMBER 50261

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	4200	4200	N/A	

SCHWEIZER AIRCRAFT CORP.
 P.O. Box 147 • Elmira, NY 14902
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
2-3-99	51776	269E	SDR	-0-	New						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

[illegible]

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT Tail Rotor AssyPART NUMBER 269A6034-021SERIAL NUMBER 52922

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	N/A	N/A	N/A	

SCHWEIZER AIRCRAFT CORP.
P.O. Box 147 • Elmira, NY 14902
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
02-23-99	51776	269C	SEK	-0-	NEW						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

INSTALLED INTERNAL PARTS								
PART NAME PART NUMBER	SERIAL NUMBERS	ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
		DATE	ACCUMULATED TIME ON ASSEMBLY OR PART		DATE	DATE AIRCRAFT HOURS	ACCUMULATED TIME ON ASSEMBLY OR PART	
		COMPONENT HOURS	SINCE NEW HOURS	SINCE OVERHAUL HOURS	COMPONENT HOURS		SINCE NEW HOURS	SINCE OVERHAUL HOURS
NAME: BLADE	\$2588	2-23-99	0.0	New	N/A			
NO: 269A6035-23		0.0			9000			
NAME: BLADE	\$2598	2-23-99	0.0	New	N/A			
NO: 269A6035-23		0.0			9000			
NAME: STRAP ASSEMBLY	\$1613	2-23-99	0.0	New	N/A			
NO: 269A6065-507		0.0			5100			
NAME: HUB	\$0845	2-23-99	0.0	New	N/A			
NO: 269A6101-5		0.0			ON CONDITION			
NAME: PITCH CONTROL	\$1073	2-23-99	0.0	New	N/A			
NO: 269A6050-5		0.0			ON CONDITION			
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT T/R TransmissionPART NUMBER 269A5600-703SERIAL NUMBER 50198

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	2400	3000	4200	3000	
LIFELIMIT	N/A	N/A	N/A	N/A	

SCHWEIZER AIRCRAFT CORP.
P.O. Box 147 • Elmira, NY 14902
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
1-3-99	51776	269C	52R	-0-	0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT T/R Input Shaft
 PART NUMBER 269A5626-005
 SERIAL NUMBER 5585ACR

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	8600	8600	8600	

SCHWEIZER AIRCRAFT CORP.
 P.O. Box 147 • Elmira, NY 14902
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY	INSTALLED	COMPONENT HOURS		DATE	REMOVED AT	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #	(ACTIVITY)	AT A/C HRS	SINCE NEW	SINCE O/H		A/C HRS	SINCE NEW	SINCE O/H	
2-3-99	91776	269C	SZR	-0-	0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

INSTALLED INTERNAL PARTS								
		ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
			ACCUMULATED TIME ON ASSEMBLY OR PART				ACCUMULATED TIME ON ASSEMBLY OR PART	
PART NAME	SERIAL NUMBERS	DATE	SINCE NEW HOURS	SINCE OVERHAUL HOURS	DATE		DATE	SINCE NEW HOURS
PART NUMBER		COMPONENT HOURS			COMPONENT HOURS	COMPONENT HOURS		
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT T/R Retention Strap
 PART NUMBER 269A6065-507
 SERIAL NUMBER 51613

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	2800	5100	5100	5100	

SCHWEIZER AIRCRAFT CORP.
 P.O. Box 147 • Elmira, NY 14902
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H
2-23-99	51776	269C	SCR	-0-	NEW	

REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE, ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

[illegible]

HISTORICAL SERVICE RECORD

PAGE 1 OF

COMPONENT T/R Drive Shaft

PART NUMBER 269A6040-007

SERIAL NUMBER 52066

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	6000	6000	18600	

SCHWEIZER AIRCRAFT CORP.
P.O. Box 147 • Elmira, NY 14902
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H
2-3-99	51776	269C	52R	-0-	NEW	

REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE, ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

INSTALLED INTERNAL PARTS								
		ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
			ACCUMULATED TIME ON ASSEMBLY OR PART				ACCUMULATED TIME ON ASSEMBLY OR PART	
PART NAME	SERIAL NUMBERS	DATE	SINCE NEW HOURS	SINCE OVERHAUL HOURS	DATE	DATE	SINCE NEW HOURS	SINCE OVERHAUL HOURS
PART NUMBER		COMPONENT HOURS			COMPONENT HOURS	AIRCRAFT HOURS		
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								

[illegible]

HISTORICAL SERVICE RECORD

PAGE 1 OF 1

COMPONENT T/R Blade
PART NUMBER 269A6035-023
SERIAL NUMBER 52588

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies
OVERHAUL	N/A	N/A	N/A	N/A	When Changed Between
LIFELIMIT	N/A	9000	9000	12000	Models

SCHWEIZER AIRCRAFT CORP.
P.O. Box 147 • Elmira, NY 14902
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H
2-23-99	51776	269C	52P	-0-	NEW	
6-16-23	51776	269C	SFS	2600.1	2600.1	


REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	
4-27-23	2600.0	2600.0	-	Pitch bearings

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE
BULLETIN COMPLIANCE, ETC. DESCRIPTION OF WORK PERFORMED
Visual Inspection only. Replaced both Pitch Bearings per 269 HMI, Appx C, Para 4-9, and
Replaced the Inboard Root Poly Tape per 269 HMI, Sect. 9, Para. 9-10 @ TTSN: 2600 Hrs.
WO 14405, IAC Ltd., YIVR004J, June 2, 2023.

CERTIFYING DATA ON WORK PERFORMED

BY ACTIVITY	DATE	SIGNATURE AND CERT #
IAC LTD YIVR004J	06-02-23	

[illegible][illegible]

HISTORICAL SERVICE RECORD

PAGE 1 OF

COMPONENT T/R Blade

PART NUMBER 269A6035-023

SERIAL NUMBER 32598

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	9000	9000	12000	

SCHWEIZER AIRCRAFT CORP.
P.O. Box 147 • Elmira, NY 14902
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H
2-23-99	31776	269C	S2R	00-	New	
6-16-23	31776	269C	SFS	2600.1	2600.1	

REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	
4-27-23	2600.0	2600.0	—	Pitch bearings

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE

BULLETIN COMPLIANCE., ETC.

DESCRIPTION OF WORK PERFORMED

CERTIFYING DATA ON WORK PERFORMED

BY ACTIVITY

DATE


SIGNATURE AND CERT #

Visual Inspection only. Replaced both Pitch Bearings per 269 HMI, Appx C, Para 4-9 and Replaced the Inboard Root Poly Tape per 269 HMI, Sect 9, Para 9-10 @ TTSN: 2600 Hrs, WO 14406, IAC Ltd YIVR004J, June 2, 2023 -----

IAC LTD
YIVR004J

0602-23

[Signature]



INSTALLED INTERNAL PARTS								
		ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
PART NAME	SERIAL NUMBERS			ACCUMULATED TIME ON ASSEMBLY OR PART			DATE	SINCE NEW HOURS
PART NUMBER			COMPONENT HOURS	SINCE NEW HOURS	SINCE OVERHAUL HOURS	DATE COMPONENT HOURS	AIRCRAFT HOURS	
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								

INSTALLED INTERNAL PARTS								
		ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
			ACCUMULATED TIME ON ASSEMBLY OR PART				ACCUMULATED TIME ON ASSEMBLY OR PART	
PART NAME	SERIAL NUMBERS	DATE	SINCE NEW HOURS	SINCE OVERHAUL HOURS	DATE	DATE	SINCE NEW HOURS	SINCE OVERHAUL HOURS
PART NUMBER		COMPONENT HOURS			COMPONENT HOURS	AIRCRAFT HOURS		
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								



Crtl#: 10584

CrtlID: 1



PN: 269A5512-005

DESC: V-BELT SET BELT DRIVE (8EA)

SN:

MFG CODE:

PO:

COND: NE

REC. DATE: 3/30/2023

UOM: Set

Mfg Lot # M1262

LOCATION: CLMT CTRL

RECEIVER #: Mfg

EXP DATE: 12/31/2029

CERT SOURCE: MO

REMARK: Mfg ASSEMBLY

Tagged By: SRSG



Notes:

This bearing installed in fwd position

HISTORICAL SERVICE RECORD										PAGE ____ OF ____	
COMPONENT <u>upper pulley bearing</u>			MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models		SCHWEIZER AIRCRAFT CORP. P.O. Box 147 • Elmira, NY 14902 Phone: 607-739-3821 Fax: 607-796-2488	
PART NUMBER <u>269A5050096</u>			OVERHAUL								
SERIAL NUMBER <u>N/A</u>			LIFELIMIT								
INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
<u>6-16-23</u>	<u>269TC</u>	<u>269C</u>	<u>SFS</u>	<u>2600.1</u>	<u>6</u>						
TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL											
OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.		DESCRIPTION OF WORK PERFORMED					CERTIFYING DATA ON WORK PERFORMED				
							BY ACTIVITY		DATE		SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT _____

PART NUMBER _____

SERIAL NUMBER _____

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL					
LIFELIMIT					

SCHWEIZER AIRCRAFT CORP.
P.O. Box 147 • Elmira, NY 14902
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H

REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

This bearing is stalled in Aft. position

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT

upperpulley Bearings

PART NUMBER

269A5050-090

SERIAL NUMBER

N/A

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL					
LIFELIMIT		<i>3000</i>			

SCHWEIZER AIRCRAFT CORP.
P.O. Box 147 • Elmira, NY 14902
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
<i>9/20/16</i>	<i>269TC</i>	<i>269C</i>		<i>1048.5</i>	<i>Ø</i>						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT LVR Pulley Bearings

PART NUMBER 269A5050-085

SERIAL NUMBER 3964/4133

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL					
LIFELIMIT		<u>1800</u>			

SCHWEIZER AIRCRAFT CORP.
P.O. Box 147 • Elmira, NY 14902
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
<u>11-27-19</u>	<u>269TC</u>	<u>269C</u>	<u>SFS</u>	<u>1799.8</u>	<u>0</u>						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #