
MFGSherwin Williams	MFGSherwin Williams	MFG Sherwin Williams	MFG Sherwin Williams	N611MS SN 31-0016		
						Signed for CRS 3M4R325C Signed for CRS 3M4R325C I certify that the automatic pressure altitude reporting system checks required by 14 CFR Part 91.217 and 14 CFR part 91.411 have been performed and found to comply with 14 CFR Part 43 appendix E, para C Encoder #1 Encoder #2 Make: 64444 M Model: 6178 6772 40 Serial No: 4778 6772 40 Serial No: 4778 6772 40 TXP SN: 5878 4400915 TXP SN: 5878 5878 5878 5878 5878 5878 5878 587



STRIPES

EY

Mooney 165 Al Ma Kerrville, COLOR NO

W00550

COLOR NO

H10680

COLOR NO

H10679

LOR INFORMATION

Snow White


COLOR NO WOOD21


AIRCRAFT LO

SA-SA-1

Signed for CRS 3M4R325C	Mass	TXP SN: SER 400975	Model Filming	/ #1 #1	14 CFR Part 43 appendix E, para C
		Serial No:	Model:	Encoder #2	43 appendix E, para C

Blade Model So		Propeller(s) currently installed: Manufacturer HARTZEL		Engine(s) currently installed: Manufacturer Continently MENTAL M	Aircraft Record General Information Manufacturer Mooney ARRAME Serial 31-0016 Date of Manufacture 2001
Serial Serial	Serial FP5177 B Serial K 43068 Serial K43	3-18UADE Model PAU-J3Y	Model	Model 7510-550-6(1)	mation Model M
Serial	Serial K43070 Serial K43070	F-1RF/F1693DF-2	Serial	Serial 9/50//	DONNEY MIZOTAI NGIIMS





SATISFACTORY, CLUB PC135WS	THIS AIRCRAFT HAS BEEN FLIGHT TESTED IN ACCORDANCE WITH MOONEY AIRPLANE SPECIFICATION OF AND ECHAIN	FACTORY AND FOUND TO BE AIRWORTHY, 2121990	PRODUCTION FLIGHT TEST COMPLETED THIS	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
Mooney Airplane Co., Inc. PC135cu	and is approved for use under instrument approaches only. Signed La La Carlotte and Non-Precision	PS Navigation System, Morraft has been Ground/Fl in accordance with Moon be Co. Specification 02000	1-29 5.8 6851	TACH TIME TIME TOTAL TIME IN SERVICE Facility. (See back pages
Mindle of the Clark	Flight Rules, Enroute and Non-Precision approaches only. Signed Library Airchard Co. In Co. 122.	The GPS Navigation System, Make Saryw—Model 6/00 oinstalled in this Aircraft has been Ground/Flight tested in accordance with Mooney Airplane Co. Specification 020009,	6RS2	n of Inspections, Tests, Repairs and Alterations be endorsed with Name, Rating and Certificate Number of Technician or Repair back pages for other specific entries.)

				YEAR:
W. B.	MOON Parents	THE STATE OF THE S	Tests Mod	RECORDING TACH TIME
1/2/2	that the formed by	1/3/1/2	required been per	TODAY'S
	encoding and ANT COLUMN ANT COLUM	3 h	FAR 91.413 FAR 91.413 FILANE CO.	TOTAL TIME IN SERVICE
C138W Inspection is due //3//07 The next Annual SIGNEDO SIGNES SIGNEDO SIGNES SIGNEDO SIGNES SIGNEDO SIGNES SI	"I find that the aircraft meets the requirements for the certification requested and have issued a (Standard) (Standard) Airworthiness Certificate	BY AIRPLANE COMP. TC2A3 BY 13167 BY 13167	onder secretify that the altimeter sessed to 35, 200 feet on 1/2/66 and Static System Tests required by FAR 91.411 have been performed.	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Reacility. (See back pages for other specific entries.)

.

					YEAR:	
					TACH TIME	

R: RECORDIT	NG TODAY'S FLIGHT	TOTAL TIME IN SERVICE Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
		-ELTBATTERY EXP. MAR 2010-
		MAKE: MOONEY Mooney Airplane Company, Inc. MODEL: M20TN MOONEY MOONEY AIRPLANCE COMPANY, Inc.
		S/N: 31-0016 Repair Station No. CRS# MPYR456X REG. NO: N611MS 165 Al Mooney Road North WORK ORDER: Kerrville, TX 78028
		=
		ed A Auto
		refer to form 337 dated 4/18/07(31) Rigged alternate air control(32) installed fiew River aller of Private Private Refer to form 337 dated 4/18/07(31) Rigged alternate air control(32) installed fiew River aller of Private Refer to form 337 dated 4/18/07(31) Rigged alternate air control(32) installed fiew River aller of Private Refer to form 337 dated 4/18/07(31) Rigged alternate air control(32) installed fiew River aller of Private Refer to form 337 dated 4/18/07(31) Rigged alternate air control(32) installed fiew River aller of Private Refer to form 337 dated 4/18/07(31) Rigged alternate air control(32) installed fiew River aller of Private Refer to form 337 dated 4/18/07(31) Rigged alternate air control(32) installed fiew River aller of Private Refer to form 337 dated 4/18/07(31) Rigged alternate air control(32) installed fiew River aller of Private Refer to form 337 dated 4/18/07(31) Rigged alternate air control(32) installed fiew River aller of Private Refer to form 337 dated 4/18/07(31) Rigged alternate air control(32) installed fiew River aller of River River aller of River aller of River River aller of River
		ge #: 60253) refer to form 337 dated 4/18/(ay 2012(40) Replaced RH Landing Light I
		5-003 v
		The aircraft or components identified above on No I INIS was repaired and improve the repair are on file at this Federal Aviation Regulations and was found Airworthy for return to service. Pertinent details of the repair are on file at this repair station under Ebis 3 Work Order No. 1273-01-2007.
		DATE: 4/18/2007 SIGNED: DIM (Jul) Drinted by FRis 3 (datcomedia.com)

Mossey Hirplane Company				
日本の長りの				
to Service. Henry				
to 60°. This airport is approved for it				
roll serve installation. Adjusted sen				
the manual electric tria Laspecter				
Cho Moored SB was 32 ph disapling	2000		20 2	3-6
Entries must be endorsed with Name, Rating and C Facility. (See back pages for other specific entries.)	TIME IN SERVICE	TODAY'S	RECORDING TACH TIME	YEAR: DATE

fter paint(5) Replaced wing sight ilot yoke assy pn 916036-501 with new. bly tires. Replaced nose tire with new r strip & repaint(23) Installed all ected in accordance with current rules of the tinent details of the repair are on file at this Work Order: 1373-05-2007 Printed by EBis 3 (datcomedia.com)	ies specte specte specte (25) LH & F Regulati er Ebis	Airframe Entries (3) Cleaned, inspegauges with new. (15) Replaced LH Michelin 5.00X5 6 missing decals(2 The aircraft or compered aircraft or compered a viation Regrepair station under E		
DATE: 6/14/2007 A/C TSN: 27.8 HOBBS: 27.8	Mooney Airplane Company, Inc. Repair Station No. CRS# MPYR456X 165 Al Mooney Road North Kerrville, TX 78028	MAKE: MOONEY MODEL: M20TN S/N: 31-0016 REG. NO: N611MS WORK ORDER:		
ng and Certificate Number of Technician or Repair entries.)	Entries must be endorsed with Name, Rating and (Facility. (See back pages for other specific entries.)	TIME IN	FLIGHT	TIME

RECORDI	NG TODAY'S	TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alte Entries must be endorsed with Name, Rating and Certificate Nu Facility. (See back pages for other specific entries.)
	MAKE: MOONEY MODEL: M20TN S/N: 31-0016 REG. NO: N611MS WORK ORDER: 1494-08-2007	Mooney Airplan Repair Station No. CRS# 165 Al Mooney Road Nort Kerrville, TX 78028 Phone: 830-792-2924	Mooney Airplane Company, Inc. Repair Station No. CRS# MPYR456X 165 Al Mooney Road North Kerrville, TX 78028 Phone: 830-792-2924
	Airframe Entries (5) Complied with replaced airspeed to 42 psi.	with Mooney SB M20-298 -Enable peed safety switch, new S/N 2324.	0-298 -Enable the Manual Electric Trim Function(7) Removed and new S/N 2324. Ops check good(15) Replaced both main tires and inflation
	The aircraft or componen Federal Aviation Regulat repair station under Ebis	ts identificant ions and	ied above on N611MS was repaired and inspected in accordance with current rules of the was found Airworthy for return to service. Pertinent details of the repair are on file at this Order No. 1494-08-2007.
	DATE: 9/15/2007	SIGNED:	ED: 17 ATT LAN. SH Work Order: 1494-08
		Matt	Matt Furnish Certified Repair Station No. CRS# MPYR456X Printed by EBis 3 (datcomedia.

													FLIGHT
													TIME IN SERVICE
SIGNED BY Malley Walley	MODEL 6TX-33 S/N 89103317	DATE II 30/07	BY FAR 91.413 iaw FAR 43 APPENDIX "F" HAVE REEN PERFORMED.	ATC TRANSPONDER TESTS AND INSPECTIONS AS REQUIRED	DATE 11/30/07 W.O. # 11067	TESTED TO 25K FT. DATE 11/30/07	PILOTS 5934 Pb - 3 S/N A 58896 CP's 250 270 270 3 S/N A 58896	PARA (B) ALTIMETER	PARA (A) STATIC SYSTEM PARA (A) STATIC SYSTEM	HAVE BEEN PERFORMED. HAVE BEEN PERFORMED.	REPORTING EQUIPMENT TESTS AND INSPECTIONS AS REQUIRED BY FAR OLD THE TESTS AND INSPECTIONS AS	THE FOLLOWING ALTIMETER SYSTEM AND AND THE POLLOWING AND THE PROPERTY AND THE POLLOWING ALTIMETER SYSTEM AND THE POLLOWING AND THE POLLOWI	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name Rating and Certificate Number of Tests.

N611MS 5-1-2008

Hobbs: 125.3

TTAF: 125.3

Completed ANNUAL INSPECTION: cleaned, inspected, and lubricated controls, pulleys, and cables; packed wheel bearings; serviced checked all tire pressures; Replaced nuts securing after coolers with clip nuts. Checked AD's none found. ELT inspected IAW, FAR91 found to be in an airworthy condition. The aircraft or component identified above was inspected and/or repaired in accordance with cur regulations of the ELT battery due 1-12; AD's checked through 2008-9; I certify this aircraft has been inspected in accordance with an ANNUAL INSPEC on file at this repair station under WO# 2812. Federal aviation Administration and is approved for return to service for the work performed. Pertinent details of the repair batter 207 and

SIGNED Gary Grimmonpre 2621508 IA ----- Midwest Flight Check

N611 MS AVIONICS OG ID# 960 PLACE S/N 31-0016 16-September-2008 WO# 11718

V 31-0016 MOONEY M20TN FQ5R866M

ACTION: Service Boot softw 2.03. Perf Bulletin. software 2.02 is there. Need 2.03. Upgraded boot software Performed Service Bulletin M20-304 issued June 3, 2008. Fin. System completed self test and function. followed procedure proper laid ou

THE AIRCRAFT/COMPONENT IDENTIFIED WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT REGULATIONS OF THE FEDERAL AVIATION ADMINISTRATION AND IS APPROVED FOR RETURN TO SERVICE.

REPAIR STATION UNDER W.O. LISTED ABOVE.

RELEASED BY JOHN STATION FQ5R866M.

erations Pg 1/1 Pg 1/1 ABOVE.	ACTION: Performed Service Bulletin M20-307B that was required to make terrain work cards. THE AIRCRAFT/COMPONENT IDENTIFIED WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURPOF THE FEDERAL AVIATION ADMINISTRATION AND IS APPROVED FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR ARE ON FILE AT THIS REPAIR STATION UNDER W.O. LISTED BY AVIONICS PLACE FAA APPROVED REPAIR STATION FOSR866M.	TOTAL TIME TOMAY'S TIME IN SERVICE DATE AVIONICS PLACE 5257 Falcon Rd. Rockford, IL 61109-2917 FQ5R866M N611MS S/N 31-0016 MOONEY M20TN TOTAL Description of Inspections, Tests, Repairs and Alt Entries must be endorsed with Name, Rating and Certificate N Entries must be endorsed with Name, Rating and Certificate N Facility. (See back pages for other specific entries.) N611MS S/N 31-0016 MOONEY M20TN
	Train work off new -43 TE WITH CURRENT REGULATICE. W.O. LISTED ABOVE.	rs and Alterations Pg 1/1

	VEAR:
<i>N611MA Date01-21</i> Complied #940177 d	RECORDING TACH TIME
Scha Scha dated 1 Gene Sc	TODAY'S FLIGHT
umburg R 3B# 20-30 3B-05-08 2-05-08 heuwimer	TOTAL TIME IN SERVICE
Regional Airport Schaumburg Illinois Mooney M20TN Hobbs = 171.9hrs 8A by installation of heater retrofit kit per drawings A&P1680919	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.) Northwest Flyers

VERNE STATE

75

A STATE OF

Signed. Seats & Safety Belts Airframe Inspection Date Chicle 109 YEAR: Pitot Heat Static System Flight Controls Lubricated Gear Fittings. Oxygen Systems DATE Checked Skin or Fabric for Condition X Cleanling Seats & Safety Belts X Windows& Windshields. Wing Fittings AD Compliance Record at Rear of Log and Researched Through Issue 2009/10 Certify That this みつつつ TACH T MM RECORDING CAR Aircraft Has Been Inspected In Accordance With Inspection And Was found to be W FAR 91 207 d FLIGHT Cables TODAY'S Performed in Accordance With FAR PART NO. 43. Tires X Oleo Struts いりにい truts Van Root In Took SERVICE TOTAL Repacked Wheel Bearings_x Pulleys Gear & Stall Warning Devices X Brakes Red ELT Battery Date MA9 1 2013 Landing Gear A & P# 357465796 Facility. (See back pages for other specific entries. Description of Inspections, Tests, Repairs Entries must be endorsed with Name, Rating a Cleanliness & Fairleads X Hydraulic Fluids in Airworthy Condition. Instruments Lights Battery Torque Tubes X 3113 nd Certificate and Alterations Number ons
on Technician or Repair

Human

		YEAR:
AVIONICS PLACE FQ5R866M ROCKFORD IL MODEL GTX 33 S/N 8910 3317 SIGNED BY July July	PILOTS GDC 74/A S/N 4/807/240 C.P.'s 5934 PD-3 S/N 458896 TESTED TO 25/K FT. DATE 11/28/09 PARA (C) INTEGRATED SYSTEM TEST DATE 11/28/09 W.O. # 12600 SIGNED BY 11/28/09 W.O. # 12600 SIGNED BY 11/28/104 W.O. # 12600 BY FAR 91.413 iaw FAR 43 APPENDIX "F" HAVE BEEN PERFORMED:	AND ALS PENDIX

Date of Ins lasu Airframe Inspection Performed in Accordance Seats & Safety Bell Flight Controls Checked Skin or Fabric for Oxygen Systems Pitot Heat Static System. Signed_ I Certify That this Wing Fittings AD Compliance Record at Rear of Log and Researched Through Issue 2611/ Wing Fittings X Strut:
Lubricated Gear Fittings Arono C/W FAR 91 207 d Aircraft Has Been Inspected in Accordance With T.T. Nas Inspection And Was found to be in Airworthy Condition. Cables Struts Tires & Oleo Struts Windows& Windshields 4 Condition Repacked Wheel Bearings + Pulley's Gear & Stall Warning Devices X Brakes Hr. Meter/Tach Indication 429, & Accordance With FAR PART NO. 43. Landing Gear X place Right man Brakes Cleanliness & Battery
shields 4 Instruments ing Gear & Lights & Battery Date Ma/ 12012 Hedwith sense bulletia. P# 3502862 TA Hydraulic Fluids X Fairleads X 1 Balkery Torque Tubes Y G Certificate Number of Technician c and Alterations 0 1860

=

	word Menhart A&P#3502862 I	is Aircraft Has Been Inspected In Accord Inspection And Was found to be in Air	Lubricated Gear Fittings K Repacked Wheel Bearings K AD Compliance Record at Rear of Log and Researched Through Issue	Come Far St. Cables X Pulley's X Fairleads X T	ns X Tires X Brakes X Oleo Struts L	ondition X Cleanliness indows& Windshields &	Date 08 104 1222 T.T. Hr. Meter/Tach Indication Date O8 104 1222 T.T.	
							's and Alterations 'ertificate Number of Technician or Repair	

S. PESSEORS PH

Date Of 10 312013 Seats & Safety Belts Airframe Inspection Pitot Heat Flight Controls Signed_ Oxygen Systems. Checked Skin or Fabric for Condition (Clean)
Seats & Safety Belts & Windows& Windshields Static System Wing Fittings. Lubricated Gear I Certify That this AD Compliance BUCHA R R Record at Rear of Log and Researched Through Issuedo/3/ Fittings WEAR 91 207 d X inspection And Was found to Aircraft Has Been Inspected T.T.SHR.2 Cables Performed in Accordance With FAR PART Struts Tires X Oleo Struts -Repacked Wheel Bearings X Gear & Stall Pulley's Brakes Hr. Meter/Tach Indication 349,2 Landing Gear ELT Battery Date Cleanliness K In Accordance Warning Devices_ Hydraulic Fluids & be in Airworthy Condition. Instruments With Lights K Battery Torque Tubes, NO. 43. 12017 Certificate Number of Technician or and Alterations

Date 08/06 Airframe Ins Checked Skin Seats & Safet Flight Contro Oxygen Syste Pitot Heat Wing Static System Lubricated Go I Certify AD Complian Signed Signed 本といいる Fittings. That Date 10 103 12 my T.T. 1619,2 Airframe Inspection Performed in Accordance With FAR PART NO. Checked Skin or Fabric for Condition & Cheanli Seats & Safety Belts & Windows& Windshields Flight Controls Oxygen Systems X C/W FAR 91 207 d Wing Fittings Lubricated Gear Fittings X Repacked Wheel Bearings A

AD Compliance Record at Rear of Log and Researched Through Signed tify That this Aircraft Has Been Inspected In Accordance W Inspection And Was found to be in Airworthy Tires Pulleys Brakes Gear & Stall Warning Devices Landing Gear A & P# ELT Battery Date Cleanliness X Fairfeads Hydraulic Fluids Instruments Lights Battery Torque Hill Condition. Issue 2016

'ertifical

and

Date Signed. Pitot Seats. **Airframe** Static System Flight Controls Lubricated Oxygen Systems Checked Ving Fittings Certify Compliance Heat 20 Safety Skin or Inspection Performed in Accordance With FAR PART NO. 43. 5 ear this elts Fittings ecord at Rear of Log and Researched Through Issue 2015 121 abric for Condition_ Inspection And Was found to be in Airworthy Condition. Aircraft Has Been Inspected In Accordance With Cables Struts Tires FAR 91 207 d Oleo Struts Windows& Windshields Repacked Wheel Pulley's_ Brakes Gear & Stall Warning Devices K X Landing Gear_ X A&P# 3502862 TA A Fairleads K Lights K Lights K Lights K 12017

K Fairleads K Torque Tubes K Cleanliness X Battery
shields X Instruments Hydraulic Fluids & Bearings K stallation of new 58 mao 319 W Battery nirs and Alterations Certificate Number of Technician or Rep Š

Date 04/2018 T.T. 823.1 Seats & Safety Belts Static Systems Pitot Heat Airframe Inspection Oxygen Systems Ad Compliance List Lubricated Gear Fittings Wing Fittings Checked Skin or Fabric for Condition_ Instruments Inspection And Was Found to be in Airworthy Condition.

Signed: Edward D. VanReeth

Edward D. VanReeth X Flight controls & Tires & Brakes & C/W Far 91 207 d Cables -Performed in Accordance With FAR Part NO.43. at Rear of Log and Researched Through Issue 2018 / X Windows & Winshields X Oleo Struts Struts Pulleys Repacked Wheel Bearings Gear & Stall Warning Devices E.L.T. Battery Date 76me / 20

K Fairleads & Torque Tubes Landing Gear Cleanliness Hydraulic Fluids & Lights_ cate Number of Technician or Alterations

I Certify That This Ad Compliance List at Rear of Log and Researched Through Issue 2019

I Certify That This Airframe Has Been Inspected In Accordance With Wing Fittings Static Systems Seats & Safety Belts
Oxygen Systems Wing Fittings Lubricated Gear Fittings Pitot Heat Airframe Inspection Performed in Accordance With FAR Part NO.43. Date 04/01 Checked Skin or ナないのよ Signed: Edward D. VanReeth Fabric for Condition_ Legg T.T. /W Far 91 207 d Cables _ Pulleys X Windows & Winshields

Note of the Control of the Inspection And Was Found to be in Airworthy Con Struts 多一个一用。 Repacked Wheel Bearings X Gear E.L.T. Battery Date June / 2

K Fairleads K Torque Tubes cett leids & Gear Meter/Tach Indication 86 & Stall Warning Devices Cleanliness SS X Battery
Hydraulic Fluids IA# 3502862 Lights ate Number d Alterations of Techniciar Repair

	-						
						11/15	WEAR: DATE
						2001	RECORDING TACH TIME
							TODAY'S
							TOTAL TIME IN SERVICE
					Edeward Van Book Ath 3503862	Rebuild MAINWREE BANKES - NEW DING PARC	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

The state of the s

Instruction of the last lines	Airfiz Check Seats Static Static	Date
micated (micated (micated (mity)) This Sign		TACH
ted Gear ted Gear phiance That That The Signed:	ne Inspection ed Skin or Fat ed Skin or Fat Safety Belts n Systems eat X C/V Systems X	CORDING CH CH CH CH CH
ated Gear Fittings nents K Flight compliance List at R fly That This Airfra Signed: Edward I	e Inspection Per d Skin or Fabric Safety Belts Systems C/W F ystems Cab	FLIGHT
Spec Spec	for Cor for Cor Mind ar 91 20 les	TOTAL
Is X Till Reeth In Reeth	Jin Allin Alling Strut	SQ CE
Repacked Wires X Braind Research and Research Mas Found Was Found Was Found Was Found Was Found Was Found Was Found Research Mas Found Research Ma	Sys X X X X X X X X X	
ked Wiked Wi	lance Winshields Land Land Fair	y. (See
Crear & Stall Warning Devices & Repacked Wheel Bearings X ires X Brakes X and Researched Through Issue 2020/6: en Inspected In Accordance With d Was Found to be in Airworthy Condition 1A# 3502862	Cleanliness Battery hields Hydraulic Fluids Landing Gear Lights E.L.T. Battery Date June June June Fairleads Torque Tubes	Description of Inspections, Tests, Repairs Entries must be endorsed with Name, Rating and Ce Facility. (See back pages for other specific entries.) Hr Meter/Tach Indication 894.
Stall Warning heel Bearings kes Kes Khed Through I In Accordance d to be in Airy IA#	With FAR Part NO.43. The liness of the Battery Battery Hydraulic Fluids Hydraulic Fluids Lights T. Battery Date Jule 1 Irleads of Torque Tubes	nspec orsed was fo
ning D ning D ngs ngs lgh Issi dance LiA# 3	Restant NO.43. See Seattery Battery Hydraulic Fluids Torque Tubes Torque Tubes	mid Narions,
with Con 502862	Gue Tige	Tests, Repairs ne, Rating and Ce specific entries.) tion 894
65 ondi	Hattery Lights Lights Lights Lights	Repling and
tion.	S R X	Centif
		Cate N
	2 6	Comber umber
		of Tech
		inician
	1 2 2	r Repair

I Certify That This Airframe Has Been Inspected In Instruments X Flight controls X Tires K Brakes

Ad Compliance List at Rear of Log and Researched Wing Fittings Static Systems Lubricated Gear Fittings Pitot Heat Oxygen Systems Seats & Safety Belts Date 06/61/2021 T.T. 939.3 Checked Skin or Fabric for Condition Airframe Inspection Performed in Accordance With FAR Part NO.43 カシンとの本 Signed: Edward D. VanReeth * C/W Far 91 207 d 0 Cables -Inspection And Was Found to be in Airworthy Condition. 2014-18-18 Cu Struts Oleo Struts Windows & Winshields Pulleys -Repacked Wheel Bearings Hr. Meter/Tach Indication Gear & Stall Warning Devices E.L.T. Battery Date anding Gear Fairleads Cleanliness Accordance With Through Issue 2021 /1 X Hydraulic Fluids IA# 3502862 Torque Tubes Lights 939,3

5 Alterations

cate Number of Technician or

Show 4

the standards

	Performed an annual insp checklist. Cleaned all fuel maintenance manual. Che Performed retraction chec bottle and installed new b specs, Serviced with1500 I	AIRFRAME Mooney DATE: 9-1-2022	PEAR: RECORDING TODAY'S TIME FLIGHT
is Aircraft has been inspected in accordance with an annual inspection and is determined to irworthy condition at this time. Ralph Croft A&P3695170IA.	erformed an annual inspection in accordance with CFR Title 14-part 43 appendix d and Mooney hecklist. Cleaned all fuel screens. Checked all flight controls and rigging. Lubricated aircraft per Mooney naintenance manual. Checked ELT in accordance with CFR Title 14 part 91.207D Battery Due 6-2024. erformed retraction check through 8 cycles including emergency extension. Removed old Oxygen ottle and installed new bottle part # H21507-04 Serial# 46904. Installed regulator and torqued to part by Aircraft in accordance with CFR Title 14-part 43 appendix d and Mooney ————————————————————————————————————	M20TN N611MS SN: 31-0016 A.C.T.T.: 963.2	TOTAL TIME IN SERVICE Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

YEA Name: Make: Date: annual inspection and is determined to be revision 2023-22. I certify this aircraft has (Kissling). Serviced brake reservoir. All airworthiness directives checked through Croft A&P3695170IA. 91.207 d. Battery due 6-2024. Replaced battery master # 2 relay part # 26.57.01 including emergency extension. Checked fuel screens. Performed a gear retraction and Mooney checklist. Lubricated aircraft Performed an annual inspection in accordance with CFR Title 14-part Mooney N611MS Ralph Croft 11/01/2023 Hours: Model: 980.0 M20TN been inspected in accordance with an ELT in accordance with CFR and extension check through per Mooney service manual. in an airworthy condition at this time. Ralph Sign: Mand 6 Cert: S/N: 31 43 appendix d -0016 Cleaned all 7 cycles Title 14-part Alteration e Number of

=

	1883	YEAR: RECORD TACH TIME
	4	JING TOI
		STA
		TIME IN SERVICE
February 18, 2022 3EH400915 in this ound to comply with 6896, and the 91.411 and found to E. CRS TJJR625X 27 8 3232 n, CO 80831	New MAINTINES (BAllmord) new brake pads size size	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repairs and Certificate Number o

1								-	-	
	122	4-1						1		DATE PARE
	9840	986,3								RECORDING TACH TIME
										FLIGHT
										TOTAL TIME IN SERVICE
	15/50 Oge	Replace 2 concorde RGA4-15 Batheries (new)	n Spencer - Inspector	Comply with the specifications of Title 14 CFR 43 App E. Details on file under MTSWQ 220233 // Details on file under MTSWQ 220233 //	APA Tit	ce/Model Garmin	has been inspected IAW Title 14 CFR 9	0985.0 Onder Make/Model Gamin / CTX	Mooney / M20TN NK11MC	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

					PATE R
	C	dance with current federal avaiation regulations and were	and dead week	Airframe Entries	MAKE: Mooney MODEL: M20TN S/N: 31-0016 REG, NO: 611MS WORK ORDER: 6401 Advanced Aircraft Services, LLC. 1250 NW Perimeter Way Suite 1196 Suite 1196 Troutdale, OR 97060 Phone: 503-465-2298

YEAR: DATE WORK ORDER: 6453 MODEL: M20TN MAKE: Mooney S/N: 31-0016 TIME TACH RECORDING FLIGHT TODAY'S TIME TOTAL SERVICE

Advanced Aircraft Services, LLC

Entries must be endorsed with Name, Rating and Certificate Number of Technician of Facility (See hack names for other specific entries)

DATE: 12/23/2024

ACTSN: 1056.4 HOBBS: 1056.4

escription of

Inspections,

Tests,

Repairs and Alterations

Phone: 503-465-2298 1250 NW Perimeter Way Suite 1196 Troutdale, OR 97060

Airframe Entries

(1) Annual Inspection - I Certify that this Airframe has been inspected for Annual Inspection in accordance with the maintenance manual and FAR 43 appendix D and was found airworthy for return to service +++++++++(5) Fit and painted new middle gear door assembly on LH gear. Installed door and checked fit. Performed several gear retractions with no faults noted +++++++++(6) Complied with FAR 91.207(d) by inspection of ELT system for proper operation, condition and security. Tested ELT system using ICARUS ELTT-124 tester. No defects noted at this time. Next battery replacement is due Sept. 3030.+++++++++(8) Adjusted LH main gear tensions to spec per Mooney M20TN Service Manual. Cycled gear multipextensions++++++++(9) Installed a new set of nose wheel bearings on nose wheel required.++++++++++(11) Removed and replaced burned out Complied with AMSAFE ICA on the inflatable seat restraints. MS20002-4 High Strength washer under the head of the bolt at the aft gear actuator burned out bulbs with new Whelen Next battery replacement Cycled gear multiple times, verified gear system retraction and ings on nose wheel assembly.+++++++(10) Installed new ne aft gear actuator attachment. Torqued bolt and safetied as is due Sept. 3030.+++++++(8) Adjusted LH LED bulbs. ops check good+++++++(12)

See actual work order for any discrepancies. Items listed above have been inspected and or repaired in accordance with current federal avaiation regulations and were found OK for return to service.

The derivative description of the current federal avaiation regulations and were found OK for return to service.

DATE: 12/23/2024

SIGNED:

Greg Lehman, IA: 2491728

Printed by EBis 3 (datcomedia.com)

Work

Order: 6453