




276-6


#1

CONTINENTAL ENGINE *and* PROPELLER LOG

N 9650X

SERIAL NO 21057950





This engine model IO-470-S, serial # 109066-7-S-R,
has been remanufactured by Continental Motors Corporation. All applicable
Federal Aviation Agency regulations and mandatory Continental Motors
Corporation bulletins have been complied with. This log book shall indicate
zero hours.

SPEC 3

Continental Motors Corporation

AIRCRAFT ENGINE DIVISION

BY

D. L. Horton

DATE

8-18-67

ENGINE DESCRIPTION

PLACE _____ DATE Sept 1969

TYPE _____ MODEL D-470-S SERIAL NO. 109066-7-5-R

RATED H.P. 260 MAXIMUM H.P. 260

RATED R.P.M. 2625 MAXIMUM R.P.M. 2625 OIL PRESSURE _____

BORE _____ STROKE _____ DISPLACEMENT _____ CU. IN. _____

COMPRESSION RATIO _____ SUPERCHARGER RATIO _____ GEAR RATIO _____

D 2 A 34C58-0

PROPELLER M6 C206g HUB DESIGN D 2A-~~36C-53~~ HUB SERIAL NO. ~~62170~~ 789567

BLADE DESIGN 90 M-g BLADE SERIAL NO. A 459JY BLADE SERIAL NO. A 3168Y

MAXIMUM HUB H.P. ~~25.8~~ MAXIMUM BLADE H.P. K 95297X5

PITCH High 25.8° Low 10.8° DIAMETER 82" LENGTH _____

K 95309X5

OWNERS NAME Jesse R. Stefanica

ADDRESS 1080 Lipton Lane CITY Dryden STATE OH 45930

513-429-2290

ENGINE LOG

[illegible]

[illegible][illegible]

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
25 FEB 75	TACH	242:08				Comp. #1 72/80 #3 75/80 #5 72/80							
	#2 72/80 #4 75/80 #6 72/80	INSTALLED 2 OVERHAULED SLICK MAGNETO REPLACED FUEL MANIFOLD ASSY WITH OVERHAULED UNIT CLEAN FUEL INJECTOR LINES AND INJECTOR NOZZLES REMOVED GENERATOR CLEANED REPAIRED BRUSH BLOCK INSTALLED CLEANED MANIFOLD AIR INTAKE AREA SPARK PLUG CLEANED & GAP. CLEANED OIL SCREEN- CHANGED OIL AEROSHELL 50W I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND FOUND TO BE AIRWORTHY ANNUAL DATE 5 MAR 75											
	Will D Hays MARK 534051A												
March 29 1975	Tach Time	255				Installed Lead Inng # 2 cyl Bottom Tested all Leads, CLEAN + Tested Plugs Installed one RHB 37 E Raw Eng Eng check satisfactory A+P 2-15 OF Y							
	Benjamin A Marconi												
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
78													
Oct	Removed cylinders. #1, 3, 4 & 6 were replaced with new "H" cylinders From Continental # 2 & 5 were checked & topped. New rings installed in all cylinders. All cyls are standard "H" Eng time 281 hrs Cylinders were checked & repaired by Clydesdale Aircraft Corp Worker # 36712-123456 Oil changed to Shell M.D. 30 wt 281 hrs										Janef. Hoffman	IA 1011252	
NOV	Old propeller removed at 1229 hrs A/c Time New prop installed at 281 hrs eng time with an oil filled D 2A34 C58-0 Serial # 784567 AD 78-20-1 C/W												
April 79	Oil changed to 50 WT Regular for break in 286 hrs												
July 17, 79	Cleaned spark plugs check oil screen, fuel screens, checked compression I certify that this eng has been inspected in accordance with an annual inspection & was determined to be in airworthy condition Time 289 hrs Janef. Hoffman										IA 1011252	17 July 79	
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
10 Jan 80	oil	changed to 30 Reg	30	4	hrs	Jenck. Stefan							
21 May 80	oil	changed to 50 Reg	30	7.5	hrs	Jenck. Stefan							
23 July 80	Annual Insp completed this date. Oil screen checked OK, cleaned spark plug checked eng controls. Checked ign harness & timing. AD 79-25-07 AIT Gnd strap N/A. I certify that this engine has been inspected in accordance with an annual inspection and was determined to be in airworthy condition Time 311.7 hrs Jenck. Stefan IA 1011252 23 July 80												
19 Nov 80	oil	changed to 30 Reg	32	4.6	hrs								
7 March 81	ALL cyls removed to check gaps on wings Eng time 333 SMOH 52 hrs on #1, 3, 4 & 6 cyl.												
10 March 81	Cyls honed out to cut glaze by Clydesdale Eng Shop work order # 42761												
17 March 81	Cyls reinstalled on engine Jenck. Stefan IA 1011252 TSMOH 333.4 hrs												
BROUGHT FORWARD			21 March 81 Eng run OK test happy 1 hr OK IA Jenck Stefan 1011252										
TOTALS			2 April 81 Oil changed to 50 wt regular Time 338 hrs										

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
11/1/86			Annual Insp Comp this date -			cleaned oil & fuel screens,							
			checked & cleaned injectors,			checked controls. Changed							
			oil			Engine							
						I certify that this aircraft has been inspected							
						in accordance with an annual inspection and							
						was determined to be in airworthy condition,							
						INOV 86 Time in service 500.8 hrs							
						Jesse R. Stefaniec			IA 1011252				
3/26/87			Removed all cylinders for inspection, drained oil & checked filter			Eng time 509 hrs 176 hrs since T.O.H.			# 648029 # 634565A9P005		Stefaniec	1011252	
5/16/87			All Cyls reinstalled after Glyderdale T.O.H standard steel barrels New Type pistons & rings installed - Ginguide			work order # 57668 429-87. New ignition leads inst., New starter brushes, excuduc							
			New fuel injectors, new fuel & oil bases. Both exh mufflers repaired										
			Eng pre-oiled Installed Phillip 20-50 Type M break-in oil								Jesse R. Stefaniec	1011252	
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
29 Oct 88													
Oil Drained			565.8		hrs						Top plugs loose. Cleaned oil Filter. Plugs cleaned & reinstalled. Checked Compression OK. Cleaned Air Filter etc. Serviced with 20-50 Phillips KC oil 129ts. AD 88-03-06 N/A oil filter		
NOV 88													
											I certify that this aircraft has been inspected in accordance with an annual inspection and was determined to be in airworthy condition.		
											6 Dec 88 Time in service 565.8 hrs		
											Jesse R. Stefanice		
											IA 1011252		
11	Tech		586	1		One qt oil added in 20 hrs					Phillips KC 20-50		
9 Dec 89	Tech		590	4		Change oil & checked screen OK					Phillips KC 20-50 Checked Controls cleaned Filter.		
											I certify that this aircraft has been inspected in accordance with an annual inspection and was determined to be in airworthy condition.		
											2 Jan 90 Time in service 590.4 hrs		
											Jesse R. Stefanice		
											IA 1011252		
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
91	15	5									Annual Insp Completed. Changed oil & cleaned Filter Phillips KC 20-50. Checked controls. Installed A1 for A1 bean water kit STCSA 3245W A/C. Records reviewed.		
											I certify that this aircraft has been inspected in accordance with an annual inspection and was determined to be in airworthy condition.		
											15 Jan 91 Time in service 614 hrs		
											Jesse R. Stefanice		
											IA 1011252		
											100 hr Insp Completed, Compression #1-76/80, #3-76/80, #5-76/80, #2-76/80, #4-76/80, #6-76/80. Serviced Hydraulic System Checked & cleaned Air Filter, checked Etc.		
											I certify that this Engine has been inspected with a 100 hr insp & determined to be in airworthy condition. Jesse Stefanice IA 1011252		
											Eng Time 630.2 hrs.		
											4 Feb 92		
92	June	12									Changed oil & cleaned Filter Phillips KC 20-50 Time		
BROUGHT FORWARD													
TOTALS													

638.4 hrs.

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
6/14/03	100 hr inspection complete		Checked exhaust, Fuel & oil systems checked compression all over 75/80						3 Sept 03		100 hr Insp completed Checked Fuel & oil system, Controls, & Exh system		
	I certify that this engine has been inspected in accordance with a 100 hr inspection and was determined to be in airworthy condition 7505 hrs since FRM Prop 49.250		Junk Stefan 1A101252						5 Sept 07		100 hr Insp Co Checked Controls Fuel & oil system		
7/1/04	100 hr Insp complete		Fuel & Oil Sys checked Exh Sys checked. Cleared Follow								I certify that this engine has been inspected in accordance with an annual insp & was determined to be in airworthy condition		
	I certify that this Engine has been inspected in accordance with a 100 hr Insp & was determined to be in airworthy condition Time 75155 FRM Prop 505 hr		Junk Stefan 1A101252						18 March 08		100 hrs Insp complete	472	
	BROUGHT FORWARD								March 09		I certify that this engine has been inspected in accordance with an annual insp & was determined to be in airworthy condition		
	TOTALS										5 FRM 753 hrs		

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
10 April 10			100	12							100 hr Insp, completed checks, fuel & oil system Eng controls, plugs		
											I certify that this engine has been inspected with a 100 hr inspection & was determined to be in air worthy cond, for		
10 April 10											100 hr Insp, 1A 101125Z 753 hrs 5 PM		
											Prop 472 hr 5250		
2 June 11											Annual Insp, complete check fuel & oil system, controls, I certify that this Eng has been inspected with a annual Insp & was determined to be in air worthy cond.		
											Checked oil filter, changed oil 20-50 Tech 759 hrs 5 Dec 12		
BROUGHT FORWARD													
TOTALS													
1A 101125Z 753, hrs													

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
	8/14/2017 812.7 tack, #1 69/80 #2 45/80 #3 70/80 #4 70/80, #5 70/80, #6 55/80; Removed six (6) Continental fuel nozzles P/N 627335D12C and installed General Aviation Modifications, inc. GAMInjectors kit No. GAD12C, S/N 26416 in accordance with STC No. SE09217SC, PMA No. PQ821SW see 337 this date; Installed F&M Enterprises INC oil filter adapter model C6LC-L in accordance with STC SE09356SC see 337 this date; changed oil and filter Phillips 20W50 plus cam guard; replaced spark plugs with Tempest fine wire plugs; cleaned carb air filter; I certify that this engine was inspected in accordance with an annual inspection and was found to be in an airworthy condition. Ronald D. Poor AP/IA 2048253 <i>Ronald D. Poor</i>												
	6/3/2019 819.8 Tack, 1770.8 Total, 819.8 SMOH, Oil and filter changed Phillips 20W50, I certify that this engine was inspected during the aircraft annual inspection and was found to be in an airworthy condition. Ronald D. Poor AP/IA 2048253 <i>Ronald D. Poor</i>												
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
8/8/19											Removed mags And Harness Replaced mags with PT PT# 6310 L+R Left Hand SN# 00010890 Right Hand SN# 14031598 Replaced Harness Ass PT# 1A12381 Ran up opp's che Good		
											Ben Por 326254		

Date 3/1/21

TCM IO-470-S S/N 109066-7-S-R

C/W Compression checks, #1 70, #2 70, #3 70, #4 74, #5 70, #6 52, MOR 46/80. Drained oil. Removed, cut and inspected oil filter, no defects noted. Installed new Tempest oil filter P/N AA48108-2 & serviced sump w/10qts of Phillips XC20W50 oil. Serviced spark plugs. Serviced fuel injectors. Replaced hydraulic pump accessory pad w/ servicable unit. Replaced hydraulic pad oil seal w/new. Replaced studs on hydraulic accessory pad w/new. Removed starter adapter, replaced seals and gaskets in adapter.

I certify this ENGINE is in airworthy condition in regards to work performed

Ryan Adam Bratcher A&P 3349981

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
	N9650X Cessna 210B S/N: 21057950 ACTT: 1796.3 Tach: 845.3 TSO 845.3 6-11-2021 Installed Hartzell PMA Starter P/N C12ST4 S/N H-T0627 Per Drawing ST40001. Removed R/H Magneto P/N 6610 S/N 14031598 and installed Surefly Sim P/N SIM6C S/N 6C-1120001 Per STC SE04349CH see 337 this date. Installed Challenger Air Filter per STC SA01669CH see 337 this date. I certify that this engine was inspected in accordance with an annual inspection and was found to be in an airworthy condition. Erik Sharp AP/IA 2805953 COMPRESSION CHECK #1/78, #2/74, #3/78, #4 76, #5 72 #6 72.												
01-17-22	TACH TIME 851.7 FOR O/H					REMOVED PROP GOVERNOR TYPE 210345 D S/N 5991673 AP 2805953							
BROUGHT FORWARD													
TOTALS													

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
2-22-22											INSTALLED GOVERNOR P/N 210345 S/N 599673M SMDH - C- IAW CESSNA 210 MAINTENANCE MANUAL A/C GROUND RUN AND RETURN TO SERVICE FOR THE WORK ACCOMPLISHED A&P 2805953		
3-22-22											REMOVED MAGNETO P/N 6310 S/N 00010890 INSTALLED MAGNETO P/N 6610 S/N 14031598, PERFORMED TIMING & GROUND RUN. MAG DROT WITHIN LIMITS ALL WORK ACCOMPLISHED IAW CONTINENTAL 10470 MM A&P 2805953		
3-22-22											ENGINE CRANKSHAFT RUN OUT CHECK ACCOMPLISHED WITHIN LIMITS A&P 2805953		
BROUGHT FORWARD													
TOTALS													

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
<u>Engine</u> <u>N9650X Cessna 210B S/N: 21057950 Date: 9/23/2022</u> <u>Engine IO-470-S S/N:109066-7-S-R Tach Time: 852.18 Eng TT: 852.18 SMOH: 852.18.</u> 100 HR inspection/Annual. Engine compression check not performed. Compression check done at Tach time 845.3 b. Owner on his own oil and filter schedule. I certify that this engine was inspected in accordance with FAR 43.13 Appendix D 100 HR/Annual Inspection and was found to be in an airworthy condition. <u>Erik Sharp A&P IA 2805953</u>													
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R.P.M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
12-12-22											TACH TIME 8553.37 FILTER P/N AA48108-2 A&P 2805953		
N9650X Cessna 210B S/N: 21057950 ACFTT: 1805.26 Tach: 854.56 Date: 9-29-23													
Lycoming IO-470-S S/N: 109066-7-S-R TACH: 854.56 SMOH: 854.56													
Complied with 100 hour/Annual inspection. Engine compression check: #1- 68/80, #2- 74/80, #3- 77/80, #4- 78/80, #5- 72/80, #6- 64/80. Removed spark plugs and inspected tested and cleaned. Removed Fuel ejectors inspected and cleaned. Engine oil changed. New filter P/N AA-48108-2 installed. 8 quarts W100plus added. Air filter cleaned per Challenger ICA. I Certify that this engine has been inspected IAW with a 100 hr/Annual AC43-13 Appendix D and was found to be in an airworthy condition.													
<u>Erik Sharp A&P IA 2805953</u>													
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

PROPELLER INSPECTION AND REPAIRS

[illegible]

PROPELLER INSPECTION AND REPAIRS

[illegible]

MEMORANDA

$AD_5 \rightarrow N.P.$

DATE	
7-20-67	Installed New Oil Cooler & new throttle cable Lewis B Prime AP 449276
1 July 78	AD 74-18-05 N/A Slick Mags replaced 75 RTMg #4081172R LT-4081156R
1 July 78	AD 76-19-04 N/A Prop No.
Nov 78	New D2A34 0580 Prop Inst Ser # 784567 AD 78-20-7 C/w
Oct 78	New #1,3,4 & 6 cylinders installed 245 T.O.H. at 281 hr.
July 80	AD 79-05-09 N/A oil pressure valve
	AD 80-06-05 Mags NA Ser # LT 4081156R RT 4081172R Slick 662's
	AD 96-12-07 N/A Bendix Mags Slicks installed
	AD 96-12-22 Oil Filter Adapters N/A
Feb 97	AD 97-01-13 N/A Hoses
March 98	AD 98-01-08 Roller Rocker Arms N/A

P1075 484

[illegible]