AIRCRAFT MAINTENANCE RECORDS

N

8879M

AIRFRAME

LOG BOOK



AIRCRAFT MAINTENANCE RECORDS

Owner
Aircraft Registration N 8879M
Manufacturer Beech
Model A23
Serial No. <u>M-626</u>
Position

AIRCRAFT MAINTENANCE RECORD Page No.

IIED	Total Time	DESCRIPTIC SIGNATURE & CERTIFICATE	NUMBER OF PERSON PERFORMING WORK
ARD	wo: N8879M102	Par	Airframe - page 1 of 1
	Noozou	Pinehurst Aviation Services - 7825 Aviation D	
	N8879M TACH: 2551.3	Beech, A23 Musketeer, S TTAF: 2551.35	6/N: M-626 October 26, 2022
	Removed, reseat 012 - O-ring, Ins	led and reinstalled Pilots left pedal mas talled P/N MS28775-115 - O-Ring.	ster cylinder, bled system Installed P/N MS28775-
	With respect to performed are of Charles Harris A	n file with Pinehurst Aviation Services un	is approved for return to service. Details of work order work order: N8879M 02122.
	vo: N8879M121522	P49	Airframe · page 1 of 2
it c	P	AS-Moore County · 7825 Aviation Dr. · Ca	arthage, NC 28327 · 9106035005
	N8879M Acft TT: 5369.3	Beech, A23 Musketeer, Hobbs: 761.2 TA	S/N: M-626 May 22, 2023 CH: 2552.22
ch — pe C/ — ca Lu	eck. Next due: Ta r 91.207(d). Batter W A.D. 87-02-08 S ble pulley at Sta. 1	ch 248.0. Checked battery, lights an es expire 12/2024. tabilator attach by inspection. Next of 31.	C/W A.D. 76-07-12 Bendix Switch by operation nd electrical system. E.L.T. inspected and tested due: Tach 2652.2. Freed and lubed stuck rudden
Gr int lar Re Cy co rep wa Re	emoved and disasseased pins and but on engine mount. I minated. I moved broken bath of the pinder. Installed New pilacements. Installed isher	sembled nose gear. Cleaned hardshings. Replaced rubber discs with installed P/N AEC-169-380008-7 - Effing above #3 Cylinder and created w Baffling. Replaced nose gear cerevice Instruction 0117-207. Now has ad P/N 169-810000-121 - Cable, Asset P/N 169-8100000-121 - Cable, Asset P/N 169-810000-121 - Cable, Asset	h new set AEC 169-380003-7. Assembled ged Disc set 8 Ea., Installed P/N 50-820024 - Shirted new baffling to replace the baffling above antering cable assembly P/N 169-810000-121. It is larger diameter bolts, use above part # for futures. Removed and replaced nutplate with nut are
Gr int lar Re Cy co rep wa Re MS Cle duc airc	emoved and disasseased pins and but of engine mount. In initiated. Installed New porated Beech Seplacements. Installes in installes in initiated. Installes in initiated initiated in initiated in initiated in initiated initiated in initiated initi	sembled nose gear. Cleaned hardshings. Replaced rubber discs with installed P/N AEC-169-380008-7 - Effing above #3 Cylinder and create w Baffling. Replaced nose gear cervice Instruction 0117-207. Now has ed P/N 169-810000-121 - Cable, Assistener in lower wing splice plate. The promodule of the front cabin fresh air intake and fuel and the engine side. Removed insect nest ected I/A/W an Annual inspection point respect to only the work performent are on file with PAS-Moore Courters.	dware. Repair and cleaned nose gear support how set AEC 169-380003-7. Assembled ge Disc set 8 Ea., Installed P/N 50-820024 - Shirted new baffling to replace the baffling above and the same terms of the same ter
Grint lar Re Cy col rep wa Re MS Cle duc airc air Dei	emoved and disasseased pins and but of engine mount. In initiated. Installed New porated Beech Seplacements. Installes in installes in initiated. Installes in initiated initiated in initiated in initiated in initiated initiated in initiated initi	sembled nose gear. Cleaned hardshings. Replaced rubber discs with installed P/N AEC-169-380008-7 - Effing above #3 Cylinder and create w Baffling. Replaced nose gear cervice Instruction 0117-207. Now has ed P/N 169-810000-121 - Cable, Assistener in lower wing splice plate. The promodule of the front cabin fresh air intake and further and side. Removed insect nest ected I/AW an Annual inspection path respect to only the work performend are on file with PAS-Moore Courties.	dware. Repair and cleaned nose gear support how set AEC 169-380003-7. Assembled gear Disc set 8 Ea., Installed P/N 50-820024 - Shirted new baffling to replace the baffling above and the same basembly P/N 169-810000-121. It is larger diameter bolts, use above part # for futures. Removed and replaced nutplate with nut are Retorqued remaining fasteners. Installed P/M tel tank vent drains. Re-crimped fuel flow transact from left main gear housing. I certify that this per 43 App. D and was determined to be in a led, this airframe is approved for return to service only under work order: N8879M121522.
Grint lar Re Cy con rep was Re duc airro airro De Ste	emoved and disasseased pins and but on engine mount. In a content of the content	sembled nose gear. Cleaned hardshings. Replaced rubber discs with installed P/N AEC-169-380008-7 - Effing above #3 Cylinder and create w Baffling. Replaced nose gear cervice Instruction 0117-207. Now has ed P/N 169-810000-121 - Cable, Assistener in lower wing splice plate. In from cabin fresh air intake and fur a engine side. Removed insect nest et et al. (A/W an Annual inspection point respect to only the work performend are on file with PAS-Moore Court and 3132093	Airframe · page 1 of
Grint lar Re Cy co rep wa Re MS Cle duc airc airc Det	emoved and disasseased pins and but on engine mount. In a content of the content	sembled nose gear. Cleaned hardshings. Replaced rubber discs with installed P/N AEC-169-380008-7 - Effing above #3 Cylinder and create w Baffling. Replaced nose gear cervice Instruction 0117-207. Now has ed P/N 169-810000-121 - Cable, Assistener in lower wing splice plate. The promodule of the front cabin fresh air intake and further and side. Removed insect nest ected I/AW an Annual inspection path respect to only the work performend are on file with PAS-Moore Courties.	Airframe · page 1 of arthage, NC 28327 · 9106035005

Charles Harris A&P 3401050

Date	DESCRIPTION OF WORK PI	ERFURIVED			
ARD					
	wo: N8879M 052124	Airframe - page 1 of 2			
	PAS-Moore County · 7825 Aviation Dr. · Carthage, NC 28327 · 9	106035005			
	N8879M Beech, A23 Musketeer, S/N: M-626 TACH: 2615.28 TTAF: 2615.28	June 21, 2024			
	 Opened airframe for inspection. Inspected per FAR 43 Appendix D. Cleaned, inspected and lubricated flight control cables and surfaces. Serviced, greased, and inspected landing gear. Serviced brake reservoir. Inspected ELT in accordance with FAR part 91.207. Refer to AD compliance list for AD status. I certify that this airframe has been inspected in accordance with an Annual Inspection and found to be in an airworthy condition at this time and date. 				
	Secure cabin heat duct off cables in engine compartment.				
	Repaired baffling just forward of #3 Cylinder. A Repaired types agains apply himse attachment. A Repaired types agains apply himse attachment.				
	 Repaired upper engine cowl hinge attachment. Removed fuel cap seals on both wings and replaced with new. Inst 	alled (2) P/N MS29513-338 -			
	O-Ring.	(2) 111111122222			
	6. Installed L/H forward engine baffle attachment fastener.				
	7. Reattached weather stripping on baggage door.				
	Replaced cowl to muffler duct. Newstand first autismulators broaded to exhibit floor.				
	Mounted fire extinguisher bracket to cabin floor.				
		Airframe - page 2 of 2			
	wo: N8879M 052124				
	TO A CONTROL OF THE PARTY OF TH	, , , , , , , , , , , , , , , , , , , ,			
	PAS-Moore County - 7825 Aviation Dr Carthage, NC 28327				
	PAS-Moore County · 7825 Aviation Dr. · Carthage, NC 28327 With respect to only the work performed, this airframe is approved for retu	9106035005 urn to service. Details of work			
	PAS-Moore County · 7825 Aviation Dr. · Carthage, NC 28327	9106035005 urn to service. Details of work			
	With respect to only the work performed, this airframe is approved for retuperformed are on file with PAS-Moore County under work order: N8879M 0:	9106035005 urn to service. Details of work			
	With respect to only the work performed, this airframe is approved for retuperformed are on file with PAS-Moore County under work order: N8879M 0: Keith Dodd A&P/3863477 Keith Dodd A&P/3863477	9106035005 urn to service. Details of work 52124.			
	With respect to only the work performed, this airframe is approved for retuperformed are on file with PAS-Moore County under work order: N8879M 0: Keith Dodd A&P/3863477 wo: BN8879M 122724	ern to service. Details of work 52124. Airframe - page 1 of			
	With respect to only the work performed, this airframe is approved for retuperformed are on file with PAS-Moore County under work order: N8879M 0: Keith Dodd A&P/3863477 Keith Dodd A&P/3863477	ern to service. Details of work 52124. Airframe - page 1 of			
	With respect to only the work performed, this airframe is approved for retuperformed are on file with PAS-Moore County under work order: N8879M 0: Keith Dodd A&P/3863477 Wo: BN8879M 122724 Preferred Aviation Services 370 Airport Road Elizabethtown. North Card N8879M Beech, A23 Musketeer, S/N: M-626	ern to service. Details of work 52124. Airframe - page 1 of			
	With respect to only the work performed, this airframe is approved for retuperformed are on file with PAS-Moore County under work order: N8879M 0: Weith Dodd A&P/3863477 Wo: BN8879M 122724 Preferred Aviation Services 370 Airport Road Elizabethtown. North Card N8879M TACH: 2632.9 Removed and Replaced RH Main Tire and Innertube with new. Installed F	Airframe - page 1 of December 30, 2024			
	With respect to only the work performed, this airframe is approved for retuperformed are on file with PAS-Moore County under work order: N8879M 0: Weith Dodd A&P/3863477 Wo: BN8879M 122724 Preferred Aviation Services - 370 Airport Road Elizabethtown. North Card N8879M TACH: 2632.9 Beech, A23 Musketeer, S/N: M-626 TTAF: 2632.9	Airframe - page 1 of December 30, 2024 P/N 072-315-0 - CONDOR TIRE			
	With respect to only the work performed, this airframe is approved for retuperformed are on file with PAS-Moore County under work order: N8879M 0: Keith Dodd A&P/3863477 Wo: BN8879M 122724 Preferred Aviation Services 370 Airport Road Elizabethtown. North Card N8879M TACH: 2632.9 Removed and Replaced RH Main Tire and Innertube with new. Installed F6.00-6 4PLY. Installed PIN GL-6020B - Inner Tube.	Airframe - page 1 of December 30, 2024 P/N 072-315-0 - CONDOR TIRE			
	With respect to only the work performed, this airframe is approved for retiperformed are on file with PAS-Moore County under work order: N8879M 0: Wo: BN8879M 122724 Preferred Aviation Services 370 Airport Road Elizabethtown. North Card N8879M Beech, A23 Musketeer, S/N: M-626 TTAF: 2632.9 Removed and Replaced RH Main Tire and Innertube with new. Installed F6.00-6 4PLY. Installed PIN GL-6020B - Inner Tube. With respect to only the work performed, this airframe is approved for reperformed are on file with Preferred Aviation Services under work order: B	Airframe - page 1 of December 30, 2024 P/N 072-315-0 - CONDOR TIRE			
	With respect to only the work performed, this airframe is approved for retriperformed are on file with PAS-Moore County under work order: N8879M 0. Keith Dodd A&P/3863477 Wo: BN8879M 122724 Preferred Aviation Services 370 Airport Road Elizabethtown. North Card TACH: 2632.9 Removed and Replaced RH Main Tire and Innertube with new. Installed F6.00-6 4PLY. Installed PIN GL-6020B - Inner Tube. With respect to only the work performed, this airframe is approved for reperformed are on file with Preferred Aviation Services under work order: B Keith Dodd A&P IA 3863477	Airframe - page 1 of December 30, 2024 P/N 072-315-0 - CONDOR TIRE Plurn to service. Details of work Sturn to service. Details of work Plurn to service. Details of work N8879M 122724.			
	With respect to only the work performed, this airframe is approved for retriperformed are on file with PAS-Moore County under work order: N8879M 0. Keith Dodd A&P/3863477 Wo: BN8879M 122724 Preferred Aviation Services 370 Airport Road Elizabethtown. North Card TACH: 2632.9 Removed and Replaced RH Main Tire and Innertube with new. Installed F6.00-6 4PLY. Installed PIN GL-6020B - Inner Tube. With respect to only the work performed, this airframe is approved for reperformed are on file with Preferred Aviation Services under work order: B Keith Dodd A&P IA 3863477	Airframe page 1 of December 30, 2024 P/N 072-315-0 - CONDOR TIRE Sturn to service. Details of work Airframe page 1 of December 30, 2024 Airframe page 1 of December 30, 2024 Airframe page 1 of Details of Work Airframe page 1 of December 30, 2024			

With respect to only the work performed, this airframe is approved for return to service. Details of work performed are on file with Preferred Aviation Services under work order: BN8879M 012124.

Charles Fishel A&P 4435608 Charles Eishel





AIRCRAFT MAINTENANCE RECORD Page No.

Date	Total Time	DESCRIPTION OF WORK PERFORMED SIGNATURE & CERTIFICATE NUMBER OF PERSON PERFORMING WORK
CARRIED		
		SUB-TOTAL THIS PAGE
		TOTAL - CARRY FORWARD TO NEXT PAGE

TOTAL - CARRY FORWARD TO NEXT PAGE