

Aircraft Maintenance Schedule

DATE: *mayo 16, 2025*

A/C T.S.N.: 5480.5

Hrs.

L/H ENGINE T.S.N.:
L/H ENGINE C.S.N.:

A/C C.S.N.: 5032

Ldgs.

R/H ENGINE T.S.N.:
R/H ENGINE C.S.N.:

Hrs.

A/C System Ho
1133.1

ATA /TASK NUMBER	FACTS Form No.	SYSTEM AND COMPONENT				INTERVAL			LAST COMPLIANCE			NEXT DUE				REMAINING			DATA & REFERENCE	OBSERVATION	
		DESCRIPTION	P / N	S / N	HRS	LDS	Mos.	TSN	LDS	DATE	TSN	LDS	DATE	CSN	TSN	HRS	LDS	MOS			
AIRCRAFT PHASE MAINTENANCE SCHEDULE																					
	AIRCRAFT WEIGHT & BALANCE [AW, DWAR 135, US]		BE-400A		RK-134		60	5198.0	4724	4-Feb-27								21		A.M.M. 08-20-00	ANAC 91.406
	200 HRS LUBRICATION / Fuse A		BE-400A		RK-134	200		5445.6	4988	26-Sep-24		5645.6					165.10			A.M.M.12-20-00-201	
	400 HRS LUBRICATION / Fuse B		BE-400A		RK-134	400		5198.0	4965	04-Sep-23		5764					283.50			A.M.M.12-20-00-201	
	1300 HRS LUBRICATION / Fuse C		BE-400A		RK-134	1300		4867.5	4414	26-Mar-19		8067.5					587.00			A.M.M.12-20-00-201	
	LUBRICATE AUTOPILOT SERVICES		BE-400A		RK-134	6500		48	5354.0	4955	04-Sep-23		11884				6383.50		27	A.M.M.12-20-00-201	
	ELECTRONIC DRIVE MOTOR - PERFORM OVERHAUL OF DRIVE MOTOR					3000			0.0	0	2-mmfr-.97		3000				1866.90			A.M.M.04-00-02	
	HOBBS READING:				1133.1																
215005	INSPECT AIR-CONDITIONING SYSTEMS (ACH-500)		HOBBS READING:		1133.1	500		4726.7	4275	23-May-17		5229.7					4086.80			A.M.M.05-20-02	
218011	INSPECT AIR-CONDITIONING SYSTEMS (ACH-1000)		HOBBS READING:		1133.1	1000													removed revision C28		
220001	INSPECT SPOILER SERVO DRIVE MOUNT SPOILER (ROLL) SERVO MOUNT SLIP CLUTCH					12200		0.0	0	2-mmfr-.97		12200					6719.50			A.M.M.05-20-02	
220001	INSPECT ELEVATOR SERVO DRIVE MOUNT ELEVATOR SERVO MOUNT					12200		0.0	0	2-mmfr-.97		12200					6719.50			A.M.M.05-20-02	
220001	INSPECT RUDDER SERVO DRIVE MOUNT RUDDER SERVO MOUNT SLIP CLUTCH					12200		0.0	0	2-mmfr-.97		12200					6719.50			A.M.M.05-20-02	
240012	CHECK & TEST STANDBY POWER SUPPLY BATTERY PS-835		501-1226-04	9844		12	5445.6	4988	20-Sep-24									4	A.M.M.05-20-02		
240013	CHECK & TEST AHRs POWER SUPPLY BATTERY PS-835						12	5198.0	4724	04-Feb-22		N/A, removed at this date for modification								A.M.M.05-20-02	
240017	MAIN BATTERY (SAFT Ni-CAD SERIES) (RK-1 THRU RK-697)		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	NIA BY AIRCRAFT SIN
240018	MAIN BATTERY (SAFT Ni-CAD SERIES) (RK-1 THRU RK-697)		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	NIA BY AIRCRAFT SIN
243026	CONCORDE RG380E/60L - LEAD ACID BATTERY, CAPACITY TEST - EMERGENCY - Perform capacity test of Main Battery (Concorde RG Series). Verify the battery meets 85% of rated C1 capacity per the maintenance instructions for capacity check procedures (Ref. Concorde Drawing 5-0171)		RG-380E/60L	41351067	1000	12	5445.6	4988	25-Sep-24		6445.6						965.10		4	A.M.M. 24-30-00	Installed law STC ST02066AT, Refer to CMM 24-30-71, Concorde Doc 5-0171
230005	INSPECT / TEST COCKPIT VOICE RECORDER UNDERWATER LOCATOR DEAKON, Referring to the Dekane Release Unit (DRU) Maintenance Manual of the Component Maintenance Manual, P/N 128-590001-81 or subsequent for test procedures.		810-2007K			24	5445.6	4988	16-Aug-24									15	A.M.M.05-20-02		
250018	E.L.T., TRANSMITTER, ANUAL INSP.		453-5000-6366	17507939		12	5445.6	4988	20-Sep-24									4	A.M.M.04-00-02	RAAC 91.207	
256011	E.L.T., BATTERY, REPL.		45240133	3979774026				4965	4-Sep-23									31	A.M.M.04-00-02		
256030	REGRETIFY PILOT LIFE VEST		P01074-201	19121200658			5120.0	4629	24-Jul-20									55	A.M.M.05-20-02	MFD, 06-2019	
256031	REGRETIFY COPLOT LIFE VEST		P01074-201	19121200658			5120.0	4629	24-Jul-20									55	A.M.M.05-20-02	MFD, 06-2019	
256032	REGRETIFY PAW1 LIFE VEST		P01074-201	10081250010			5120.0	4629	24-Jul-20									55	A.M.M.05-20-02	MFD, 06-2019	
256033	REGRETIFY PAW2 LIFE VEST		P01074-201	19121720047			5121.4	4630	12-Sep-20									55	A.M.M.05-20-02	MFD, 06-2019	
256034	REGRETIFY PAW3 LIFE VEST		P01074-201	19121720051			5121.4	4630	12-Sep-20									55	A.M.M.05-20-02	MFD, 06-2019	
256035	REGRETIFY PAW4 LIFE VEST		P01074-201	19121720060			5121.4	4630	12-Sep-20									55	A.M.M.05-20-02	MFD, 06-2019	
256036	REGRETIFY PAW5 LIFE VEST		P01074-201	19121720061			5121.4	4630	12-Sep-20									55	A.M.M.05-20-02	MFD, 06-2019	
256037	REGRETIFY PAW6 LIFE VEST		P01074-201	19121720049			5121.4	4630	12-Sep-20									55	A.M.M.05-20-02	MFD, 06-2019	
256038	REGRETIFY PAW7 LIFE VEST		P01074-201	19121720068			5121.4	4630	12-Sep-20									55	A.M.M.05-20-02	MFD, 06-2019	
256039	REGRETIFY PAW8 LIFE VEST		P01074-201	19121720063			5121.4	4630	12-Sep-20									55	A.M.M.05-20-02	MFD, 06-2019	
262001	WEIGHT CHECK COCKPIT PORTABLE FIRE EXTINGUISHER		C354	W4994044		12	5445.6	4988	25-Sep-24									4	A.M.M.05-20-02		

Aircraft Maintenance Schedule

DATE: mayo 16, 2025

C.R.A. Nº

Certificado Nº

A/C T.S.N.: 5480.5

Hrs.

A/C C.S.N.: 5032

Ldgs.

A.P.U. T.S.N.:

Ldgs.

R.H. ENGINE T.S.N.:

Hrs.

R.H. ENGINE C.S.N.:

Ldgs.

5480.50

Hrs.

5032

Ldgs.

5446.90

Hrs.

4961

Ldgs.

A/C System Hoobs

1133.1

ATA /TASK NUMBER	FACTS Form No.	SYSTEM AND COMPONENT			INTERVAL			LAST COMPLIANCE			NEXT DUE			REMAINING			DATA & REFERENCE	OBSERVATION
		DESCRIPTION	P / N	S / N	HRS	LDGS	Mos.	TSN	LDGS	DATE	TSN	CSN	DATE	HRS	LDGS	MOS		
AIRCRAFT PHASE MAINTENANCE SCHEDULE																		
262002		WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER	C354	W494041			12	5445.6	4988	25-sep-24			25-Sep-25			4	A.M.M/5-30-02	
262005		COCKPIT PORTABLE FIRE EXTINGUISHER	C354	W494044			144	4592.4	4156	13-may-16			14-May-28			36	A.M.M/5-30-02	
262006		CABIN PORTABLE FIRE HYDROTEST	C354	W494041			144	4592.4	4156	13-may-16			14-May-28			36	A.M.M/5-30-02	
280008		CALIBRATE WING FUEL TANK QUANTITY INDICATOR					24	5364.0	4865	04-aug-23			03-Aug-25			3	A.M.M/5-30-02	
280008		CALIBRATE FUSELAGE FUEL TANK QUANTITY INDICATOR					24	5364.0	4865	04-aug-23			03-Aug-25			3	A.M.M/5-30-02	
280010		INSPECT FUSELAGE FILLER FUEL TANK (OUTER TANK)	128-3200022			2400		5034.4	4546	12-jul-19	7434.4			1953.90			A.M.M/5-30-02	
312020		COCKPIT VOICE RECORDER DUKANE UNDERWATER LOCATOR BEACON FUEL SYSTEM REFILL	810-2007/K					5445.6	4988	20-sep-24			01-Jun-29			49	A.M.M/5-30-02	
313005		FLIGHT DATA RECORDER TEST(if applicable)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A BY NOT INSTALLED COMPONENT
313011		FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON/DEVIDE (if applicable)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A BY NOT INSTALLED COMPONENT
320029		CLEAN POWER BRAKE CONTROL VALVE FILTERS	5006540-5			1000		5034.4	4546	12-jul-19	6034.4			553.90			A.M.M/5-30-02	
320037		NOSE WHEEL INSPECTION						5445.6	4988	25-sep-24							A.M.M/5-30-02	TO PERFORMED AT EACH TIRE CHANGE
320109		L/H MAIN WHEELS INSPECTION						5445.6	4988	25-sep-24							A.M.M/5-30-02	TO PERFORMED AT EACH TIRE CHANGE
320209		R/H MAIN WHEELS INSPECTION						5445.6	4988	25-sep-24							A.M.M/5-30-02	TO PERFORMED AT EACH TIRE CHANGE
322113/322213		MAIN LANDING GEAR RETRACTION INSPECTION (R/K1 THRU RK-23 WITHOUT KIT 128-4001 INSTALLED)	45AS36515	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A BY AIRCRAFT SIN
322013		NOSE LANDING GEAR RETRACTION CYLINDER EDDY CURRENT INSPECTION (R/K1 THRU RK-23 WITHOUT KIT 128-4001 INSTALLED)	45AS36503	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A BY AIRCRAFT SIN
322114/322214		MAIN LANDING GEAR RETRACTION CYLINDER EDDY CURRENT INSPECTION	45AS36515			7400	5000	5445.6	4988	25-sep-24	12845.6	9988		7365.10	4956.00		A.M.M/5-30-02	
322014		NOSE LANDING GEAR RETRACTION CYLINDER EDDY CURRENT INSPECTION	45AS36503			7400	5000	5445.6	4988	25-sep-24	12845.6	9988		7365.10	4956.00		A.M.M/5-30-02	
330006		INSPECT OXYGEN EMERGENCY (LIGHT PROTECTIVE)	87-5105-2	AB5576 AB5642			12	5445.6	4988	25-sep-24			25-Sep-25			4	A.M.M/5-30-02	
330005		FUNCTIONAL TEST EMERGENCY LIGHT SYSTEM					12	5445.6	4988	25-sep-24			25-Sep-25			4	A.M.M/5-30-02	
335025/362728		EMERGENCY LIGHT POWER SUPPLIES (R/K1 THRU RK-109, EXCEPT RK498)		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A BY AIRCRAFT SIN
340006		FUNCTIONAL TEST MACH OVERSPEED WARNING SYSTEM					24	5256.4	4793	22-sep-22	N/A, ver Air Data Accuracy test							
341176		AIRBORNE FLIGHT INFORMATION SYSTEM (AFIS) WIRING (RK-463 AND AFTER - OPTIONAL)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A BY AIRCRAFT SIN
341177		AIRBORNE FLIGHT INFORMATION SYSTEM (AFIS) ANTENNA FUSELAGE FIELD - THROUGH (FS 373/54 - LOWER FUSELAGE) (RK-463 AND AFTER - OPTIONAL)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A BY AIRCRAFT SIN
350003		PASSENGER OXYGEN CONTROL VALVE O-RINGS	4460102-5				48	5256.4	4793	28-sep-22			28-Sep-26			16	A.M.M/5-30-02	
350006		PILOT OXYGEN MASK (BE AEGSPACE, SWEEPON 2000) - PERFORM OVERHAUL FROM DATE OF MANUFACTURE OR LAST OVERHAUL	174252-12 (128-360007-5)	15236			72	5198.0	4724	4feb-22			05-Feb-28			33	A.M.M/5-30-02	

Aircraft Maintenance Schedule

DATE: mayo 16, 2025

C.R.A. #

Certificado #

A/C T.S.N.: 5480.5

Hrs.

A/C C.S.N.: 5032

Ldgs.

A.P.U. T.S.N.:

Hrs.

R/H ENGINE T.S.N.: 5446.90

Ldgs.

A/C System Hoobs 1133.1

ATA /TASK NUMBER	FACTS Form No.	SYSTEM AND COMPONENT			INTERVAL			LAST COMPLIANCE			NEXT DUE			REMAINING			DATA & REFERENCE	OBSERVATION
		DESCRIPTION	P / N	S / N	HRS	LDGS	Mos.	TSN	LDGS	DATE	TSN	CSN	DATE	HRS	LDGS	MOS		
AIRCRAFT PHASE MAINTENANCE SCHEDULE																		
350006		COPILLOT OXYGEN MASK (BE AEROSPACE SWEEP-ON 2000) - PERFORM OVERHAUL FROM DATE OF MANUFACTURE OR LAST OVERHAUL	174252-12 (128-380067-5)	01460			72	5198.0	4724	44feb-22			05-Feb-28			33	AMM/05-30-02	
350005		PASSENGER OXYGEN MASK (BE AEROSPACE PIN 174095 Series) - OVERHAUL OR REPLACE	174095-68		mfg date, 31/mar/22		96	5256.4	4793	28-sep-22			31-Mar-30			58	AMM/05-30-02	
350007		OXYGEN CYLINDER REGULATOR	172400-14	1095120008			60	5198.0	4724	44feb-22			04-Feb-27			21	AMM/05-30-02	
350012		PROTECTIVE BREATHING EQUIPMENT (PBE) AVOX SYSTEM (PIN 802300-14) - MANUFACTURE	118077			N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			N/A	AMM/05-30-02	N/A BY COMPONENT PIN
531095		INSPECT LEFT MAIN LANDING GEAR FITTING ASSY				7000			0	2-mar-97		7000			1988.00		AMM/05-30-02	
531095		INSPECT RIGHT MAIN LANDING GEAR FITTING ASSY				7000			0	2-mar-97		7000			1988.00		AMM/05-30-02	
531096		INSPECT LEFT MID FUSELAGE MAIN LANDING GEARUPLOCK FITTING				7000			0	2-mar-97		7000			1988.00		AMM/05-30-02	
531096		INSPECT RIGHT MID FUSELAGE MAIN LANDING GEARUPLOCK FITTING				7000			0	2-mar-97		7000			1988.00		AMM/05-30-02	
		HORIZONTAL STABILIZER INTERNAL STRUCTURE (Airbus modification kit 128-6200) - Detail inspect for cracks, corrosion, missing fasteners and evidence of structural damage using either the radiographic (X-Ray) or borescope inspection procedure (Ref. Chapter 55-10-00).		2400				N/A	N/A	N/A	N/A	N/A	N/A			N/A	N/A	N/A- by Aircraft not modified by kit 128-6200
550015		INSPECT / MAGNETIC PARTICLE CHECK LEFT WING ATTACH BOLTS - After 1000 hours of flight, inspect wing attach bolts (PIN 45497121 and 45497124) the inspection interval reverts back to the 1000 year initial	45497121 45497124			60		5256.4	4793	28-sep-22			28-Sep-27			28	AMM/05-30-30	
570008		INSPECT / MAGNETIC PARTICLE CHECK RIGHT WING ATTACH BOLTS				60		5256.4	4793	28-sep-22			28-Sep-27			28	AMM/05-30-30	
720002		INSPECT LH ENGINE ISOLATOR MOUNTS		1800				5445.6	4988	25-sep-24		7245.6		1765.10			AMM/05-30-02	
720002		INSPECT RH ENGINE ISOLATOR MOUNTS		1800				5445.6	4988	25-sep-24		7245.6		1765.10			AMM/05-30-02	
340005/340007		ALTIMETER, ATC TRANSPONDER AND AIR DATA COMPUTER - CHECK PER CURRENT RAAC 91.411/91.413 AND RVSM PROGRAM				24		5120.0	4629	24-jul-20			N/A, not installed. See G5000 section					
340005/340007		LEAK CHECK FUEL & STATIC SYS (RAAC 91.411)				24		5364.0	4955	04-sep-23			03-Aug-25			3	AMM/05-30-02	
340005/340007		TEST STANDBY ALTIMETER (RAAC 91.411)	1611AM10	A6717		24		5120.0	4629	24-jul-20			N/A, not installed. See G5000 section					
340005/340007		N° 1 AIR DATA COMPUTER (RAAC 91.411)	822-0388-433	2833		24		5120.0	4629	24-jul-20			N/A, not installed. See G5000 section					
340005/340007		N° 2 AIR DATA COMPUTER (RAAC 91.411)	822-0388-433	2842		24		5120.0	4629	24-jul-20			N/A, not installed. See G5000 section					
340005/340007		STATIC PORT INSTALLATION STEP (CHECK FOR CORRUPTION OF AIRCAPTA SYSTEM FOR ACCURACY)				24		5120.0	4629	24-jul-20			N/A, not installed. See G5000 section					
340005/340007		TEST N° 1 TRANSPONDER TRANSMITTER (RAAC 91.413)	622-62110-004	5976		24		5120.0	4629	24-jul-20			N/A, not installed. See G5000 section					
340005/340007		TEST N° 2 TRANSPONDER TRANSMITTER (RAAC 91.413)	622-62110-004	5983		24		5120.0	4629	24-jul-20			N/A, not installed. See G5000 section					
RAAC91809		CVR Annual Check	S100-0060-00	1384		12		5445.6	4988	25-sep-24			25-Sep-25			4	AMM/05-30-02	

Aircraft Maintenance Schedule

DATE: mayo 16, 2025

C.R.A. Nº

Certificado Nº

A/C T.S.N.: 5480.5

Hrs.

L/H ENGINE T.S.N.: 5480.50

Hrs.

L/H ENGINE C.S.N.: 5032

Ldgs.

A/C C.S.N.: 5032

Ldgs.

A.P.U. T.S.N.:

Hrs.

R/H ENGINE T.S.N.: 5446.90

Hrs.

R/H ENGINE C.S.N.: 4961

Ldgs.

A/C System Hoobs

1133.1

ATA /TASK NUMBER	FACTS Form No.	SYSTEM AND COMPONENT				INTERVAL			LAST COMPLIANCE			NEXT DUE			REMAINING			DATA & REFERENCE	OBSERVATION
		DESCRIPTION	P / N	S / N	HRS	LDGS	Mos.	TSN	LDGS	DATE	TSN	CSN	DATE	HRS	LDGS	MOS			

AIRCRAFT PHASE MAINTENANCE SCHEDULE

STC ST10821W1/ CTS 2108.19 (A) Garmin G5000 / GFC 700 system installation

Airworthiness Limitations - GFC700 Limitations

0182101		GFC 700				600.0		5198.0	4724	04-4eb-22		5798.0		317.50			Garmin ICA 190-01508-N1		
0182102		Rudder boost initial active logic check				1,200.0		5198.0	4724	04-4eb-22		6398.0		917.50			Garmin ICA 190-01508-N1		
0182103		GSM100 pitch, roll & yaw servo mount and fasteners check.				20,000.0		5198.0	4724	04-4eb-22		25198.0		19171.50			Garmin ICA 190-01508-N1		
0182104		GSM100 pitch, roll & yaw servo mount drive shaft seal check					240	5198.0	4724	04-4eb-22						201	Garmin ICA 190-01508-N1		

Airworthiness Limitations - G5000 Limitations

0182110		Data bus paths for GPS data check				20,00.0		5445.6	4988	25-sep-24		5645.6		165.10			Garmin ICA 190-01508-N1		
0182111		Primary and Secondary power for G5000 LRU's check (GIA1, GIA1 COMMA, GDU1, GDU2, GEAT and GEAZ)				600.0		5198.0	4724	04-4eb-22		5798.0		317.50			Garmin ICA 190-01508-N1		
0182112		PFD1, PFD2 & MFD (reversory mode operation check				600.0		5198.0	4724	04-4eb-22		5798.0		317.50			Garmin ICA 190-01508-N1		
0182113		Primary and Secondary power for G5000 LRU's check (GIA1, GDU1, GDU2, GRS1, GDC1, GEAT and GEAZ)				2,400.0		5198.0	4724	04-4eb-22		7598.0		2117.50			Garmin ICA 190-01508-N1		
0182114		Primary and Secondary power for AHRST1				2,400.0		5198.0	4724	04-4eb-22		7598.0		2117.50			Garmin ICA 190-01508-N1		
0182115		EMER COM frequency switch check				2,400.0		5198.0	4724	04-4eb-22		7598.0		2117.50			Garmin ICA 190-01508-N1		
0182116		PFD1, PFD2, MFD, GTC1, GTC2 and standby instrument display lighting check				2,400.0		5198.0	4724	04-4eb-22		7598.0		2117.50			Garmin ICA 190-01508-N1		
0182117		HSDB data bus connections check				2,400.0		5198.0	4724	04-4eb-22		7598.0		2117.50			Garmin ICA 190-01508-N1		
0182118		Data bus paths for AHRs and ADC data check.				2,400.0		5198.0	4724	04-4eb-22		7598.0		2117.50			Garmin ICA 190-01508-N1		
0182119		RS-232 data bus connections between PFD1 and GCU1				2,400.0		5198.0	4724	04-4eb-22		7598.0		2117.50			Garmin ICA 190-01508-N1		
0182120		Redundant ground paths for G5000 LRUs check				20,000.0		5198.0	4724	04-4eb-22		25198.0		19171.50			Garmin ICA 190-01508-N1		
0182121		False mode for GMA1 and GMA2 check				20,000.0		5198.0	4724	04-4eb-22		25198.0		19171.50			Garmin ICA 190-01508-N1		

Airworthiness Limitations - Other Limitations

0182140		Pilot antice system check				400.0		5198.0	4724	04-4eb-22		5598.0		117.50			Garmin ICA 190-01508-N1		
0182141		Annunciator panel power check				400.0		5198.0	4724	04-4eb-22		5598.0		117.50			Garmin ICA 190-01508-N1		
0182142		Fuel temperature and fuel quantity harnesses visual inspection.				1,200.0		5198.0	4724	04-4eb-22		6398.0		917.50			Garmin ICA 190-01508-N1		
0182143		Electrical system check				1,200.0		5198.0	4724	04-4eb-22		6398.0		917.50			Garmin ICA 190-01508-N1		
0182144		Exterior skin around antennas inspection				1,200.0		5198.0	4724	04-4eb-22		6398.0		917.50			Garmin ICA 190-01508-N1		
0182145		Static port antice system check				2,400.0		5198.0	4724	04-4eb-22		7598.0		2117.50			Garmin ICA 190-01508-N1		
0182146		Electrical system check				2,400.0		5198.0	4724	04-4eb-22		7598.0		2117.50			Garmin ICA 190-01508-N1		
0182147		Fuel temperature Zener diode check				4,800.0		5198.0	4724	04-4eb-22		9998.0		4517.50			Garmin ICA 190-01508-N1		
0182148		Pilot antice ground return system check				20,000.0		5198.0	4724	04-4eb-22		25198.0		19171.50			Garmin ICA 190-01508-N1		
0182149		Main junction box redundant grounds check				20,000.0		N/A by aircraft S/N				N/A					Garmin ICA 190-01508-N1		

4.3. Table 4-1, Maintenance Intervals

0182160		GPUV70, aileron & wiring (in nose section) complete visual inspection				1,200.0		5198.0	4724	Phase C		6067.5		587.00			Garmin ICA 190-01508-N1		
0182161		G5000/GFC700 engine & wiring (in nose avionics section) complete visual inspection.				1,200.0		5198.0	4724	Phase C		6067.5		587.00			Garmin ICA 190-01508-N1		

Aircraft Maintenance Schedule

DATE: mayo 16, 2025

C.R.A. Nº

Certificado Nº

A/C T.S.N.: 5480.5

Hrs.

L/H ENGINE T.S.N.: 5480.50

Hrs.

L/H ENGINE C.S.N.: 5032

Hrs.

Ldgs.

A/C C.S.N.: 5032

Ldgs.

A.P.U. T.S.N.:

R/H ENGINE T.S.N.: 5446.90

Hrs.

R/H ENGINE C.S.N.: 4951

Hrs.

Ldgs.

Hrs.

A/C System Hoobs 1133.1

ATA /TASK NUMBER	FACTS Form No.	SYSTEM AND COMPONENT			INTERVAL			LAST COMPLIANCE			NEXT DUE			REMAINING			DATA & REFERENCE	OBSERVATION
		DESCRIPTION	P / N	S / N	HRS	LDGS	Mos.	TSN	LDGS	DATE	TSN	CSN	DATE	HRS	LDGS	MOS		
AIRCRAFT PHASE MAINTENANCE SCHEDULE																		
0182162		G5000/GFC700 equip & wiring (in pilot's compartment section) complete visual inspection.	G5000/GFC700			1,200.0	Phase C		5198.0	4724	04-4eb-22	6067.5			587.00		Garmin ICA 190-01508-N1	
0182163		G5000/GFC700 equip & wiring (on and inside the pedestal) complete visual inspection.	G5000/GFC700			1,200.0	Phase C		5198.0	4724	04-4eb-22	6067.5			587.00		Garmin ICA 190-01508-N1	
0182164		G5000/GFC700 equip & wiring (on and behind instrument panel) complete visual inspection.	G5000/GFC700			1,200.0	Phase C		5198.0	4724	04-4eb-22	6067.5			587.00		Garmin ICA 190-01508-N1	
0182165		G5000/GFC700 equip & wiring (in cabin) complete visual inspection.	G5000/GFC700			1,200.0	Phase C		5198.0	4724	04-4eb-22	6067.5			587.00		Garmin ICA 190-01508-N1	
0182166		Fuel harness (behind instrument panel and in cabin) complete visual inspection	G5000/GFC700			1,200.0	(Airworthiness Lim Item)		5198.0	4724	04-4eb-22	(see #0182142)			.		Garmin ICA 190-01508-N1	
0182167		G5000/GFC700 equip & wiring (in rear cargo and engine area) complete visual inspection	G5000/GFC700			1,200.0	Phase C		5198.0	4724	04-4eb-22	6067.5			587.00		Garmin ICA 190-01508-N1	
0182168		G5000/GFC700 equip & wiring (in LH & RH wings) complete visual inspection.	G5000/GFC700			1,200.0	Phase C		5198.0	4724	04-4eb-22	6067.5			587.00		Garmin ICA 190-01508-N1	
0182169		G5000/GFC700 equip & wiring (on the aircraft exterior - antennas) complete visual inspection.	G5000/GFC700			1,200.0	Phase C		5198.0	4724	04-4eb-22	6067.5			587.00		Garmin ICA 190-01508-N1	
0182170		GFC700 pre-flight test, AFCS switch check, autopilot functional check and clutch overpower check	GFC700			400.0	Phase B		5364.0	4855	04-aug-23	5764.0			283.50		Garmin ICA 190-01508-N1	
0182171		GDUI 250W display format mode operation check				600.0	(Airworthiness Lim Item)		5198.0	4724	04-4eb-22	(see #0182112)					Garmin ICA 190-01508-N1	
0182172		GMA368 failsafe mode for GMA1/GMA2 operational check.				20,000.0	(Airworthiness Lim Item)		5198.0	4724	04-4eb-22	(see #0182121)					Garmin ICA 190-01508-N1	
0182173		Transponder #1 check GT3000	011-01997-200	205013644				24	5364.0	4955	04-aug-23				04-Aug-25	3	Garmin ICA 190-01508-N1	
0182174		Transponder #2 check GT3000	011-01997-200	205013053				24	5364.0	4955	04-aug-23				04-Aug-25	3	Garmin ICA 190-01508-N1	
0182175		ADC#1 GDC7400	011-020337-01	1161003211				24	5364.0	4955	04-aug-23				04-Aug-25	3	Garmin ICA 190-01508-N1	
0182176		ADC#2 GDC7400	011-020337-01	1161003134				24	5364.0	4955	04-aug-23				04-Aug-25	3	Garmin ICA 190-01508-N1	
0182177		7.3.2.4 Alt Data Accuracy Check						24	5445.6	4988	25-sep-24			25-Sep-26	16	Garmin ICA 190-01508-N1		
0182178		RVSM checks						24	5364.0	4955	04-aug-23			04-Aug-25	3	Garmin ICA 190-01508-N1		
0182179		RS-232 connection between PFD1 and GDU1				2,400.0	(Airworthiness Lim Item)		5198.0	4724	04-4eb-22	(see #0182119)					Garmin ICA 190-01508-N1	
0182180		HSDB connection checks				2,400.0	(Airworthiness Lim Item)		5198.0	4724	04-4eb-22	(see #0182117)					Garmin ICA 190-01508-N1	
0182181		Primary and Secondary data bus paths for AHRs and ADC data check				2,400.0	(Airworthiness Lim Item)		5198.0	4724	04-4eb-22	(see #0182118)					Garmin ICA 190-01508-N1	
0182182		Primary and Secondary data bus paths for GPS data check				200.0	(Airworthiness Lim Item)		5364.0	4955	04-aug-23	(see #0182110)					Garmin ICA 190-01508-N1	
0182183		Primary and Secondary power for G5000 LRUs check (GAI, GDU1, GDU2, GRS1, GDC1, GEA1 and GEA2)				2,400.0	(Airworthiness Lim Item)		5198.0	4724	04-4eb-22	(see #0182119)					Garmin ICA 190-01508-N1	
0182184		Primary and Secondary power for G5000 LRUs check (GAI, GDU1, GDU2, GRS1, GDC1, GEA1 and GEA2)				600.0	(Airworthiness Lim Item)		5198.0	4724	04-4eb-22	(see #0182111)					Garmin ICA 190-01508-N1	
0182185		Redundant ground paths for G5000 LRUs				20,000.0	(Airworthiness Lim Item)		5198.0	4724	04-4eb-22	(see #0182120)					Garmin ICA 190-01508-N1	
0182186		Primary and Secondary power for AHRs1				2,400.0	(Airworthiness Lim Item)		5198.0	4724	04-4eb-22	(see #0182114)					Garmin ICA 190-01508-N1	
0182187		GSM9100 pitch, roll and yaw servo mounts capstan and drive shaft seal fasteners check				20,000.0	(Airworthiness Lim Item)		5198.0	4724	04-4eb-22	(see #0182103)					Garmin ICA 190-01508-N1	
0182188		GSM9100 pitch, roll and yaw servo mount drive shaft seal check				(Airworthiness Lim Item)	240		5198.0	4724	04-4eb-22	(see #0182104)					Garmin ICA 190-01508-N1	
0182189		Rudder movement check				600.0	(Airworthiness Lim Item)		5198.0	4724	04-4eb-22	(see #0182101)					Garmin ICA 190-01508-N1	
0182190		Rudder boost inhibit active logic check				1,200.0	(Airworthiness Lim Item)		5198.0	4724	04-4eb-22	(see #0182102)					Garmin ICA 190-01508-N1	
0182191		G5000 display lighting check				2,400.0	(Airworthiness Lim Item)		5198.0	4724	04-4eb-22	(see #0182116)					Garmin ICA 190-01508-N1	

Aircraft Maintenance Schedule

DATE: mayo 16, 2025

C.R.A. N°

Certificado N°

A/C T.S.N.: 5480.5

Hrs.

L/H ENGINE T.S.N.: 5480.50

L/H ENGINE C.S.N.: 5032

A/C C.S.N.: 5032

Ldgs.

R/H ENGINE T.S.N.: 5446.90

R/H ENGINE C.S.N.: 4961

A/P.U. T.S.N.:

Hrs.

A/C System Hoobs 1133.1

ATA /TASK NUMBER	FACTS Form No.	SYSTEM AND COMPONENT			INTERVAL			LAST COMPLIANCE			NEXT DUE			REMAINING			DATA & REFERENCE	OBSERVATION
		DESCRIPTION	P / N	S / N	HRS	LDGS	Mos.	TSN	LDGS	DATE	TSN	CSN	DATE	HRS	LDGS	MOS		
AIRCRAFT PHASE MAINTENANCE SCHEDULE																		
0182192		Exterior skin inspection around antennas check			1,200.0	(Airworthiness Lim Item)		5198.0	4724	04-Feb-22	(see #0182144)						Garmin ICA 190-01506-N1	
0182193		L/R shaker interface to G5000 check			600.0			5198.0	4724	04-Feb-22	5798.0			317.50			Garmin ICA 190-01506-N1	
0182194		Emergency frequency switch check operation			2,400.0	(Airworthiness Lim Item)		5198.0	4724	04-Feb-22	(see #0182115)						Garmin ICA 190-01506-N1	
0182196		Ground COMM switch check			2,400.0			5198.0	4724	04-Feb-22	7598.0			2117.50			Garmin ICA 190-01506-N1	
0182196		Nose cooling fans operation check			800.0			5198.0	4724	04-Feb-22	5998.0			517.50			Garmin ICA 190-01506-N1	
0182197		Electrical bonding resistance test			1,200.0	Phase C		5198.0	4724	04-Feb-22	6398.0			917.50			Garmin ICA 190-01506-N1	
0182198		MC302 standby instrument	6420302-2				24	5364.0	4965	04-Sep-23			04-Aug-25			3	Garmin ICA 190-01506-N1	
0182199		Standby battery periodic check	501+1228-04	9844			6	5445.6	4988	20-Sep-24			20-Mar-25			-2	Garmin ICA 190-01506-N1	
0182200		Standby battery capacity testing	501+1228-04	9844			12	5445.6	4988	20-Sep-24			20-Sep-25			4	Garmin ICA 190-01506-N1	
0182201		Pilot probe / Mast anti-ice system check						5198.0	4724	04-Feb-22	(see #0182140)						Garmin ICA 190-01506-N1	
0182202		Pilot anti-ice ground return system check						5198.0	4724	04-Feb-22	(see #0182148)						Garmin ICA 190-01506-N1	
0182203		Static port anti-ice system check						5198.0	4724	04-Feb-22	(see #0182145)						Garmin ICA 190-01506-N1	
0182204		EMER bus tie power relay (KC36) circuit check						5198.0	4724	04-Feb-22	(see #0182143)						Garmin ICA 190-01506-N1	
0182205		L and R load bus feeders #1, #2 and #3 check						5198.0	4724	04-Feb-22	(see #0182146)						Garmin ICA 190-01506-N1	
0182206		Standby bus fed from L load bus						5198.0	4724	04-Feb-22	(see #0182146)						Garmin ICA 190-01506-N1	
0182207		L and R main bus tie RCCB circuits check						5198.0	4724	04-Feb-22	(see #0182143)						Garmin ICA 190-01506-N1	
0182208		EMER bus fed from L and R generators check						5198.0	4724	04-Feb-22	(see #0182146)						Garmin ICA 190-01506-N1	
0182209		Annunciator panel check						5198.0	4724	04-Feb-22	(see #0182141)						Garmin ICA 190-01506-N1	
0182210		Fuel temperature Zener check						5198.0	4724	04-Feb-22	(see #0182148)						Garmin ICA 190-01506-N1	